

INDIRA IVF

FERTILITY & IVF CENTRE

INDIRA IVF HOSPITAL PVT. LTD.

TO,

THE REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
PRAYAGRAJ

Sub - For Submission of Annual Report of BMW for the Financial Year
2020-2021

Respected Sir/Madam,

This is inform you that Indira IVF Hospital Pvt Ltd 41/2 Mohalla Civil
Station Elgin Road Civil Lines Prayagraj 211001 has submitted the BMW
annual report for the year 2020-2021. Necessary documents are attached
for the annual report.

Enclosure-

- 1- Form 4
- 2- Pollution Authorization Certificate
- 3- CTO (Air & Water)
- 4- CBMWTF Membership Certificate

INDIRA IVF HOSPITAL (P) LTD.

41/2, Civil Station, Civil Lines
Elgin Road, (Near Hanuman Mandir)
Allahabad (U.P.) - 211001

Thanking You

For Indira IVF Hospital Pvt Ltd, Prayagraj

Centre Seal

Xinca

Authorized Signatory



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।



Doctor Seal

www.indiraivf.com

info@indiraivf.in

CIN: U85110RJ2015PTC046846

**From -IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. ANJALI SHARMA
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF HOSPITAL PVT. LTD
	(iii) Address for Correspondence	:	41/2 Mohalla Civil Station Elgin Road Civil Lines Prayagraj 211001
	(i) Address of Facility	:	41/2 Mohalla Civil Station Elgin Road Civil Lines Prayagraj 211001
	(ii) Tel. No. Fax. No.	:	7665278665
	(V) E-mail ID	:	centerhead.allahabad@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF	:	25.452956171122597, 81.83810972578101
	(iii) Ownership of HCF of CBMWTF	:	Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No. 10352112 Valid up to 12/12/2022.
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31/07/2022
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds 10
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry.	:	Not Applicable
3.	Details if CBMWTF	:	Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	Not Known to us
	(iii) Installed treatment and disposal capacity of CBMWTF	:	_____ Kg per day Not Applicable
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	_____ Kg/day Not Applicable
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 351 Kg.(Approx)

Blue Category: 86 Kg.(Approx)

General Solid waste : 600 KG (Approx)

5. Details of the Storage , treatment, transportation, processing and Disposal Facility

(i) Details of the on-site storage facility :

Size : 30 Kg Buckets of Different Colours

Capacity: 30 Kg

Provision of on-site storage : (cold storage or any other provision)- Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.

(ii) Disposal Facilities :

Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum
Incinerators			
Plasma Paralysis			
Autoclaves			
Microwave			
Hydroclave			
Shredder			
Needle tip cutter or destroyer			
Sharps encapsulation or concrete pit			
Deep Burial pits:			
Chemical disinfection:			
Any other treatment equipment:			

(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :

CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.

(iv) No of vehicles used for collection and transportation of biomedical waste. :


CBMWTF vehicles are being used for collection & transportation of bio medical waste

(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of

CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP sludge is not known to

	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.		We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMW&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		Training is conducted on Quarterly Basis
	(ii) Number of personnel trained		29
	(iii) Number of personnel trained at the time of induction		29
	(iv) Number of personnel not undergone any training so far.		Not any because at the time of joining we give proper training to the staff regarding BMW&H
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12.	Any other relevant information		No

Certified that the above report is for the period from Jan 2020 to Dec 2020.


INDIRA IVF HOSPITAL (P) LTD.
 41/2, Civil Station, Civil Lines
 Elgin Road, (Near Hanuman Mandir)
 Allahabad (U.P.) - 211001

क्षेत्रीय कार्यालय, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

REGIONAL OFFICE, U. P. POLLUTION CONTROL BOARD

आवास विकास परिसर कॉलोनी, सेक्टर 10, योजना संख्या 3, झुंसी, प्रयागराज - 221508
Avas Vikas Parishad Colony, Sector-10, Scheme No. 3, Jhansi, Prayagraj.

संदर्भ सं. ... / ... / 2021

दिनांक... 01/9/2021

सेवा में
इन्दिरा आईवीओएफओ हॉस्पिटल प्रां० लि०
इन्डुमान मंदिर के पीछे, सिविल लाइन्स,
प्रयागराज।

विषय सहमति (जल एवं वायु) में अंकित बेड की संख्या में संशोधन के सम्बन्ध में।

कृपया उपरोक्त विषयक सहमति (जल एवं वायु) में संशोधन हेतु प्रेषित अपने प्रत्यावेदन दिनांक 25.08.2021 का अवलोकन करने का कष्ट करें। आप द्वारा प्रत्यावेदन के साथ पूर्व निर्गत प्राधिकार, CBWTF से सदस्यता की प्रति एवं CMO सर्टीफिकेट की प्रति संलग्नकर निर्गत सहमति जल एवं वायु आदेश में अंकित शर्त 09 बेड को संशोधित कर 10 बेड किए जाने का अनुरोध किया गया है।

उपरोक्त परिपेक्ष्य में आप द्वारा प्रेषित प्रत्यावेदन के क्रम में इस कार्यालय के पत्र दिनांक 19.08.2021 द्वारा निर्गत सहमति (जल एवं वायु) आदेश में अंकित Consent of Condition एवं specific conditions की शर्त संख्या (1) में 09 बेड के स्थान पर 10 बेड पढ़ा जाए। निर्गत सहमति (जल एवं वायु) आदेश दिनांक 19.08.2021 की वैधता एवं अन्य शर्तें यथावत् लागू रहेंगी।

भवदीय,

(आर०के० सिंह)
क्षेत्रीय अधिकारी

प्रतिलिपि: मुख्य पर्यावरण अधिकारी (वृत्त-2), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचनार्थ सादर प्रेषित।


क्षेत्रीय अधिकारी

Scanned with Triple Camera
Galaxy M30s



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010
Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
134681/UPPCB/Allahabad(UPPCBRO)/CTO/water/ALLAHABAD/2021

Dated : 19/08/2021

To ,

Shri MITESH DILIP DAVE
M/s INDIRA IVF HOSPITAL PRIVATE LIMITED
BEHIND HANUMAN MANDIR, CIVIL LINES, PRAYAGRAJ,PRAYAGRAJ,
ALLAHABAD

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. INDIRA IVF HOSPITAL PRIVATE LIMITED

Reference Application No :13185750

Dated :19/08/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. INDIRA IVF HOSPITAL PRIVATE LIMITED is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 19/08/2021 to 31/07/2022 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

RAMESH
KUMAR
SINGH

Digitally signed by
RAMESH KUMAR
SINGH
Date: 2021.08.19
22:10:57 +05'30'

For and on behalf of U.P. Pollution Control Board

R.O., UPPCB PRAYAGRAJ.

**Enclosed : As above
(condition of consent):**

Copy to: CEO-2, UPPCB LUCKNOW.

RAMESH
KUMAR
SINGH

Digitally signed by
RAMESH KUMAR
SINGH
Date: 2021.08.19
22:11:07 +05'30'

R.O., UPPCB PRAYAGRAJ.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.INDIRA IVF HOSPITAL PRIVATE LIMITED vide

Consent Order No. 13185750/ Water

Dated : 19/08/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of HOSPITAL-09 BED
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Domestic	3.0 KLD	Septic Tank
2	Industrial	3.0 KLD	STP

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This consent is valid for the 09 Beds.
2. Hospital will disposed of liquid infectious effluent through establish STP
3. Hospital will make provision of sample collection for STP discharge point.
4. Hospital is directed to submit drainage diagram for convenience of untreated sewage up to the proposed STP within a month.
5. Hospital is directed to ensure zero discharge outside the premise.
6. Hospital is directed to comply with the provision of Bio-Medical Waste Rule 2016 strictly as defined in rule no. 4 for the occupier.
7. Hospital is directed to make a provision of rainwater harvesting & groundwater recharging within 03 months.
8. Hospital Home will not make any expansion without the prior consent of the Board.
9. Hospital will comply with the provision of Solid Waste Rule 2016.
10. Hospital is directed to comply with the provision of E (P) Act 1986

Issued with the permission of competent authority .

RAMESH
KUMAR
SINGH

Digitally signed by
RAMESH KUMAR
SINGH
Date: 2021.08.19
22:11:22 +05'30'

For and on behalf of U.P. Pollution Control Board .

R.O., UPPCB PRAYAGRAJ.



UTTAR PRADESH POLLUTION CONTROL BOARD

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. - 134680/UPPCB/Allahabad(UPPCBRO)/CTO/air/ALLAHABAD/2021

Dated : 19/08/2021

To ,

**Shri MITESH DILIP DAVE
M/s INDIRA IVF HOSPITAL PRIVATE LIMITED
BEHIND HANUMAN MANDIR, CIVIL LINES, PRAYAGRAJ,PRAYAGRAJ,
ALLAHABAD**

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. INDIRA IVF HOSPITAL PRIVATE LIMITED

Reference Application No. 13185728

Dated : 19/08/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s INDIRA IVF HOSPITAL PRIVATE LIMITED. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 19/08/2021 to 31/07/2022 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

This consent is being issued with the permission of competent authority .

**RAMESH
KUMAR
SINGH**

Digitally signed by
RAMESH KUMAR
SINGH
Date: 2021.08.19
22:09:04 +05'30'

For and on behalf of U.P. Pollution Control Board

R.O., UPPCB PRAYAGRAJ.

**Enclosed : As above
(condition of consent):**

Copy to: CEO-2, UPPCB LUCKNOW.

**RAMESH
KUMAR
SINGH**

Digitally signed by
RAMESH KUMAR
SINGH
Date: 2021.08.19
22:09:19 +05'30'

R.O., UPPCB PRAYAGRAJ.

U.P. Pollution Control Board

Dated : 19/08/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of HOSPITAL-09 BED .
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	DG SET 160 KVA	DIESEL	01	Particulate Matter	AS PER E(P) ACT 1986

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. Hospital is directed to maintain the canopy & stack fitted with 160 KVA D.G set in such a way that it does not create noise/Air Pollution in the adjacent environment.
2. Hospital is directed to develop Green Belt in all available possible space in the premise.
3. Hospital is directed to comply the provision of Bio Medical Waste Rule 2016 strictly as defined in rule no.4 for the occupier.
4. Hospital will not make any expansion without prior consent of the Board.
5. Hospital will comply the provision of Solid Waste Rule 2016.
6. Hospital is directed to comply the provision of E (P) Act 1986. Hospital will ensure that no traffic congestion takes place outside the Hospital.
7. Hospital will ensure the compliance of Plastic Waste Notification dated 22-12-2015 by banning usages of Polythene Carry Bags & other Plastic items as mentioned in the notification.

Issued with the permission of competent authority .

**RAMESH
KUMAR
SINGH**

Digitally signed by
RAMESH KUMAR
SINGH
Date: 2021.08.19
22:09:35 +05'30'

For and on behalf of U.P. Pollution Control Board .

R.O., UPPCB PRAYAGRAJ.



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone : 2400852, 2400851, Fax: 0651- 2400850

<http://www.uppcb.com/>

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 10352112 and Date:-14/12/2020
2. M/s INDIRA IVF HOSPITAL PVT LTD, MITESH DILIPDAVE an occupier or operator of the facility located at 41/2, Elgin Road, Civil Lines, PRAYAGRAJ, 211001 is hereby granted an authorisation for:

Generation, segregation



Collection



Storage



Transportation

Reception

Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s INDIRA IVF HOSPITAL PVT LTD is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 10
 - (ii) Number of health care facilities covered by CBMWTF: M/s Sangam Mediserve Pvt. Ltd. 60E/2B, Thornhill Road, Prayagraj.
 - (iii) Installed treatment and disposal capacity: N/A
 - (iv) Area or distance covered by CBMWTF: N/A
 - (v) Quantity of Biomedical waste handled, treated or disposed: 2.0 KG/DAY
4. This authorisation shall be in force for a period of 02 Years from the date of issue.
- 4.1 The authorization shall be valid for till 13/12/2022
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

14/12/2020
cc: PRAYAGRAJ

Pradeep Kumar Vishwakarma
Digitally signed by Pradeep
Kumar Vishwakarma
Date: 2020.12.14 16:53:28
+05'30'

PRADEEP KUMAR VISHWAKARMA
R.O., UPPCB PRAYAGRAJ.

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. This authorization is issued on the basis of agreement made in between the unit and M/s Sangam Mediserve Pvt. Ltd. 60E/2B, Thornhill Road, Allahabad. who is treating the Bio Medical Waste at Vill. Jaitapur, Handia, Allahabad. In Case the agreement is breached/ cancelled, the authorization issued to you, will automatically be deemed cancelled as validity of your HOSPITAL with CBWTF.
6. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
7. You shall ensure that biomedical waste generated in your hospital is handled without any adverse effect to human health and the environment.
8. You will ensure that biomedical waste shall be treated and disposed off in accordance with scheduled-I & II.
9. Bio-Medical Waste shall not be mixed with other waste.
10. Bio-Medical waste shall be segregated into containers/bags at the point of generation in accordance with schedule-I of Rule (8).
11. The containers transported from the premises where biomedical waste is generated to common waste treatment facility outside the premises shall, apart from the label prescribed in schedule-III also carry information in schedule IV.
12. You shall also ensure that untreated biomedical waste shall be transported only in such vehicle as may be authorized for the purpose by competent authority as specified by the government. No untreated biomedical waste shall be kept stored beyond a period of 48 hours, if it becomes necessary to store beyond 48 hours you must take permission from the prescribed authority and ensure that it does not adversely affect human health and the environment.
13. You shall submit an annual report to the prescribed authority in form IV by 31st January every year according biomedical waste rule 2016, and include the information about the categories and quantities of biomedical waste handled during the preceding year.
14. You shall maintain record related to the generation, collection, temporary storage and or any form of handling of biomedical waste in accordance with these rules and guidelines. All records shall be subject to inspection and verification by the prescribed authority at any time.
15. It is within the powers and functions of the U.P Pollution Control Board to modify/ revoke the term and conditions of the authorization issued under Bio-Medical waste (Management and Handling) Rules, 2016.
16. Colour Coded and lid covered leveled containers must be used for segregation & collection of bio-medical waste.
17. It is the duty of the authorized person to timely submit the valid membership certificate of CBWTF every year, within authorization period, and assure that bio medical waste are disposed according BMW rule 2016, otherwise this authorization will be automatically deemed rejected.
18. Hospital is directed to comply Air, Act 1981 & Water Act, 1974 provisions.
19. You are directed to submit six monthly compliance report of above mentioned conditions.
20. You are directed to submit valid registration certificate of C.M.O. PRAYAGRAJ within three month.

Pradeep
Kumar
Vishwakarma

Digitally signed by
Pradeep Kumar
Vishwakarma
Date: 2020.12.14
16:53:53 +05'30'

Memo No.: 10352112

Dated: 14/12/2020

Copy To:
CEO-2, UPPCB LUCKNOW.

Pradeep Kumar
Vishwakarma

Digitally signed by
Pradeep Kumar
Vishwakarma
Date: 2020.12.14 16:54:20
+05'30'

PRADEEP KUMAR VISHWAKARMA
R.O., UPPCB PRAYAGRAJ.

MEMBERSHIP CERTIFICATE

Sangam Mediserve Pvt. Ltd.



www.sangammediserve.com Email: sangammediserve@gmail.com info@sangammediserve.com
Mobile: +919670555533, +919670333388

SI No. 2727

CERTIFICATE

Certificate No. : NIN/21-22/00087

Date: 08-Apr-2021

This is to certify that M/s. : **INDIRA IVF HOSPITAL PVT.LTD. (41/2 ELGIN, ROAD CIVIL LINE, PRAYAGRAJ)**

HOSPITAL & NURSING HOME is a member of Sangam Mediserve Pvt. Ltd. bearing Registration No.: PRG/SMSPL/0039.

Sangam Mediserve Pvt. Ltd. is providing bio-medical waste management service to the institute from : **01-Apr-2021** for a total bed strength of : **10 (Ten)**

This certificate is valid upto : **31-Mar-2022**



DIRECTOR

Hari om Sharan Dwivedi
Hari Om Sharan Dwivedi

Works : Plot No. 281 Vill.-Jaitapur, Handia, Janghai - Dhanupur Road, Allahabad
Corp. Office : 189 Sector-D Shantipuram, Phaphamau, Allahabad - 211013 (UP)

Sangam Mediserve Pvt. Ltd.

Specialist in Waste Management

Web : www.sangammediserve.com, Email : sangammediserve@gmail.com, Mob/A : +91-9670555533, +91-9670222266



To Whom So Ever It May Concern

This is to certify that Following Quantity (in Kg.) Of BMW Received From

INDIRA IVF HOSPITAL PVT. LTD.

PRAYAGRAJ

And been treated & disposed by as per guidelines.

Month	Yellow (In Kg.)	Red (In Kg.)	White (In Kg.)	Blue (In Kg.)	Total (In Kg.)
JAN-20	37.21	24.23	1.02	10.75	73.21
FEB-20	26.48	23.05	1.20	10.25	60.98
MAR-20	34.82	41.23	0.28	1.25	77.58
APR-20	25.30	38.12	0.11	6.20	69.73
MAY-20	28.10	28.45	0.75	7.21	64.51
JUN-20	20.20	26.25	1.25	0.27	47.97
JUL-20	27.80	34.38	.20	5.20	67.58
AUG-20	29.13	37.23	0.45	9.23	76.04
SEP-20	25.78	19.21	0.4	8.20	53.59
OCT-20	34.00	21.30	1.00	7.34	63.64
NOV-20	21.25	31.28	1.02	12.45	66
DEC-20	41.45	18.00	1.60	8.01	69.06
Total (In Kg.)	351.5	342.7	9.28	86.36	789.9



C.B.W.T.F. Address : Plot No. 281 VIII-Jaitapur, Handia,
Janghai - Dhanupur Road, Prayagraj - 221503 (UP)

Corp. Office : 189 Sector-D, Shantipuram,
Phaphamau, Prayagraj - 211013 (UP)