

**Form - IV**  
**(See rule 13)**  
**ANNUALREPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)		Mr. Dayanidhi Kumar
	(ii) Name of HCF or CBMWTF		Indira Inf Hospital Pvt Ltd
	(iii) Address for Correspondence		3rd Flr from Archana Complex
	(iv) Address of Facility		Near D.M. Reside Surma Chakrapan
	(v) Tel. No, Fax. No		
	(vi) E-mail ID		
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF		(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		Authorisation No.: BMW/1910/191-D-5158 valid up to 23-9-24
	(xi). Status of Consents under Water Act and Air Act		Valid up to:
2.	Type of Health Care Facility		
	(i) Bedded Hospital		No. of Beds: 10
	(ii) Non-bedded hospital		
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		
3.	Details of CBMWTF		
	(i) Number healthcare facilities covered by CBMWTF		
	(ii) No of beds covered by CBMWTF		
	(iii) Installed treatment and disposal capacity of CBMWTF:		Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		Kg/day
4.	Waste generated or disposed in Kg per day (basis)		Yellow Category : 12 kg/day Red Category : 8 kg/day White: 10 kg/day Blue Category : 4.8 kg/day General Solid waste:

बिहार राज्य प्रदूषण नियंत्रण परिषद  
कटलीपुत्र औद्योगिक क्षेत्र पर्यवेक्षण  
18 MAY 2022  
प्राप्त किया

842001



5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	Size :	Capacity :			
			Provision of on-site storage : (cold storage or any other provision)			
			Type of treatment equipment	No of y s	Cap acit r Kg/ day	Quantity treatedo unit disposed in kg per annum
			Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			
	disposal facilities					
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	own vehicles of Medicare Environment Management Pvt Ltd			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated	Where disposed		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Incineration Ash ETP Sludge  Medicare Environment Management Pvt Ltd			
	(vii) List of member HCF not handed over bio-medical waste.					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period					



7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.	-	
	(ii) number of personnel trained		12
	(iii) number of personnel trained at the time of induction		8
	(iv) number of personnel not undergone any training so far		12
	(v) whether standard manual for training is available?		4
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		NO
	(ii) Number of the persons affected		5
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		-
	Details of Continuous online emission monitoring systems installed		-
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		-
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 1-1-21 to 31-12-21

Date:  
Place

18/5/22  
Muzaffarpur

Name and Signature of the Head of the Institution

