

**BMW Annual Report Details**

Application Id: 20930951

| Particulars of the Occupier   |   |
|---|---|
| Annual report submit for year:  | 2021  |
| Name of the authorized person:  | Nidhi Saluja  |
| Name of HCF or CBMWTF:  | INDIRA IVF CLINIC   |
| Address for Correspondence:   | 2nd Floor, SCO 24, Commercial Market, Old Delhi Road, Sector-14, Gurugram |
| Address of Facility:  | 2nd Floor, SCO 24, Commercial Market, Old Delhi Road, Sector-14, Gurugram |
| Tel. No.:   | 9963180437  |
| Fax. No.:   | -   |
| E-mail ID:  | nenucool24@gmail.com  |
| URL of Website:   |   |
| GPS coordinates of HCF of CBMWTF:                                     |   |
| Ownership of HCF or CBMWTF:   | Private   |
| Status of Authorization under the BMW (Management and Handing) Rules: |   |
| Authorization No.:  | BMW19GUNO6589006  |
| Valid Upto:   | 31/12/2030  |
| Status of Consents under Water Act and Air Act.:                      |   |
| Valid Upto:   | 31/12/2030  |

| Health Care Facilities Details   |            |
|--|------------|
| HCF/CBMWTF Type:   | HCF        |
| No. of Beds(for Bedded Hospital):  | 0          |
| Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other): | CLINIC     |
| Licence Number:  | 196589006  |
| Licence date of expiry:  | 31/03/2025 |

| Quantity of Waste Generated  |    |
|--|----|
| Quantity of waste generated or disposed in Kg per annum (on monthly average basis) |    |
| Yellow Category:   | 43 |
| Red Category:  | 16 |
| White Category:  | 1  |
| Blue Category:   | 1  |
| General Solid Waste:   | 0  |

**Storage, Treatment, Transportation, Processing and Disposal Facility Details**

|   |                      |
|---|----------------------|
| Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum: | 0                    |
| No of vehicles used for collection and transportation of BMW:                               | 1                    |
| Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:    | Biotic Waste Limited |
| <b>Details of the on-site storage facility:</b>   |                      |
| Size:   | 4x4                  |
| Capacity:   | 100                  |
| Provision of on-site storage:   | 1                    |

| Disposal Facility           |                 |                  |  |
|-----------------------------|-----------------|------------------|--|
| Type of Treatment Equipment | Number of Units | Capacity(Kg/day) | Quantity Treated or Disposed(Kg/annum) |
| List is Empty               |                 |                  |  |

| Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum |                    |                |
|--|--------------------|----------------|
| Type of waste  | Quantity Generated | Where disposal |
| List is Empty  |                    |                |

| BMW Management Committee              |    |
|---------------------------------------|----|
| Do you have BMW management committee: | no |

| Training Conducted on BMW Details                      |     |
|--|-----|
| Number of training conducted on BMW Management:        | 5   |
| Number of personnel trained:                           | 5   |
| Number of personnel trained at the time of induction:  | 7   |
| Number of personnel not undergone any training so far: | 0   |
| Whether standard manual for training is available:     | yes |
| Any other information:                                 | NA  |

| Details of the accident occurred |   |
|----------------------------------|---|
| No. of accident occurred:        | 0 |
| Number of the persons affected:  | 0 |
| Remedial Action taken:           | 0 |
| Any Fatality occurred, details:  | 0 |

| Other Details   |    |
|---|----|
| Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?: | NA |
| Details of Continuous online emission monitoring systems installed:   | NA |



|  |    |
|--|----|
| Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:                      | NA |
| It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?: | NA |
| Any other relevant information:  | NA |