## **Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF) PCB ID: 127722** Health Care Facility / CBWTF Name: Indira Ivf Clinic( A Unit Of Indira IVF Hospital Pvt. Ltd.) First Floor Gayatri 1 Year 2021 2 Type of Health Care Facility Clinic / Dispensary Ю 3 Number of Beds License Number and Date of Expiry B-70465 29/09/20 4 of License Do you have Captive Treatment 5 O Yes O No Facility? Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis) Yellow Category 6 1.05 7 **Red Category** 0.65 8 White Category 0.11 9 0.075 Blue Category 3 General Solid Waste 10 Details of the Storage, Treatment, Transportation, Processing and Disposal Facility STORAGE AREA 11 Details of the on-site storage facility 12 Treatment Facility CHM,CLE Quantity of Recyclable Waste sold 0 to Authorized Recyclers after 13 Treatment (in kg / Year) Number of Vehicles used for 1 14 Collection and Transportation of **Biomedical Waste** Details of Incineration Ash and ETP Sludge generated and disposed 15 0 during the Treatment of waste (in Kg / Year )

16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Indo Water Management & P  ✓
17	Do you have bio-medical waste management committee? If yes, minutes of the meetings held during the reporting period	○Yes •No
Details of Trainings conducted on Bio Medical Waste Management		
18	Number of Trainings conducted on BMW Management	2
19	Number of Personnel Trained	2
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	● Yes ○ No
23	Any other information	NA
Details of the accident occurred during the year		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken ( details if any )	NA
27	Any Fatality Occurred, details	NO
28	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	⊙ Yes ○ No
29	Details of Continuous Online Emission Monitoring systems installed	NA
30	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year	NA
31	Is the disinfection method or	● Yes ○ No NA

	sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
32	Any other relevant information	NA /
		Update