

# INDIRA IVF

FERTILITY & IVF CENTRE

INDIRA IVF HOSPITAL PVT. LTD.

Date: 05<sup>th</sup> JAN 2022

To,  
The officer Incharge  
Regional Office  
JHPCB, RANCHI

Sub : For submission of Annual Report of BMW for the year 2021-2022.

Respected Sir/ Madam,


This is to inform you that Indira IVF Hospital Pvt. Ltd., Ranchi has submitted the BMW annual report for the year 2021-2022. Necessary document are attached for the annual report.

Enclosure :-

1. Form 4


Thanking you.

For Indira IVF Hospital Pvt. Ltd, Ranchi

  
Dr. Puja Rani  
Authorized Signatory

Centre Seal

INDIRA IVF HOSPITAL PVT. LTD.  
5th Floor, Royal Square, Plot No-1727  
Opp: PNB, Argora Chowk, Ranchi  
(Jharkhand) 834002



Doctor Seal

बेटी बचाओ/बेटी पढ़ाओ,  
अभियान में सहयोग करें।



SAVE GIRL CHILD

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

www.indiraivf.com  
indira\_clinic@yahoo.co.in  
CIN: U85110RJ2015PTC046846



**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.No.	Particulars	Details
1.	Particulars of the Occupier	:
	(i) Name of the authorised person (occupier or operator of facility)	: Occupier: - Dr. Puja Rani
	(ii) Name of HCF or CBMWTF	: HCF: - Indira IVF Hospital Pvt. Ltd.
	(iii) Address for Correspondence	: 5 <sup>TH</sup> FLOOR, ROYAL SQUARE, ARGORA CHOWK, OPP- PUNJAB NATIONAL BANK, RANCHI, JBARKHAND. PIN CODE - 834002.
	(iv) Address of Facility	: 5 <sup>TH</sup> FLOOR, ROYAL SQUARE, ARGORA CHOWK, OPP- PUNJAB NATIONAL BANK, RANCHI, JBARKHAND. PIN CODE - 834002.
	(v) Tel. No, Fax. No	: 9531152156
	(vi) E-mail ID	: centerhead.ranchi@indiraivf.in
	(vii) URL of Website	:
	(viii) GPS coordinates of HCF or CBMWTF	: HCF: - At latitude 23°21'1.11"N and longitude 85°17'56.46"E.
	(ix) Ownership of HCF or CBMWTF	: Private
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: We have applied for the Authorization to SPCB.
	(xi). Status of Consents under Water Act and Air Act	: Applied for CTO under Water Act and Air Act to SPCB.
2.	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: 09
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: N/A
	(iii) License number and its date of expiry	:
3.	Details of CBMWTF :	:
	(i) Number healthcare facilities covered by CBMWTF	: Not known to us.
	(ii) No of beds covered by CBMWTF	: Not known to us.
	(iii) Installed treatment and disposal capacity of CBMWTF	: _____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: _____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow Category :180 kg (approx) Red Category :120 kg (approx) White Category:30 kg (approx) Blue Category : 60 kg (approx) General Solid waste:600 kg (approx)



5.	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size: 15 kg buckets of different colours for storage Capacity: 15 kg Provision of on-site storage: stored in colour coded closed containers.																																																
	(ii) Details of the treatment or disposal facilities	:	<table> <tr> <th>Type of treatment equipment</th><th>No of units</th><th>Capacity Kg/day</th><th>Quantity Treated or Disposed in Kg per annum</th></tr> <tr> <td>Incinerators</td><td></td><td></td><td></td></tr> <tr> <td>Plasma Pyrolysis</td><td></td><td></td><td></td></tr> <tr> <td>Autoclaves</td><td></td><td></td><td></td></tr> <tr> <td>Microwave</td><td></td><td></td><td></td></tr> <tr> <td>Hydroclave</td><td></td><td></td><td></td></tr> <tr> <td>Shredder</td><td></td><td></td><td></td></tr> <tr> <td>Needle tip cutter or destroyer</td><td></td><td></td><td>-</td></tr> <tr> <td>Sharps encapsulation or concrete pit</td><td></td><td></td><td>-</td></tr> <tr> <td>Deep burial pits:</td><td></td><td></td><td></td></tr> <tr> <td>Chemical disinfection:</td><td></td><td></td><td>-</td></tr> <tr> <td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or Disposed in Kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			-	Sharps encapsulation or concrete pit			-	Deep burial pits:				Chemical disinfection:			-	Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or Disposed in Kg per annum																																																
Incinerators																																																			
Plasma Pyrolysis																																																			
Autoclaves																																																			
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer			-																																																
Sharps encapsulation or concrete pit			-																																																
Deep burial pits:																																																			
Chemical disinfection:			-																																																
Any other treatment equipment:																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	CBMWTF does the work of treatment and disposal of our bio-medical waste so details of quantity of recyclable wastes sold to authorized recyclers after treatment is not known to us.																																																
	(iv) No. of vehicles used for collection and transportation of biomedical waste	:	CBMWTF vehicles are being used for collection and transportation of biomedical waste.																																																
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	CBMWTF does the work of treatment and disposal of our bio-medical waste so details of incineration ash and ETP sludge is not known to us.																																																
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Bio – Genetic Laboratories Pvt. Ltd.																																																
	(vii) List of member HCF not handed over bio-medical waste.	:	Not known to us																																																
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	We don't have a bio-medical waste management committee. However, our house keeping incharge is given responsibility for training of staffs regarding BMWM&H. Moreover, he also looks after the proper storage of BMW in colour coded bags and its handover to the CBMWTF for its disposal.																																																
7.	Details trainings conducted on BMW	:																																																	



	(i) Number of trainings conducted on BMW Management.	:	Training is conducted on quarterly basis.
	(ii) Number of personnel trained	:	37
	(iii) Number of personnel trained at the time of induction	:	37
	(iv) Number of personnel not undergone any training so far	:	Not any, because at the time of joining we give proper training to the staff regarding BMWH&M.
	(v) Whether standard manual for training is available?	:	yes
	(vi) any other information	:	No
8.	Details of the accident occurred during the year	:	
	(i) Number of Accidents occurred	:	Not Any
	(ii) Number of the persons affected	:	N/A
	(iii) Remedial Action taken (Please attach details if any)	:	N/A
	(iv) Any Fatality occurred, details.	:	N/A
9.	Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards?	:	N/A
	Details of Continuous online emission monitoring systems installed	:	N/A
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Presently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment Plant.
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	N/A
12.	Any other relevant information	:	No

Certified that the above report is for the period from January 2021 to December 2021.

Date:  
Place

5/1/22.  
Ranchi

Name and Signature of the Head of the Institution

*Raja Ravi*

INDIRA IVF HOSPITAL PVT. LTD.  
5th Floor, Royal Square, Plot No-1727  
Opp: PNB, Argora Chowk, Ranchi  
(Jharkhand) 834002