Annual Returns form for Health Care Facilities / Common Bio-medical Waste Treatment and Disposal Facility (CBWTF) PCB ID: 143244 Health Care Facility / CBWTF Name: M\s Indira IVF Clinic (A Unit Of Indira IVF Hospital Pvt.Ltd.) Rewa 1 Year 2021 2 Type of Health Care Facility Clinic / Dispensary Ю 3 Number of Beds License Number and Date of Expiry 4 B-92523 10/10/20 of License Do you have Captive Treatment 5 O Yes O No Facility? Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis) Yellow Category 6 0.18 7 **Red Category** 0.15 8 White Category 0.11 9 0.02 Blue Category 2 General Solid Waste 10 Details of the Storage, Treatment, Transportation, Processing and Disposal Facility storage area 11 Details of the on-site storage facility 12 Treatment Facility CHM,CLE Quantity of Recyclable Waste sold 0 to Authorized Recyclers after 13 Treatment (in kg / Year) Number of Vehicles used for 1 14 Collection and Transportation of **Biomedical Waste** Details of Incineration Ash and ETP Sludge generated and disposed 15 0 during the Treatment of waste (in Kg / Year)

16	Name of the Common Bio-Medical Waste Treatment Facility Operator through which waste are disposed of	Indo Water Management & P ✓
17	Do you have bio-medical waste management committee? If yes, minutes of the meetings held during the reporting period	○Yes •No
Details of Trainings conducted on Bio Medical Waste Management		
18	Number of Trainings conducted on BMW Management	2
19	Number of Personnel Trained	2
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	● Yes ○ No
23	Any other information	NA
Details of the accident occurred during the year		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	NA
27	Any Fatality Occurred, details	NO
28	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	● Yes ○ No
29	Details of Continuous Online Emission Monitoring systems installed	NA
30	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year	NA
31	Is the disinfection method or	● Yes ○ No

	sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
32	Any other relevant information	NA
		Update