


**From -IV**  
**(See rule 13) Annual Report**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr. Spoorthi Uddadi
	(ii) Name of HCF or CBMWTF	:	Indira IVF Clinic.
	(iii) Address for Correspondence	:	BHUVANA TOWERS, D.NO.1-2-166 TO 193/101, 1ST FLOOR, SD Road, above Hotel Minerva Grand, Kalasiguda, Secunderabad, Telangana 500003
	(i) Address of Facility	:	BHUVANA TOWERS, D.NO.1-2-166 TO 193/101, 1ST FLOOR, SD Road, above Hotel Minerva Grand, Kalasiguda, Secunderabad, Telangana 500003
	(ii) Tel. No. Fax. No.	:	8277456219
	(V) E-mail ID	:	Kiran.shivapooji@indiraivf.in
	(i) URL of Website	:	
	(ii) GPS coordinates of HCF or CBMWTF	:	CBMWTF
	(iii) Ownership of HCF of CBMWTF	:	Private
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No.:11/TSPCB/ROH/HYD/BMWA/2019-135A Valid up to: 31-03-2024
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: NA
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 00
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry.	:	-
3.	Details if CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No. of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal	:	NA






	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	NA																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 301 kg/annum Red Category: 176 kg/annum White 28 kg/annum Blue Category: 54 kg/annum General Solid waste: kg/annum																																																
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : -- Capacity:0.3 cu. meter Provision of on-site storage : The Biomedical waste is stored in color coded bins in air conditioned rooms for not more than 48 hours																																																
	(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed In Kg per Annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Paralysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td>---</td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td>----</td> <td></td> </tr> <tr> <td>Deep Burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td>----</td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer		---		Sharps encapsulation or concrete pit		----		Deep Burial pits:				Chemical disinfection:		----		Any other treatment equipment:			
Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum																																																
Incinerators																																																			
Plasma Paralysis																																																			
Autoclaves																																																			
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer		---																																																	
Sharps encapsulation or concrete pit		----																																																	
Deep Burial pits:																																																			
Chemical disinfection:		----																																																	
Any other treatment equipment:																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	NA																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	01																																																
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	:	Quantity Generated                      Where disposal Incineration AshNA																																																



			ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	G J Multiclave (India) Pvt. Ltd. Sy. No. 179 & 181, Edulapally (V), Nandigam Shad Nagar .Ranga Reddy .Telangana
	(vii) List of member HCF not handed over bio-medical waste.	:	NA
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	YES
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		2
	(ii) Number of personnel trained		
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far.		0
	(v) Whether standard manual for training is available ?		Yes
	(vi) Any other information)		Nil
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		NA
	(ii) Number of the persons affected		NA
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		NA
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		INCINERATOR NOT AVAILABLE WITH OUR ORGANIZATION. OUT SOURCED.
	Details of Continuous online emission monitoring systems installed		OUT SOURCED
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		NA
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information		Nil



Certified that the above report is for the period from January 2021 to December 2021



INDIRA IVF HOSPITAL PVT. LTD.  
2nd. Floor, Plot No: 8-2-701/702  
Road No : 12, Opp Mahesh Bank  
Hyderabad-24, TS.

Name and Signature of the Head of the Institution

Date:

04/10/2022

Place:

Hyderabad.