

Form - IV
(See rule 13)

ANNUALREPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	MR. KISHOR MURDHA
	(i) Name of the authorised person (occupier or operator of facility)	INDIRA IVF HOSPITAL Pvt LTD.
	(ii) Name of HCF or CBMWTF	Big Bazar 4th Floor
	(iii) Address for Correspondence	Jagden Path Bailey Road
	(iv) Address of Facility	Patna-800014.
	(v) Tel. No, Fax. No	9011803606
	(vi) E-mail ID	
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.: BMW/2478/19/8-5902valid up to 2024.
(xi). Status of Consents under Water Act and Air Act	Valid up to:	
2.	Type of Health Care Facility	No. of Beds: 15
	(i) Bedded Hospital	
	(ii) Non-bedded hospital	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	
3.	(iii) License number and its date of expiry	
	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	
	(ii) No of beds covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF:	_____ Kg per day
4.	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	_____ Kg/day
	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category : 220 kg/yr
		Red Category : 232 kg/yr
		White: 15 kg/yr
Blue Category : 19 kg/yr		
	General Solid waste: 40L	

बिहार राज्य प्रदूषण नियंत्रण पथक
पाटलीपुत्र औद्योगिक क्षेत्र, पटना-10

11 FEB 2022

प्राप्त किया

(i) Details of the on-site storage facility	Size : Capacity : Provision of on-site storage : (cold storage or any other provision)
disposal facilities	<p>Type of treatment equipment</p> <p>No of systems</p> <p>Capacities</p> <p>Quantity treated or disposed in kg per annum</p> <p>Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:</p> <p>- 2 NOS</p>
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)
(iv) No of vehicles used for collection and transportation of biomedical waste	By own vehicle of TBEMS
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<p>Quantity generated</p> <p>Where disposed</p> <p>Incineration Ash ETP Sludge</p>
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	M/s Sengam medigene Pvt Ltd TBEMS Campu, Sheikhpura Baiky Road Patna - 800014
(vii) List of member HCF not handed over bio-medical waste.	-
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	-

	(i) Number of trainings conducted on BMW Management.	5
	(ii) number of personnel trained	6
	(iii) number of personnel trained at the time of induction	6
	(iv) number of personnel not undergone any training so far	0
	(v) whether standard manual for training is available?	Yes
	(vi) any other information	AID
8	Details of the accident occurred during the year	-
	(i) Number of Accidents occurred	-
	(ii) Number of the persons affected	-
	(iii) Remedial Action taken (Please attach details if any)	-
	(iv) Any Fatality occurred, details.	-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?	-
	Details of Continuous online emission monitoring systems installed	-
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	-
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

11.01.2021 to 31.08.2021

Date: - Patna

Name and Signature of the Person in Charge
Patna Hospital Pvt. Ltd.
 Khajpura, Bailey Road
 Patna-800014 (Bihar)