

TO,

THE REGIONAL OFFICE  
UP. POLLUTION CONTROL BOARD  
BAREILLY

Sub- For submission of Annual Report of BMW for the year 2022

Respected Sir/Madam,

This is to inform you that **INDIRA IVF HOSPITAL PRIVATE LIMITED** situated at PLOT NO. 1 & 1A OPP. ADM (E) COMPOUND, STATION ROAD CIVIL LINES, BAREILLY, UTTAR PRADESH is registered in PCB with Reg no. 18991324 valid till 31/12/2025. We are submitting the BMW annual report for the year Jan 2022-Dec 2022. Necessary documents are attached for the annual report.

Enclosure:-

- 1:- Form 4
- 2:- Pollution Authorization Certificate
- 3:- CTO ( Air & Water )
- 4:- BMW Agreement

Thanking You  
For Indira IVF Hospital Pvt. Ltd.  
BAREILLY

Authorized Signature

**INDIRA IVF HOSPITAL PVT. LTD.**  
G-1st & 2nd Floor, 'Nijawan Tower'  
Plot No. 1 & 1-A (H. No.-148),  
Opp. ADM (E) Compound Station Road  
Civil Lines, Bareilly- 243001 (UP)



Centre Seal

Doctor Seal



**SAVE GIRL CHILD**

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd

Regd. Office : 44, Amar Niwas, Kurnharo Ka Bhatta Opp. M.B. College Udaipur 313001 (India), Telephone No. 7665004570

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

www.indiraivf.com

info@indiraivf.in

CIN: U85110RJ2015PTC046846

**Form -IV  
(See rule 13)  
Annual Report**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. SHIVI SAXENA
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF HOSPITAL PVT. LTD
	(iii) Address for Correspondence	:	PLOT NO. 1 & 1A NIJHAWAN TOWER OPP ADM (E) COMPOUND STATION ROAS CIVIL LINES BAREILLY UTTAR PRADESH 243001
	(i) Address of Facility		PLOT NO. 1 & 1A NIJHAWAN TOWER OPP ADM (E) COMPOUND STATION ROAS CIVIL LINES BAREILLY UTTAR PRADESH 243001
	(ii) Tel. No. Fax. No.	:	7880600655
	(V) E-mail ID	:	centerhead.bareilly@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF		28.346287446652234, 79.41902498370172
	(iii) Ownership of HCF of CBMWTF		Pvt. Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. 18991324 Valid up to 31/12/2025.
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31/07/2027
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Bed-10
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry.	:	License no. : 17066661 Valid up to: 31/07/2027
3.	Details if CBMWTF	:	Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	Not Known to us
	(iii) Installed treatment and disposal capacity of CBMWTF	:	Kg per day Not Applicable
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	Kg/day Not Applicable
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 70.83 KG.( Approx) Red Category: 62.50 KG.( Approx) White: 6.25 Kg.( Approx) Blue Category: 22.91 Kg.( Approx)

			General Solid waste : 91 KG (Approx)																																																			
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																					
	(i) Details of the on-site storage facility	:	Size : 120 LTR Buckets of Different Colours Capacity: 120 LTR Provision of on-site storage : (cold storage or any other provision)- <b>Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.</b>																																																			
	(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of Treatment</th> <th>No. of Units</th> <th>Capacity Kg/Day</th> <th>Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr><td>Deep Burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>				Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																																			
Incinerators																																																						
Plasma Paralysis																																																						
Autoclaves																																																						
Microwave																																																						
Hydroclave																																																						
Shredder																																																						
Needle tip cutter or destroyer																																																						
Sharps encapsulation or concrete pit																																																						
Deep Burial pits:																																																						
Chemical disinfection:																																																						
Any other treatment equipment:																																																						
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.																																																			
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	CBMWTF vehicles are being used for collection & transportation of bio medical waste																																																			
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	:	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP sludge is not known to us.																																																			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	SP Green Light Environment Waste Management LLP																																																			
	(vii) List of member HCF not handed over bio-medical waste.	:	Not Known to us																																																			
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held	:	We do not have Bio waste management committee. However our Floor coordinator is																																																			




	during the reporting period.		given responsibility for training of staff regarding BMW M&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		Training is conducted on Quarterly Basis
	(ii) Number of personnel trained		40
	(iii) Number of personnel trained at the time of induction		40
	(iv) Number of personnel not undergone any training so far.		Not any because at the time of joining we give proper training to the staff regarding BMW M&H
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12.	Any other relevant information		No

Certified that the above report is for the period from Jan 2022 to Dec 2022.

Date:  
Place:

18/4/2023  
BAREILLY

Name and Signature of the Head of the Institution

  
INDIRA IVF HOSPITAL PVT. LTD.  
G+1st+2nd Floor, 'Nijhawan Tower'  
Plot No. 1 & 1-A (H. No.-148),  
Opp. A.D.M. (E) Compound Station Road  
Civil Lines, Bareilly- 243001 (U.P.)