

DATE: 06/11/2023

TO,

THE REGIONAL OFFICE
U. P POLLUTION CONTROL BOARD
GHAZIABAD

Sub- For submission of Annual Report Of BMW for the year 2022


Respected Sir/Madam,

This is inform you that Indira IVF Clinic (A UNIT OF INDIRA IVF HOSPITAL PVT LTD), Plot No-17,18 Vishwakarma Complex Kaushambi Ghaziabad Uttar Pradesh -201010 . Has submitted the BMW annual report for the year Jan 2022-Dec 2022 . Necessary documents are attached for the annual report .

Enclosure:-


- 1:- Form 4
- 2:- Pollution Authorization Certificate
- 3:- BMW membership certificate

Thanking You
For Indira IVF Hospital Pvt Ltd, Kaushambi Ghaziabad


DR MEGHA JINDAL
Authorized signature

Centre Seal

INDIRA IVF HOSPITAL PVT. LTD.
1st Floor, Vishwakarma Complex
Plot No.17-18, Sector-14 PO- Kaushambi
PS- Indirapuram Ghaziabad (U.P.)-201010


06/11/2023

REGIONAL OFFICE
U.P. Pollution Control Board
Ins-2 Sector-16, Vasundhara
Ghaziabad Doctor Seal



**;From –IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. MEGHA JINDAL
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVT LTD)
	(iii) Address for Correspondence	:	PLOT NO- 17,18 VISHWAKARMA COMPLEX KAUSHAMBI GHAZIABAD UTTAR PRADESH -201010
	(i) Address of Facility	:	PLOT NO- 17,18 VISHWAKARMA COMPLEX KAUSHAMBI GHAZIABAD UTTAR PRADESH -201010
	(ii) Tel. No. Fax. No.	:	7065131018
	(V) E-mail ID	:	centerhead.ghaziabad@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF	:	28.656645768059924, 77.32654827220915
	(iii) Ownership of HCF of CBMWTF	:	Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No. 2574/BMW/B - 821/2018
	(v) Status of Consents under Water Act and Air Act.	:	Not Applicable
2.	Type of Health Care Facility	:	

Doctor Seal

Centre Seal



	(ii) No. of beds covered by CBMWTF :	FERTILITY & IVF CENTRE Not Known to us																																				
	(iii) Installed treatment and disposal capacity of CBMWTF :	Kg per day Not Applicable																																				
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF :	(A Unit of IHPL) Kg/day Not Applicable																																				
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	<p>Yellow category 42.86 Kg.(Approx)</p> <p>Red Category: 61.19 Kg.(Approx)</p> <p>White: 1.75 Kg.(Approx)</p> <p>Blue Category: 7.16 Kg.(Approx)</p> <p>General Solid waste : (Approx)</p>																																				
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																					
	(i) Details of the on-site storage facility :	<p>Size : 10 KG Buckets of Different Colours</p> <p>Capacity: 10 KG</p> <p>Provision of on-site storage : (cold storage or any other provision)- Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.</p>																																				
	(ii) Disposal Facilities :	<table border="1"> <thead> <tr> <th>Type of Treatment</th><th>No. of Units</th><th>Capacity Kg/Day</th><th>Quantity Treated OR Disposed In Kg/Annum</th></tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																			
Incinerators																																						
Plasma Paralysis																																						
Autoclaves																																						
Microwave																																						
Hydroclave																																						
Shredder																																						
Needle tip cutter or destroyer																																						
Sharps encapsulation or concrete pit																																						

Centre Seal

Doctor Seal



	(iii) Quantity of recyclable wastes sold to authorized recycles after treatment in kg per annum.	:	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycle after treatment is not known to us.
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	CBMWTF vehicles are being used for collection & transportation of bio medical waste
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Not Applicable
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	MEDICARE ENVIRONMETAL MANAGEMENT PVT LTD
	(vii) List of member HCF not handed over bio-medical waste.	:	Not Known to us
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMWM&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		Training is conducted on Quarterly Basis
	(ii) Number of personnel trained		9
	(iii) Number of personnel trained at the time of induction		9
	(iv) Number of personnel not undergone any training so far.		Not any because at the time of joining we give proper training to the staff regarding BMWM&H
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission		Not Applicable

Centre Seal

Doctor Seal

Certified that the above report is for the period from Jan 2022 to Dec 2022

Date: 6/1/23
Place: kaushambi ghaziabad

Name and Signature of the Head of the Institution

DR MEGHA JINDAL

Centre Seal

Doctor Seal



Name:INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL P LTD.)|Sap Id:CGHA00002255|Vehicle:Route

04

Plant-Medicare Environmental Management Pvt. Ltd. (Ghaziabad)|Period: 01-01-2022 : 31-12-2022|Hospital Id:281356|Bed Capacity:0|Town:Ghaziabad

Sl No.	Collection Time	Yellow Bags		Red Bags		Blue Mark Box		Whites		Total	
		Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight
1	04-01-2022 14:24:47	0	0	0	0	0	0	0	0	0	0
2	05-01-2022 14:16:51	1	1	1	1	0	0	0	0	2	2
3	11-01-2022 12:35:11	1	0.3	1	1	1	0.2	1	0.1	4	1.6
4	13-01-2022 13:12:04	1	0.5	1	0.5	1	0.1	1	0.05	4	1.15
5	20-01-2022 11:36:57	1	0.5	1	0.5	1	0.2	1	0.05	4	1.25
6	21-01-2022 15:08:18	0	0	0	0	0	0	0	0	0	0
7	25-01-2022 12:06:00	1	0.5	1	0.5	1	0.2	1	0.1	4	1.3
8	01-02-2022 13:14:17	0	0	1	1	0	0	0	0	1	1
9	03-02-2022 14:04:57	1	0.2	1	0.2	0	0	0	0	2	0.4
10	09-02-2022 11:47:02	1	0.5	1	1	1	0.1	1	0.1	4	1.7
11	11-02-2022 14:23:39	1	0.2	1	0.2	0	0	0	0	2	0.4
12	18-02-2022 13:28:03	1	0.5	1	1	1	0.1	0	0	3	1.6
13	21-02-2022 15:18:25	0	0	0	0	0	0	0	0	0	0
14	22-02-2022 15:08:22	0	0	0	0	0	0	0	0	0	0
15	25-02-2022 13:25:43	0	0	0	0	0	0	0	0	0	0
16	26-02-2022 13:01:10	1	0.5	1	0.55	1	0.1	0	0	3	1.15
17	03-03-2022 15:02:00	0	0	0	0	0	0	0	0	1	0.5
18	05-03-2022 14:00:23	0	0	0	0	0	0	0	0	0	0
19	07-03-2022 14:32:05	0	0	1	0.55	0	0	0	0	1	0.55
20	10-03-2022 11:57:48	1	0.5	1	1	1	0.5	0	0	3	2
21	12-03-2022 16:07:36	0	0	1	0.55	0	0	0	0	1	0.55
22	16-03-2022 11:51:31	1	0.55	1	1	1	0.22	1	0	4	1.77
23	19-03-2022 12:38:32	0	0	0	0	0	0	0	0	0	0
24	22-03-2022 14:45:34	1	0.222	1	1	1	0.1	0	0	3	1.322
25	26-03-2022 15:14:10	1	0.5	1	1	0	0	0	0	2	1.5
26	29-03-2022 15:00:11	1	0.2	1	0.22	0	0	0	0	2	0.42
27	30-03-2022 11:15:05	1	0.55	1	1	1	0.22	0	0	3	1.77
28	01-04-2022 15:15:39	0	0	0	0	0	0	0	0	0	0
29	02-04-2022 14:47:03	1	0.55	1	1	1	0.1	0	0	3	1.65
30	04-04-2022 15:12:30	0	0	1	0.5	0	0	0	0	1	0.5
31	06-04-2022 11:15:58	1	0.55	1	1	1	0.2	0	0	3	1.75
32	08-04-2022 15:09:38	1	0.22	1	0.22	0	0	0	0	2	0.44
33	09-04-2022 14:43:47	1	0.5	1	0.55	0	0	0	0	2	1.05
34	14-04-2022 14:09:48	1	2	1	2	0	0	0	0	2	4
35	18-04-2022 14:53:19	1	0.55	1	1	0	0	0	0	2	1.55
36	26-04-2022 15:02:58	0	0	4	3	0	0	0	0	4	3
37	27-04-2022 11:44:31	0	0	1	0.22	0	0	0	0	1	0.22
38	28-04-2022 14:59:11	0	0	0	0	0	0	0	0	0	0
39	29-04-2022 15:22:10	1	0.3	1	0.3	0	0	0	0	2	0.6
40	02-05-2022 14:20:20	1	0.3	1	0.3	0	0	1	0.2	3	0.8

41	05-05-2022 13:49:02	0	0	1	1	0	0	0	0	1	1
42	07-05-2022 11:29:22	1	0.55	1	1	0	0	0	0	2	1.55
43	09-05-2022 11:05:23	1	0.2	1	0.2	0	0	0	0	2	0.4
44	11-05-2022 15:13:56	1	0.55	1	0.55	0	0	0	0	2	1.1
45	17-05-2022 14:33:41	1	1	1	1	0	0	0	0	2	2
46	21-05-2022 13:57:20	1	0.3	1	0.5	1	0.1	1	0.1	4	1
47	30-05-2022 11:17:45	1	0.55	1	0.55	0	0	0	0	2	1.1
48	03-06-2022 18:05:39	1	2	1	3	0	0	0	0	2	5
49	06-06-2022 14:35:25	1	0.55	1	0.5	1	0.22	1	0.1	4	1.37
50	13-06-2022 14:19:02	1	1	1	1	0	0	0	0	2	2
51	15-06-2022 15:28:56	1	0.55	1	0.55	0	0	0	0	2	1.1
52	17-06-2022 15:29:45	1	0.3	1	0.3	0	0	0	0	2	0.6
53	18-06-2022 14:33:56	1	0.55	1	1	1	0.1	0	0	3	1.65
54	24-06-2022 14:42:27	0	0	1	1	0	0	0	0	1	1
55	27-06-2022 14:15:10	1	0.55	1	0.55	1	0.1	0	0	3	1.2
56	01-07-2022 14:18:08	1	0.22	1	0.5	1	0.55	0	0	3	1.27
57	09-07-2022 12:29:23	1	0.5	1	0.55	1	0.5	0	0	3	1.55
58	11-07-2022 15:19:50	0	0	1	1	0	0	0	0	1	1
59	13-07-2022 15:32:25	0	0	1	0.5	0	0	0	0	1	0.5
60	14-07-2022 13:55:14	1	0.5	1	0.5	1	0.2	0	0	3	1.2
61	25-07-2022 10:35:56	1	1	1	1	1	0.5	1	0.5	4	3
62	05-08-2022 17:39:16	1	0.4	0	0	0	0	0	0	1	0.4
63	10-08-2022 14:36:57	0	0	0	0	0	0	0	0	0	0
64	26-08-2022 12:51:11	1	2	1	2	0	0	0	0	2	4
65	29-08-2022 11:14:34	1	1	1	1	1	1	0	0	3	3
66	31-08-2022 12:41:09	0	0	1	0.5	0	0	0	0	1	0.5
67	02-09-2022 14:10:24	0	0	0	0	0	0	0	0	0	0
68	05-09-2022 14:13:50	1	0.5	1	0.5	1	0.2	0	0	3	1.2
69	07-09-2022 15:10:18	0	0	0	0	0	0	0	0	0	0
70	09-09-2022 15:17:20	0	0	0	0	0	0	0	0	0	0
71	12-09-2022 11:02:25	1	1	1	1	0	0	0	0	2	2
72	14-09-2022 14:48:00	0	0	0	0	0	0	0	0	0	0
73	17-09-2022 14:45:47	0	0	0	0	0	0	0	0	0	0
74	19-09-2022 12:18:53	1	1	1	1	0	0	0	0	2	2
75	21-09-2022 15:08:44	1	0.5	1	0.5	1	0.1	1	0.05	4	1.15
76	26-09-2022 11:56:34	1	0.5	1	0.5	1	0.2	1	0.05	4	1.25
77	28-09-2022 14:37:15	0	0	1	0.3	0	0	0	0	1	0.3
78	30-09-2022 11:28:17	1	0.4	1	0.3	1	0.05	1	0.1	4	0.85
79	03-10-2022 14:46:21	1	0.3	1	0.2	0	0	0	0	2	0.5
80	10-10-2022 14:33:31	1	1	1	1	0	0	0	0	2	2
81	12-10-2022 14:23:20	1	2	0	0	0	0	0	0	1	2
82	14-10-2022 14:53:04	1	0.2	1	0.28	0	0	0	0	2	0.48
83	17-10-2022 15:20:45	0	0	1	1	0	0	0	0	1	1
84	21-10-2022 11:30:37	1	0.3	1	0.2	1	0	0	0	3	0.5
85	27-10-2022 12:11:57	1	0.2	1	0.5	0	0	0	0	2	0.7
86	31-10-2022 14:45:45	1	0.5	1	0.2	0	0	0	0	2	0.7
87	02-11-2022 15:24:05	0	0	1	0.5	0	0	0	0	1	0.5

88	07-11-2022 15:00:55	1	1	1	0.5	0	0	0	0	2	1.5
89	09-11-2022 11:06:04	1	0.5	1	0.5	0	0	0	0	2	1
90	11-11-2022 15:06:45	0	0	1	0.5	0	0	0	0	1	0.5
91	14-11-2022 15:06:40	1	0.2	1	0.2	0	0	0	0	2	0.4
92	16-11-2022 13:37:38	1	1	1	1	0	0	0	0	2	2
93	18-11-2022 11:24:29	1	0.2	1	0.3	0	0	1	0.05	3	0.55
94	21-11-2022 15:16:29	0	0	0	0	0	0	0	0	0	0
95	23-11-2022 12:09:03	0	0	1	0.5	1	1	1	0.2	3	1.7
96	25-11-2022 15:15:11	0	0	1	0.5	0	0	0	0	1	0.5
97	30-11-2022 13:58:45	1	0.2	1	0.2	0	0	0	0	2	0.4
98	02-12-2022 15:06:45	1	0.5	1	0.5	0	0	0	0	2	1
99	05-12-2022 11:54:59	1	0.2	1	0.5	0	0	0	0	2	0.7
100	07-12-2022 12:23:31	0	0	1	0.2	0	0	0	0	1	0.2
101	09-12-2022 11:34:47	1	0.3	1	0.3	0	0	0	0	2	0.6
102	12-12-2022 14:09:42	1	0.3	1	0.5	0	0	0	0	2	0.8
103	14-12-2022 12:39:37	0	0	1	0.2	0	0	0	0	1	0.2
104	16-12-2022 14:37:58	1	0.2	1	0.3	0	0	0	0	2	0.5
105	19-12-2022 15:08:13	1	2	1	1	0	0	0	0	2	3
106	21-12-2022 13:59:18	1	0.2	1	0.3	0	0	0	0	2	0.5
107	23-12-2022 14:57:44	1	0.5	1	0.3	0	0	0	0	2	0.8
108	26-12-2022 11:19:16	1	0.2	1	0.3	0	0	0	0	2	0.5
109	28-12-2022 12:40:27	1	0.2	1	0.2	0	0	0	0	2	0.4
110	30-12-2022 11:06:42	1	0.3	1	0.3	0	0	0	0	2	0.6
Total		74	42.86	94	61.19	28	7.16	15	1.75	212	113.46