

INDIRA IVF CLINIC (A Unit of IIHPL)

To.

The Regional officer

**JSPCB** 

Adityapur, Jamshedpur

Sub:- For submission of Annual Report of BMW for the year 2022.

Respected Sir/ Madam,

This is to inform you that Indira IVF Hospital Pvt Ltd. Jamshe Jpur has submitted the BMW annual report for the year 2022.

Necessary documents are attached for the annual report.

Encloure:-

1. FORM 4

Thanking you

For Indira IVF Hospital Pvt Ltd. Adityapur.

Authorised Signatory

Centre Seal

INDIRA IVF CLINIC

(A UNIT OF INDIRA IVE HOSPITAL PVT. LTD.) Shop No. S, First Floor, Dayal Trade Centre Shere Punjab Chowk Main Road, Adityapur Saraikella Kharsawan-831013, Jharkhand Doctor Seal

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।



SAVE GIRL CHILD

www.indiraivf.com indira\_clinic@yahoo.co.in CIN: U85110RJ2015PTC046846

## Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

| SI.<br>No. | Particulars   |       |   |
|------------|---|-------|---|
| 1          | Particulars of the Occupier   | 1     |   |
|            | (i) Name of the authorized person (occupier or : operator of facility)                          | 1     | Ocuupier :- Dr. Vandana   |
|            | (ii) Name of HCF or CBMWTF  | 1     | HFC :- Indira IVF Hospital Pvt. Ltd.                              |
|            | (iii) Address for Correspondence  | 1     | 1st FLOOR, SHOP NO-5, DAYAL TRADE CENTER                          |
|            | (iv) Address of Facility  | :     | SHER-E-PUNJAB CHOWK, ADITYAPUR<br>SARAIKELA KHARSAWA. PIN- 831013 |
|            | (v)Tel. No, Fax. No   | 4     | 7412020038,39,40  |
|            | (vi) E-mail ID  | 17    | centerhead.jamshedpur@indiraivf.in                                |
|            | (vii) URL of Website  |       | https://www.indiraivf.com   |
|            | (viii) GPS coordinates of HCF or CBMWTF   |       | HCF:-At Latitude 24.19'40" N Longitude - 87 10'45"I               |
|            | (ix) Ownership of HCF or CBMWTF   |       | (Private )  |
|            | (x). Status of Authorization under the Bio-<br>Medical<br>Waste (Management and Handling) Rules | 100   | AVAILABLE   |
|            | (xi). Status of Consents under Water Act and<br>Air Act   | :     | NA  |
| 2          | Type of Health Care Facility  |       |   |
| -11-01     | (i) Bedded Hospital   | 4     | NO BED FACILITY   |
|            | (ii) Non-bedded hospital  | 1     | OPD CLINIC  |
|            | Clinical Laboratory or Research Institute or<br>Veterinary Hospital or any other)               |       |   |
|            | (iii) License number and its date of expiry   |       | NA  |
| 3          | Details of CBMWTF   |       |   |
|            | (i) Number of health care facilities covered by CBMWTF  |       | Not Known to us.  |
|            | (ii) No. of Beds covered by CBMWTF  | :     | Not Known to us.  |
|            | (iii) Installed treatment and disposal capacity of CBMWTF;                                      |       | _ Kg / day  |
|            | (iv) Quantity of bio medical waste<br>treated or disposed by CBMWTF                             | 3     | - Kg / day  |
| 4          | Quantity of waste generated or disposed in  | 18    | Yellow Category: 150 kg (approx.)                                 |
| 4          | Kg per Annum (on monthly average basis)   |       | Red Category: 130 kg (approx.)                                    |
|            |   |       | White: 9 kg (approx.)   |
|            |   |       | Blue Category: 29 kg (approx.)                                    |
|            |   |       | General Solid Waste: 120 kg (approx.)                             |
| 5          | Details of the Storage, Treatment, Transporta   | tion. |   |
|            | (i) Details of the on-site storage  |       | Size 8 FT X 10 FT   |

| 197 | facility   |  | Capacity:                                      |   |                    |  |          |
|-----|--|--|--|---|--------------------|--|----------|
| -   |  | TOVI TO THE REAL PROPERTY.   | Provision of on-site storage: (Cold storage or |   |                    |  |          |
|     |  |  |  | any other provisi                             | on)                |  |          |
|     | (ii) Disposal facilities   |  | Type of treatment equipment                    | No<br>of<br>Un<br>its                         | Capacity<br>Kg/day | Quantity<br>Treated<br>disposed<br>in kg<br>per<br>annum |          |
|     |  | The second secon |  | Incinerators                                  | 0                  | 0  | 0        |
|     |  |  |  | Plasma<br>Pyrolysis                           | 0                  | 0  | 0        |
|     |  | William Co.  |  | Autoclaves                                    | 0                  | 0  | 0        |
|     |  |  |  | Microwave                                     | 0                  | 0  | 0        |
|     |  |  |  | Hydroclave                                    | 0                  | 0  | 0        |
|     |  |  |  | Shredder                                      | 0                  | 0  | 0        |
|     |  |  |  | Needle tip<br>cutter or<br>destroyer          | 1                  | 25 GM  | 9 KG     |
|     |  |  |  | Sharps  | 0                  | 0  | 0        |
|     |  | As for the second  |  | Encapsulation or concrete pit                 | 0                  | 0  | 0        |
|     |  |  |  | Deep burial pits                              | 0                  | 0  | 0        |
|     |  |  |  | Chemical disinfection:                        | 0                  | 0  | 0        |
|     |  |  |  | Any other treatment equipment:                | 0                  | 0  | 0        |
|     | (iii)  | Quantity of recyclable wastes<br>sold to authorized recyclers after<br>treatment in Kg per annum   | 1  | ADITYAPUR WASTE MANAGEMENT PVT I              |                    | T PVT LTD.   |          |
|     | (iv)   | No. of Vehicles used for<br>collection and transportation of<br>biomedical waste   | :  | ADITYAPUR WASTE MANAGEMENT P<br>LTD.          |                    |  |          |
|     | (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum | ETP sludge generated and disposed during the treatment of  |  | ADITY APUR<br>WASTE<br>MANAGEMENT<br>PVT LTD. |                    |  |          |
|     |  |  |  |   |                    |  |          |
|     | (vi)   | Name of the Common Bio-<br>Medical Waste Treatment Facility<br>Operator through which wastes<br>are disposed of  |  | ADITYAPUR WASTE MANAGEMENT PVT L              |                    |  | PVT LTD. |
|     | (vii)  | List of member HCF not handed over bio-medical waste.  |  | ADITYAPUR WASTE MANAGEMENT PVT<br>LTD.        |                    |  |          |

| 5.  | Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period   | NA .   |  |  |
|-----|---|--|--|--|
| 7   | Details trainings conducted on BMW  |  |  |  |
|     | (i) Number of trainings conducted on BMW Management   | Training is conducted on QTR basis.  |  |  |
|     | (ii) Number of personnel trained  | 5  |  |  |
|     | (iii) Number of personnel trained at the time of induction  | 5.   |  |  |
|     | (iv) Number of personnel not undergone any training so far  | Not any, because at the time of joining we give proper training to the staff regarding BMWH&M. |  |  |
| Cul | (v) Whether standard manual for training is available?  | YES  |  |  |
| 8   | Details of the accident occurred during the year  | NO   |  |  |
|     | (i) Number of Accidents occurred  | Not Any  |  |  |
| -   | (ii) Number of persons affected   | N/A  |  |  |
|     | (iii) Remedial Action taken (Please attach details if any)  | N/A  |  |  |
|     | (iv) Any Fatality occurred, details   | N/A  |  |  |
| 9   | Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? | N/A  |  |  |
|     | Details of Continuous online emission monitoring systems installed  | N/A  |  |  |
| 10  | Liquid waste generated and treatment<br>methods in place. How many times you<br>have not met the standards in a year?         | Presently the Effluent generated goes in Septitank.  |  |  |
| 11  | Is the disinfection method or   | N/A  |  |  |
|     | sterilization meeting the log 4<br>standards? How many times you have not<br>met the standards in a year?                     |  |  |  |
| 12  | Any other relevant information  | NO   |  |  |

Certified that the above report is for the period from JAN 2022- DEC 2022.

Place :- Adityapur

Vagdare.

Name and Signature of the Head of the Institution

INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVT. LTD.) Shap No. 5, First Floor, Dayal Trade Centre Shere Punjab Chowk Main Road, Adityapur Saraikelia Kharsawan-831013, Jharkhand

| MONTH     | RED     | YELLOW | WHITE  | BLUE     |   |
|-----------|---------|--------|--------|----------|---|
| JANUARY   | 15 KG   | 15 KG  |        | 0        | 0 |
| February  | 7 KG    | 11 KG  | 1 KG   |          | 0 |
| March     | 10 KG   | 15 KG  | 1 KG   |          | 0 |
| April     | 8 KG    | 20 KG  | 500 GM |          | 0 |
| May       | 6 KG    | 10 KG  | 500 GM | 300 GM   |   |
| June      | 10 KG   | 18 KG  |        | 0        | 0 |
| July      | 12 KG   | 15 KG  |        | 0        | 0 |
| August    | 13 KG   | 13 KG  | 1 KG   | 2 KG     |   |
| September | 15 KG   | 11 KG  | 3 KG   | 8 KG     |   |
| October   | 13.4 KG | 4.4 KG |        | 0 7.5 KG |   |
| November  | 10.9 KG | 9.3 KG | 600 GM | 6.8 KG   |   |
| December  | 9.7 KG  | 8.3 KG | 1.4 KG | 4.4 KG   |   |
| TOTAL     | 130 KG  | 150 KG | 9 KG   | 29 KG    |   |

Varjdane

INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVF, LTD.) Shop No. S, First Floor, Dayal Trade Centre Shere Punjab Chowk Main Road, Adityapur Saraikella Kharsawan-831013, Jharkhand