

Date: 03-01-2023

To

Appropriate authority  
Punjab Pollution Control Board  
Ludhiana

Sub: Submission of Annual Report

Respected Sir/Mam,

We are hereby submitting the annual BMW report from the period of 01-01-2022 to 31-12-2022 of INDIRA IVF Hospital Pvt. Ltd. 3<sup>rd</sup> floor, Kipps Complex, Opp PAU gate 1, Ferozpur Road, Sarabha Nagar, Ludhiana.

Thanks & Regards

Dr. Bakul Kapoor

Center Head

INDIRA IVF Hospital Pvt. Ltd. Ludhiana



Enclosed: Form II (Annual Report)

Centre Seal

INDIRA IVF HOSPITAL PVT. LTD.  
3<sup>rd</sup>/4<sup>th</sup> Floor, Kipps Complex, B-20, 15-K,  
Zone-D, Opp. PAU Gate No. 1,  
Ferozpur Road, Sarabha Nagar,  
Ludhiana-141001 (Punjab)

Doctor Seal



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd

Regd. Office : 44, Amar Niwas, Kumharo Ka Bhatta Opp. M.B. College Udaipur 313001 (India), Telephone No. 7665004570

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहाँ नहीं किया जाता है।

www.indiraivf.com

info@indiraivf.in

CIN: U85110RJ2015PTC046846

**Form – IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars												
1	Particulars of the Occupier	:											
	(i) Name of the authorized person (occupier or : operator of facility)	:	Kshiti Nuedia										
	(ii) Name of HCF or CBMWTF	:	Indira IVF Hospital Pvt. Ltd.										
	(iii) Address for Correspondence	:	3 <sup>rd</sup> Floor, Kipps Complex, Faridpur										
	(iv) Address of Facility	:	Road, Sahabha Nagar, Budhiana										
	(v) Tel. No, Fax. No	:	9877612461										
	(vi) E-mail ID	:	Sujal@indiraiivf.in										
	(vii) URL of Website	:											
	(viii) GPS coordinates of HCF or CBMWTF	:											
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)										
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: BMW/Renewal/LDH3/2020/..... ...12166087..... Valid upto: 31/03/2023										
	(xi). Status of Consents under Water Act and Air Act	:	Valid upto: 31/03/2023 31/03/2023										
2	Type of Health Care Facility	:											
	(i) Bedded Hospital	:	No. of Beds: 12										
	(ii) Non-bedded hospital	:											
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	—										
	(iii) License number and its date of expiry	:	—										
3	Details of CBMWTF	:											
	(i) Number of health care facilities covered by CBMWTF	:	—										
	(ii) No. of Beds covered by CBMWTF	:	—										
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	— Kg / day										
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	— Kg / day										
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	<table border="1"> <tr> <td>Yellow Category:</td> <td>15.15</td> </tr> <tr> <td>Red Category:</td> <td>3.11</td> </tr> <tr> <td>White:</td> <td>1.47</td> </tr> <tr> <td>Blue Category:</td> <td>6.76</td> </tr> <tr> <td>General Solid Waste:</td> <td>80-90 (Approx)</td> </tr> </table>	Yellow Category:	15.15	Red Category:	3.11	White:	1.47	Blue Category:	6.76	General Solid Waste:	80-90 (Approx)
Yellow Category:	15.15												
Red Category:	3.11												
White:	1.47												
Blue Category:	6.76												
General Solid Waste:	80-90 (Approx)												
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility												
	(i) Details of the on-site storage	:	Size: 7										




	facility		Capacity: —			
			Provision of on-site storage : (Cold storage or any other provision)			
	(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
			Incinerators			—
			Plasma Pyrolysis			—
			Autoclaves			—
			Microwave			—
			Hydroclave			—
			Shredder			—
			Needle tip cutter or destroyer			—
			Sharps			—
			Encapsulation or concrete pit			—
			Deep burial pits			—
			Chemical disinfection:			—
			Any other treatment equipment:			—
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.) —			
	(iv) No. of Vehicles used for collection and transportation of biomedical waste	:	—			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum			Quantity Generated	Where disposed	
			Incineration	—	—	
			Ash	—	—	
			ETP Sludge	8-10 kg approx. (mcl)		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Medicare Environmental Management Private Limited.			
	(vii) List of member HCF not handed over bio-medical waste.		—			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes			

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management		04
	(ii) Number of personnel trained		23
	(iii) Number of personnel trained at the time of induction		23
	(iv) Number of personnel not undergone any training so far		—
	(v) Whether standard manual for training is available?		yes
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		—
	(ii) Number of persons affected		—
	(iii) Remedial Action taken (Please attach details if any)		—
	(iv) Any Fatality occurred, details		—
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		—
	Details of Continuous online emission monitoring systems installed		—
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		STP, 0 times
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		—
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....  
 ..... 01-01-2022 To 31-12-2022 .....  
 .....  
 .....

  
 Name and Signature of the Head of the Institution


Dr. Bakul Kapoor.

Date: 03-01-2022

Place: Ludhiana

INDIRA IVF HOSPITAL PVT. LTD  
 3rd/4th Floor, 3rd/4th Complex, B-20, 19-K,  
 Zone-D, Opp. PAU Gate No. 1,  
 Ferozpur Road, Sarabha Nagar,  
 Ludhiana-141001 (Punjab)

Quantity of waste generated (Monthly basis average basis)				
MONTH	RED	YELLOW	WHITE	BLUE
JAN	3.92	17.5	0.66	8.4
Feb	4.88	16.89	1.12	6.98
Mar	1.67	16.95	3.07	6.2
Apr	4.79	13.98	2.43	5.3
May	2.63	13.88	2.66	6.27
Jun	3.63	15.65	2.3	7.45
Jul	3.6	13.23	1.5	6.5
Aug	2.96	14.91	0	5.98
Sep	2.31	13.51	2.53	5.9
Oct	2.22	14.75	0	8.4
Nov	2.69	14.37	1.15	7.1
Dec	1.98	16.2	0.32	6.6
<b>TOTAL</b>	<b>37.28</b>	<b>181.82</b>	<b>17.74</b>	<b>81.08</b>
<b>MONTHLY AVG.</b>	3.106666667	15.15166667	1.478333333	6.756666667

  
**INDIRA IVE HOSPITAL PVT. LTD**  
 3rd/4th Floor, Kipps Complex, B-20, 19-K,  
 Zone-D, Opp. PAU Gate No. 1,  
 Ferozepur Road, Sarabha Nagar,  
 Ludhiana-141001 (Punjab)