

TO,

THE REGIONAL OFFICE
U. P. POLLUTION CONTROL BOARD
GHAZIABAD

Sub- For submission of Annual Report Of BMW for the year 2022

Respected Sir/Madam,

This is inform you that Indira IVF Hospital Pvt Ltd, First & Second Floor, C-29, RDC, Raj Nagar, Ghaziabad, Uttar Pradesh-201001 has submitted the BMW annual report for the year Jan 2022-Dec 2022 . Necessary documents are attached for the annual report .

Enclosure:-

- 1:- Form 4
- 2:- Pollution Authorization Certificate
- 3:- CTO (Air & Water)
- 4:- BMW Agreement

Thanking You
For Indira IVF Hospital Pvt. Ltd., RDC Raj Nagar Ghaziabad

Authorized signature


Dr. Neha Rani

Centre Seal

Indira IVF Hospital Pvt. Ltd.
1st & 2nd Floor, C-29 RDC
Raj Nagar, Ghaziabad-201001




SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Indira IVF Hospital Pvt. Ltd

Head Office : 44, Amar Niwas, Kurnharo Ka Bhatta Opp. M.B. College Udaipur 313001 (India), Telephone No. 7665004570


04/01/2023

REGIONAL OFFICE
U.P. Pollution Control Board
Ins-2 Sector-16, Ghaziabad

Doctor Seal

www.indiraivf.com
info@indiraivf.in

CIN: U85110RJ2015PTC046846



**;From -IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr. Neha Rani
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF HOSPITAL PVT. LTD
	(iii) Address for Correspondence	:	First & Second Floor, C-29, RDC, Raj Nagar, Ghaziabad, Uttar Pradesh 201001
	(i) Address of Facility		First & Second Floor, C-29, RDC, Raj Nagar, Ghaziabad, Uttar Pradesh 201001
	(ii) Tel. No. Fax. No.	:	7230081117
	(V) E-mail ID	:	centerhead.ghaziabadmain@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF		28.675720700054303, 77.4430434341355
	(iii) Ownership of HCF of CBMWTF		Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. 1643/BMW2251/17 Valid up to 31/05/2024.
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31/03/2023
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds 7
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry.	:	Authorization No. 1643/BMW2251/17 Valid up to 31/05/2024.
3.	Details if CBMWTF	:	Medicare Environmental Management Pvt. Ltd.
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us

	(ii) No. of beds covered by CBMWTF :	Not Known to us																																		
	(iii) Installed treatment and disposal capacity of CBMWTF :	_____ Kg per day Not Applicable																																		
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF :	_____ Kg/day Not Applicable																																		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow category: 114.3 Kg.(Approx)																																		
		Red Category: 97.6 Kg.(Approx)																																		
		White: 6.6.(Approx)																																		
		Blue Category: 54.3 Kg.(Approx)																																		
		General Solid waste : 500 KG (Approx)																																		
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																			
	(i) Details of the on-site storage facility :	Size : 30Kg Buckets of Different Colours																																		
		Capacity: 30 Kg																																		
		Provision of on-site storage : (cold storage or any other provision)- Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.																																		
	(ii) Disposal Facilities :	<table><tr><th>Type of Treatment</th><th>No. of Units</th><th>Capacity Kg/Day</th><th>Quantity Treated OR Disposed In Kg/Annum</th></tr><tr><td>Incinerators</td><td></td><td></td><td></td></tr><tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr><tr><td>Autoclaves</td><td></td><td></td><td></td></tr><tr><td>Microwave</td><td></td><td></td><td></td></tr><tr><td>Hydroclave</td><td></td><td></td><td></td></tr><tr><td>Shredder</td><td></td><td></td><td></td></tr><tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr></table>			Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																	
Incinerators																																				
Plasma Paralysis																																				
Autoclaves																																				
Microwave																																				
Hydroclave																																				
Shredder																																				
Needle tip cutter or destroyer																																				

			Sharps encapsulation or concrete pit			
			Deep Burial pits:			
			Chemical disinfection:			
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.			
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	CBMWTF vehicles are being used for collection & transportation of bio medical waste			
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	:	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP sludge is not known to us.			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Medicare Environmental Management Pvt. Ltd.			
	(vii) List of member HCF not handed over bio-medical waste.	:	Not Known to us			
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMWM&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal			
7.	Detail trainings conducted on BMW					
	(i) Number of training conducted on BMW Management.		Training is conducted on Quarterly Basis			
	(ii) Number of personnel trained		30			
	(iii) Number of personnel trained at the time of induction		30			
	(iv) Number of personnel not undergone any training so far.		Not any because at the time of joining we give proper training to the staff regarding BMWM&H			
	(v) Whether standard manual for training is available?		Yes			

	(vi) Any other information)		No
3.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		Never
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12.	Any other relevant information		No

Certified that the above report is for the period from Jan 2022 to Dec 2022.


Name and Signature of the Head of the Institution

Date: 04/01/2023
Place: RDC Ghaziabad

Indira IVF Hospital Pvt. Ltd.
1st & 2nd Floor, C-29 RDC
Raj Nagar, Ghaziabad-201001

क्षेत्रीय कार्यालय - उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, गाज़ियाबाद।
Regional Office, U.P. Pollution Control Board, Ghaziabad.

सन्दर्भ संख्या : 1643/BMW 2251/17

दिनांक : 13-6-19

FORM-III
(See rule 10)
AUTHORISATION

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, and disposal of biomedical waste)

1. File number of HCF B- 2251
2. M/s **INDIRA IVF HOSPITAL (P) LTD. Ist & IInd FLOOR**
PLOT NO-29 RDC, RAJNAGAR, GZB,
Ghaziabad. Is hereby granted an authorization for,

Activity	Tick
Generation, segregation	✓
Collection,	✓
Storage (Temporary)	✓
Packaging	✓
Reception	X
Transportation	X
Treatment or processing or conversion	X
Recycling	X
Disposal or destruction (Through CBMWTF)	✓
Any other mode of disposal (specify)	X

3.M/s- **INDIRA IVF HOSPITAL (P) LTD. RDC, RAJNAGAR**

Ghaziabad. Is hereby authorized for handling of biomedical waste as per the capacity given below,-

- (i) Number of beds of HCF: 08
- (ii) Number healthcare facilities covered by CBMWTF: - NA
- (iii) Installed treatment and disposal capacity: - NA
- (iv) Area or distance covered by CBMWTF: - NA
- (v) Quantity of Biomedical waste to be handled, treated or disposal

Type of Waste Category

Yellow	-	100 gm/Day	(approx)
Red	-	50 gm/Day	(approx)
White (Translucent)	-	50 gm/Day	(approx)
Blue	-	100 gm/Day	(approx)

4. This authorization shall be in force till **31.5.2024** from the date of issue or the date of expiry of your agreement with Synergy/ Medicare waste Management whichever occurs earlier.
5. This authorization is subject to the conditions stated below and to such other conditions as may be specified in the rules under the Environment(Protection)Act, 1986

P.T.O.



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
140268/UPPCB/Ghaziabad(UPPCBRO)/CTO/water/GHAZIABAD/2021

Dated : 13/11/2021

To ,
Shri KSHITIZ MURDIA
M/s INDRA IVF HOSPITAL PVT LTD
1ST, 2ND FLOOR PLOT NO. C-29, RDC RAJ NAGAR, GHAZIABAD, 201002
GHAZIABAD

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974 (as amended) for discharge of effluent to M/s. INDRA IVF HOSPITAL PVT LTD

Reference Application No :13882327

Dated :13/11/2021

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act, 1974 as amended (here in after referred as the act) M/s. INDRA IVF HOSPITAL PVT LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in reference to their foresaid application .
2. This consent is valid for the period from 27/10/2021 to 31/03/2023 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

UTSAV
SHARMA
Regional Officer
Ghaziabad

For and on behalf of U.P. Pollution Control Board

REGIONAL OFFICER GHAZIABAD

Enclosed : As above
(condition of consent):

Copy to: CEO-I, U.P. POLLUTION CONTROL BOARD, LUCKNOW.

REGIONAL OFFICER GHAZIABAD



U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.INDRA IVF HOSPITAL PVT LTD vide

Consent Order No. 13882327/ Water

Dated : 13/11/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of IVF center/Genetic clinic.
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge, KL/day	Treatment facility and discharge point
1	Domestic	Sewer line of Nagar Nigam	Septic Tank
2	Industrial	Sewer line of Nagar Nigam	ETP

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .

- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	1.8 KLD

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	0.4 KLD

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act, 1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. The unit shall comply with the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
2. Generated Bio medical waste shall be collected, segregated and disposed according to Rule 4 and 8 of Bio- Medical Waste Management Rules, 2016 as amended.
3. The unit shall ensure safe disposal of Bio Medical Waste within 48 hours of generation and collection.
4. Solid waste generated shall be disposed according to Solid Waste Rules 2016.
5. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as amended, Air (Prevention and Control of Pollution) Act 1981 amended and Environment (Protection) Act 1986, and direction issued by CPCB and Hon'ble National Green Tribunal, New Delhi and Hon'ble Courts.
6. Unit shall maintain records of Bio Medical Waste generated and disposed according to the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
7. Take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules.
8. Make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I, to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in these rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I of BMW Rules 2016
9. Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal;
10. Phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of these rules;
11. Dispose of solid waste other than bio-medical waste in accordance with the provisions of Respective waste management rules made under the relevant laws and amended from time to time;
12. Not to give treated bio-medical waste with municipal solid waste;
13. Provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programme conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
14. Immunize all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time;
15. Establish a Bar- Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one year from the date of the notification of these rules;
16. Ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other effluent generated from health care facilities;
17. Ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974)
18. Ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipment.
19. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same.
20. Maintain and update on day to day basis the bio-medical waste management register and display the monthly record on its website according to the bio-medical waste generated in terms of category and colour coding as specified in Schedule I of BMW Rules 2016.
21. Report major accidents including accidents caused by fire hazards, blasts during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority and also along with the annual report.
22. Make available the annual report on its web-site and all the health care facilities shall make own website within two years from the date of notification of these rules.
23. Inform the prescribed authority immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time.
24. Unit shall not draw ground water without valid permission of competent authority.
25. Unit shall dispose the hazardous waste i.e. ETP sludge through authorized recyclers/TSDF.

1. The unit shall comply with the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
2. Generated Bio medical waste shall be collected, segregated and disposed according to Rule 4 and 8 of Bio- Medical Waste Management Rules, 2016 as amended.
3. The unit shall ensure safe disposal of Bio Medical Waste within 48 hours of generation and collection.
4. Solid waste generated shall be disposed according to Solid Waste Rules 2016.
5. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as amended, Air (Prevention and Control of Pollution) Act 1981 amended and Environment (Protection) Act 1986, and direction issued by CPCB and Hon'ble National Green Tribunal, New Delhi and Hon'ble Courts.
6. Unit shall maintain records of Bio Medical Waste generated and disposed according to the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
7. Take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules.
8. Make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I, to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in these rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I of BMW Rules 2016
9. Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDS Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal;
10. Phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of these rules;
11. Dispose of solid waste other than bio-medical waste in accordance with the provisions of Respective waste management rules made under the relevant laws and amended from time to time;
12. Not to give treated bio-medical waste with municipal solid waste;
13. Provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programme conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
14. Immunize all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time;
15. Establish a Bar- Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one year from the date of the notification of these rules;
16. Ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other effluent generated from health care facilities;
17. Ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974)
18. Ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipment.
19. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same.
20. Maintain and update on day to day basis the bio-medical waste management register and display the monthly record on its website according to the bio-medical waste generated in terms of category and colour coding as specified in Schedule I of BMW Rules 2016.
21. Report major accidents including accidents caused by fire hazards, blasts during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority and also along with the annual report.
22. Make available the annual report on its web-site and all the health care facilities shall make own website within two years from the date of notification of these rules.
23. Inform the prescribed authority immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time.
24. Unit shall not draw ground water without valid permission of competent authority.
25. Unit shall dispose the hazardous waste i.e. ETP sludge through authorized recyclers/TSDF.

26. Unit will provide CA certificate/balance sheet to verify the submitted consent fee within a week, failing which this CTO shall be deemed void.
27. Unit shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
28. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product /process /fuel/ plant machinery failing which consent would be deemed void.
29. Unit shall submit the compliance of conditions within 01 month from receipt of this letter.
30. The board have right to modify any condition as & when require in compliance of any change in environmental guidelines and Hon'ble courts orders passed time to time.
31. If the CPCB or UPPCB issues the Closure order against the unit this consent order stands automatically suspended for that period.
32. The consent fee submitted in this office, if inadequate shall be submitted by unit.
33. This CTO will be subject to the permission of land use permission of competent authority, failing which this CTO shall be deemed void.

Issued with the permission of competent authority .

UTSAV
SHARMA
16.11.2017

For and on behalf of U.P. Pollution Control Board .

REGIONAL OFFICER GHAZIABAD



UTTAR PRADESH POLLUTION CONTROL BOARD

Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -

140240/UPPCB/Ghaziabad(UPPCBRO)/CTO/air/GHAZIABAD/2021

Dated : 13/11/2021

To ,

Shri KSHITIZ MURDIA

M/s INDRA IVF HOSPITAL PVT LTD

1ST, 2ND FLOOR PLOT NO. C-29, RDC RAJ NAGAR, GHAZIABAD, 201002

GHAZIABAD

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. INDRA IVF HOSPITAL PVT LTD

Reference Application No. 13879637

Dated : 13/11/2021

1. With reference to the application for consent for emission of air pollutants from the plant of M/s INDRA IVF HOSPITAL PVT LTD, under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
 2. This consent is valid for the period from 27/10/2021 to 31/03/2023 .
 3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
- This consent is being issued with the permission of competent authority .

UTSAV
SHARMA

For and on behalf of U.P. Pollution Control Board

REGIONAL OFFICER GHAZIABAD

Enclosed : As above
(condition of consent):

Copy to: CEO-1, U.P. POLLUTION CONTROL BOARD, LUCKNOW.

REGIONAL OFFICER GHAZIABAD



U.P. Pollution Control Board

Dated : 13/11/2021

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of IVF center/Genetic clinic.
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	DG SET 82.5 KVA	HSD	01	Particulate Matter	To be maintained 2.5 m above roof

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.
Specific Conditions:

1. The unit shall comply with the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
2. Generated Bio medical waste shall be collected, segregated and disposed according to Rule 4 and 8 of Bio- Medical Waste Management Rules, 2016 as amended.
3. The unit shall ensure safe disposal of Bio Medical Waste within 48 hours of generation and collection.
4. Solid waste generated shall be disposed according to Solid Waste Rules 2016.
5. Unit shall comply the provisions of Water (Prevention and Control of Pollution) Act 1974 as amended, Air (Prevention and Control of Pollution) Act 1981 amended and Environment (Protection) Act 1986, and direction issued by CPCB and Hon'ble National Green Tribunal, New Delhi and Hon'ble Courts.
5. Unit shall maintain records of Bio Medical Waste generated and disposed according to the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
7. Take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules.
8. Make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I, to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in these rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I of BMW Rules 2016
9. Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal;
10. Phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of these rules;
11. Dispose of solid waste other than bio-medical waste in accordance with the provisions of Respective waste management rules made under the relevant laws and amended from time to time;
12. Not to give treated bio-medical waste with municipal solid waste;
13. Provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programme conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
14. Immunize all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time;
15. Establish a Bar- Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one year from the date of the notification of these rules;
16. Ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other effluent generated from health care facilities;
17. Ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974)
18. Ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipment.
19. Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same.
20. Maintain and update on day to day basis the bio-medical waste management register and display the monthly record on its website according to the bio-medical waste generated in terms of category and colour coding as specified in Schedule I of BMW Rules 2016.
21. Report major accidents including accidents caused by fire hazards, blasts during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority and also along with the annual report.
22. Make available the annual report on its web-site and all the health care facilities shall make own website within two years from the date of notification of these rules.
23. Inform the prescribed authority immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time.
24. Unit shall not draw ground water without valid permission of competent authority.
25. Unit shall dispose the hazardous waste i.e. ETP sludge through authorized recyclers/TSDF.

26. Unit will provide CA certificate/balance sheet to verify the submitted consent fee within a week, failing which this CTO shall be deemed void.
27. Unit shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunals, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
28. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product /process /fuel/ plant machinery failing which consent would be deemed void.
29. Unit shall submit the compliance of conditions within 01 month from receipt of this letter.
30. The board have right to modify any condition as & when require in compliance of any change in environmental guidelines and Hon'ble courts orders passed time to time.
31. If the CPCB or UPPCB issues the Closure order against the unit this consent order stands automatically suspended for that period.
32. The consent fee submitted in this office, if inadequate shall be submitted by unit.
33. This CTO will be subject to the permission of land use permission of competent authority, failing which this CTO shall be deemed void.

Issued with the permission of competent authority .

UTSAV
SHARMA

For and on behalf of U.P. Pollution Control Board .

REGIONAL OFFICER GHAZIABAD

AMENDMENT TO BIO-MEDICAL WASTE MANAGEMENT SERVICE AGREEMENT

THIS AMENDMENT TO BIO-MEDICAL WASTE MANAGEMENT SERVICE AGREEMENT (the "Amendment") is made vide registration no. CGHA00003913 and entered into as of 31-May-22

Between

MEDICARE ENVIRONMENTAL MANAGEMENT PVT. LTD. (FORMELY KNOWN AS SEMBRAMKY ENVIORNMENTAL MANAGEMENT PVT. LTD.), a company registered under the Companies Act, 1956, as amended from time to time, and having its office at: C-21 Phase – 1, M.G. Road UPSIDC Industrial Area Ghaziabad, duly represented by - Mr. Sanjay Prakash Garg, (Project Head-Ghaziabad) (hereinafter referred to as the "Operator" which expression unless repugnant to the subject or context thereof, shall include its administrators, successors and permitted assigns)

And

INDIRA IVF HOSPITAL PVT. LTD.
1ST & 2ND FLOOR, PLOT NO. C-29, RAJ NAGAR, GHAZIABAD

Represented by: DR. NEHA TRIPATHI
Designation: CENTER HEAD
Contact No.: 7230081117
Email Id.: accounts.rajnagar@indiraivf.in



(hereinafter referred to as the "Generator" which expression unless repugnant to the subject or context thereof, shall include its administrators, successors and permitted assigns).

WHEREAS, this Amendment amends that certain BIO-MEDICAL WASTE MANAGEMENT SERVICE AGREEMENT dated 31-July-2019 (the "Agreement") entered by and between Operator, and Generator; and

WHEREAS, the Parties desire to extend the term of the Agreement for an additional term, and
WHEREAS, the Parties desire to further amend the Agreement as specified in this Amendment;

NOW, THEREFORE, in consideration of the foregoing and for other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties hereto agree that the foregoing recitals are incorporated herein by reference and as follows:

1. Except for the provisions of the Agreement specifically addressed and modified in this Amendment, all other provisions of the Agreement shall remain in full force and effect.
2. Capitalized terms used but not defined in this Amendment shall have the meaning ascribed to such terms in the Agreement.
3. The Agreement is hereby renewed and extended for an additional term of ONE years, commencing on 06/06/2022, and concluding on 05/06/2023 ("Renewal Term No.1")



4. Rates are revised from INR 1,100.00/- to INR 1,210.00/- per month
period from 06/06/2022 to 05/06/2023;

Subject to the condition of maximum weight limit of 20 kg per month. The quantity of BMW over & above the limit shall be charged @ Rs. 30 per kg. The service charges mention herein is applicable for the declared capacity of 0 (NIL) beds only.

5. The Amendment shall be effective as of 06/06/2022
6. This Amendment constitutes the entire agreement between the Parties regarding the subject matters specifically contained herein and may be amended or modified only by a written instrument signed by each of the Parties.
7. This Amendment supersedes any other prior agreements or understandings of the Parties relating to the subject matter specifically contained herein and the Parties are not relying on any statement, representation, promise or inducement not expressly set forth herein.
8. This Amendment shall be governed by and construed in accordance with, the laws of the Republic of India and the courts of Ghaziabad shall have the exclusive jurisdiction. Any disputes arising out of this Amendment shall be dealt in accordance with the mechanism governing the Agreement.
9. This Amendment may be executed in one or more counterparts, and in both original form and one or more photocopies, each of which shall be deemed to be an original, but all of which together shall be deemed to constitute one and the same instrument.


IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective authorized representatives.

For and on behalf of
Medicare Environmental Management Pvt.
Ltd.



Authorized Signatory
Name: Sanjay Prakash Garg
Title: Project Head

For and on behalf of
INDIRA IVF HOSPITAL PVT. LTD.



Authorized Signatory
Name: DR. NEHA TRIPATHI
Title: CENTER HEAD

Name:INDIRA IVF HOSPITAL PVT. LTD. | Sap Id:CGHA00003913 | Vehicle:Route 05 (GZB-INNER-2)
 Plant-Medicare Environmental Management Pvt. Ltd. (Ghaziabad) | Period: 01-01-2022 : 31-12-2022 | Hospital Id:285588 | Bed Capacity:0 | Town:Ghaziabad

Sl No.	Collection Time	Yellow Bags		Red Bags		Blue Mark Box		Whites		Total	
		Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight
1	03-01-2022 12:43:59	0	0	0	0	0	0	0	0	0	0
2	10-01-2022 14:38:40	0	0	0	0	0	0	0	0	0	0
3	13-01-2022 12:29:46	1	2	0	0	0	0	0	0	1	2
4	19-01-2022 12:28:49	0	0	0	0	0	0	0	0	0	0
5	21-01-2022 12:54:14	1	1	0	0	0	0	0	0	1	1
6	27-01-2022 14:08:58	0	0	0	0	0	0	0	0	0	0
7	28-01-2022 12:19:45	1	2	0	0	0	0	0	0	1	2
8	01-02-2022 14:12:51	0	0	0	0	0	0	0	0	0	0
9	05-02-2022 12:23:01	0	0	0	0	0	0	0	0	0	0
10	08-02-2022 14:11:55	0	0	0	0	0	0	0	0	0	0
11	11-02-2022 12:24:58	0	0	0	0	0	0	1	2	1	2
12	12-02-2022 14:41:58	1	1	1	1	0	0	0	0	2	2
13	15-02-2022 14:35:32	0	0	1	1	0	0	0	0	1	1
14	16-02-2022 11:58:45	0	0	0	0	0	0	0	0	0	0
15	17-02-2022 14:04:09	0	0	0	0	0	0	0	0	0	0
16	18-02-2022 12:15:20	0	0	0	0	0	0	0	0	0	0
17	21-02-2022 12:37:15	1	1	0	0	1	5	1	2	3	8
18	28-02-2022 12:46:48	0	0	0	0	0	0	0	0	0	0
19	11-03-2022 16:09:35	0	0	0	0	0	0	0	0	0	0
20	23-03-2022 12:27:00	0	0	0	0	0	0	0	0	1	2
21	24-03-2022 14:34:27	1	2	0	0	0	0	0	0	0	0
22	29-03-2022 14:33:06	0	0	0	0	0	0	0	0	0	0
23	31-03-2022 14:32:26	0	0	0	0	0	0	0	0	0	0
24	05-04-2022 13:11:02	0	0	0	0	0	0	0	0	0	0
25	07-04-2022 13:02:32	0	0	0	0	0	0	0	0	0	0
26	11-04-2022 12:52:42	0	0	0	0	0	0	0	0	0	0
27	16-04-2022 13:53:53	0	0	0	0	0	0	0	0	0	0
28	21-04-2022 13:38:17	0	0	0	0	0	0	0	0	0	0
29	28-04-2022 14:34:46	0	0	0	0	0	0	0	0	0	0
30	06-05-2022 11:53:56	3	3	1	1	0	0	0	0	4	4
31	07-05-2022 14:50:55	0	0	0	0	0	0	0	0	0	0
32	12-05-2022 14:16:20	0	0	0	0	0	0	0	0	0	0
33	13-05-2022 14:06:57	0	0	0	0	0	0	0	0	0	0
34	14-05-2022 14:30:04	0	0	0	0	0	0	0	0	0	0
35	17-05-2022 14:14:39	0	0	0	0	0	0	0	0	0	0
36	19-05-2022 14:19:18	0	0	0	0	0	0	0	0	0	0
37	21-05-2022 14:23:29	0	0	0	0	0	0	0	0	0	0
38	24-05-2022 13:43:48	1	5	0	0	0	0	0	0	1	5
39	26-05-2022 14:05:15	0	0	0	0	0	0	0	0	0	0
40	28-05-2022 12:16:19	2	5	0	0	0	0	0	0	2	5
41	02-06-2022 11:36:30	0	0	0	0	0	0	0	0	0	0

42	09-06-2022 14:25:08	0	0	0	0	0	0	0	0	0	0
43	14-06-2022 14:33:42	1	1	0	0	0	0	0	0	1	1
44	18-06-2022 12:51:23	1	2	0	0	0	0	0	0	1	2
45	22-06-2022 13:22:05	0	0	0	0	0	0	1	1	1	1
46	28-06-2022 13:24:33	0	0	0	0	0	0	0	0	0	0
47	30-06-2022 12:36:31	0	0	0	0	0	0	0	0	0	0
48	02-07-2022 14:04:39	1	1	0	0	0	0	0	0	1	1
49	05-07-2022 14:28:41	0	0	0	0	0	0	0	0	0	0
50	07-07-2022 13:42:16	0	0	0	0	0	0	0	0	0	0
51	09-07-2022 14:16:15	0	0	0	0	0	0	0	0	0	0
52	12-07-2022 15:23:15	2	3	0	0	0	0	0	0	2	3
53	13-07-2022 12:42:41	0	0	0	0	0	0	0	0	0	0
54	14-07-2022 13:34:17	0	0	0	0	0	0	0	0	0	0
55	16-07-2022 13:47:27	0	0	0	0	0	0	0	0	0	0
56	20-07-2022 13:07:33	0	0	0	0	0	0	0	0	0	0
57	23-07-2022 13:10:48	0	0	0	0	0	0	0	0	0	0
58	26-07-2022 14:19:34	0	0	0	0	0	0	0	0	0	0
59	28-07-2022 13:12:33	0	0	0	0	0	0	0	0	0	0
60	30-07-2022 14:27:59	0	0	0	0	0	0	0	0	0	0
61	02-08-2022 14:56:08	0	0	0	0	0	0	0	0	0	0
62	04-08-2022 14:15:25	0	0	0	0	0	0	0	0	0	0
63	16-08-2022 14:27:00	0	0	0	0	0	0	0	0	0	0
64	18-08-2022 14:15:14	0	0	0	0	0	0	0	0	0	0
65	20-08-2022 14:28:16	0	0	0	0	0	0	0	0	0	0
66	23-08-2022 14:18:05	2	5	0	0	1	3	0	0	3	8
67	25-08-2022 11:12:04	0	0	0	0	0	0	0	0	0	0
68	27-08-2022 14:46:57	0	0	0	0	0	0	0	0	0	0
69	30-08-2022 14:09:00	0	0	0	0	0	0	0	0	0	0
70	01-09-2022 14:40:15	2	5	0	0	0	0	0	0	2	5
71	03-09-2022 14:58:19	0	0	0	0	0	0	0	0	0	0
72	06-09-2022 14:27:15	0	0	0	0	0	0	0	0	0	0
73	08-09-2022 14:23:10	0	0	0	0	0	0	0	0	0	0
74	10-09-2022 14:13:13	0	0	0	0	0	0	0	0	0	0
75	13-09-2022 14:31:18	1	2	2	4	1	1	0	0	4	7
76	15-09-2022 14:08:32	1	1	1	0.2	1	2.4	0	0	3	3.6
77	17-09-2022 14:04:55	1	1	2	3	1	0.2	0	0	4	4.2
78	20-09-2022 15:23:49	1	1	1	4	1	0.1	0	0	3	5.1
79	22-09-2022 14:49:29	1	0	1	2	1	4	1	1	4	7
80	24-09-2022 14:38:45	1	1	1	4	1	1	0	0	3	6
81	27-09-2022 14:22:11	1	1	1	3	1	3	0	0	3	7
82	29-09-2022 15:13:14	1	1	1	3	1	2	0	0	3	6
83	01-10-2022 14:32:04	2	2	2	4	0	0	0	0	4	6
84	04-10-2022 13:42:10	1	1	1	2	1	2	0	0	3	5
85	06-10-2022 14:20:17	2	4	2	4	0	0	0	0	4	8
86	08-10-2022 14:32:36	1	2	1	2.5	1	1	0	0	3	5.5
87	11-10-2022 14:16:02	1	2	1	3	1	1	0	0	3	6
88	13-10-2022 13:10:09	0	0	0	0	0	0	0	0	0	0

89	15-10-2022 14:35:43	1	1	2	3	1	2	0	0	4	6
90	18-10-2022 14:58:50	1	1	1	2	1	1	0	0	3	4
91	20-10-2022 13:43:13	0	0	1	2	1	1	0	0	2	3
92	22-10-2022 14:03:43	0	0	0	0	0	0	0	0	0	0
93	27-10-2022 13:03:30	1	2	2	4	1	2	0	0	4	8
94	29-10-2022 13:39:43	1	1	1	1	0	0	0	0	2	2
95	08-11-2022 13:42:38	1	4	1	5	0	0	0	0	2	9
96	10-11-2022 13:59:30	1	0.5	1	1	1	1	0	0	3	2.5
97	12-11-2022 13:54:11	2	6	2	5	0	0	0	0	4	11
98	15-11-2022 14:30:27	1	2	1	3	1	1	0	0	3	6
99	17-11-2022 13:44:39	1	6	1	4	1	5	0	0	3	15
100	19-11-2022 13:56:34	1	2	1	1	1	1	0	0	3	4
101	22-11-2022 14:23:50	1	1	1	2	1	2	0	0	3	5
102	24-11-2022 13:37:38	1	2	1	1	1	1	0	0	3	4
103	26-11-2022 13:42:40	1	2	1	1	0	0	0	0	2	3
104	29-11-2022 13:31:25	2	2	1	1	1	2	0	0	4	5
105	01-12-2022 14:12:30	1	2	1	1	0	0	0	0	2	3
106	03-12-2022 14:02:55	1	1	1	2	0	0	0	0	2	3
107	06-12-2022 14:59:34	1	1	1	2	1	2	0	0	3	5
108	08-12-2022 13:04:48	1	1	1	1	1	2	0	0	3	4
109	10-12-2022 13:34:40	1	2	1	1	0	0	0	0	2	3
110	13-12-2022 14:08:39	1	1	2	3	1	2	0	0	4	6
111	15-12-2022 14:16:10	1	1	1	1	1	1	0	0	3	3
112	17-12-2022 15:21:42	2	3	1	1	1	1	1	0.6	5	5.6
113	20-12-2022 13:09:09	2	4	1	2	0	0	0	0	3	6
114	22-12-2022 14:17:52	1	1	1	1	0	0	0	0	2	2
115	24-12-2022 14:29:31	1	1	1	0.5	0	0	0	0	2	1.5
116	27-12-2022 13:39:14	1	1.3	1	2	1	0.5	0	0	3	3.8
117	29-12-2022 13:34:33	2	2.5	1	1	1	0.1	0	0	4	3.6
118	31-12-2022 13:55:48	1	2	1	1.4	1	1	0	0	3	4.4
Total		69	114.3	53	97.6	32	54.3	5	6.6	159	272.8