

Date - 05/01/2023

TO,

THE REGIONAL OFFICE  
U. P POLLUTION CONTROL BOARD  
VARANASI

Sub - For Submission of Annual Report of BMW for the Year 2022

Respected Sir/Madam,

This is inform you that Indira IVF Hospital Pvt Ltd D63/7,C-10 Near Shubham lawn,  
Mahmoorganj Main road, Varanasi 221010 has submitted the BMW annual report  
for the year Jan 2022- Dec 2022.

Necessary documents are attached for the annual report.

Enclosure-

- 1- Form 4
- 2- Pollution Authorization Certificate
- 3- CTO (Air & Water)
- 4- Vendor Membership Certificate
- 5- Annual BMW Report



Sincerely,  
Dr.R.V.Singh


Authorized Signatory,  
INDIRA IVF HOSPITAL PVT.LTD.

Indira IVF Hospital Pvt. Ltd.

Centre Seal Mahmoorganj, Varanasi-221010  
(Uttar Pradesh)

  
5-1-23  
क्षेत्रीय कार्यालय  
उ०प्र० प्रदूषण नियंत्रण बोर्ड  
वाराणसी

Doctor Seal



**SAVE GIRL CHILD**

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Indira IVF Hospital Pvt. Ltd

Regd. Office : 44, Amar Niwas, Kumharo Ka Bhatta Opp. M.B. College Udaipur 313001 (India), Telephone No. 7665004570



www.indiraivf.com

info@indiraivf.in

CIN: U85110RJ2015PTC046846

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

## TO WHOMSOEVER IT MAY CONCERN

This is to certify that following quantity (In Kg) of BMW Received from INDIRA IVF HOSPITAL PVT. LTD. VARANASI And been treated & disposed by as per guidelines.

### CPC POWER INDIA PVT LTD

Month	Red (In Kg)	Yellow (In Kg)	Blue (In Kg)	White (In Kg)	Total Weight (In Kg)
JAN	19.5	36.5	14.25	1.5	71.75
FEB	20.5	35.5	11.75	3	70.75
MAR	21.25	38	13.75	2	75
APR	23.25	40.25	15.5	2.25	81.25
MAY	20	37	14.5	1.75	73.25
JUN	21.25	38	13.25	2.5	75
JUL	19.5	36.5	13.5	2	71.5
AUG	23.25	39.5	13.75	2.5	79
SEP	20	37.5	14.5	1.75	73.75
OCT	18	34	13	1.75	66.75
NOV	22.5	39	13.75	2.75	78
DEC	13.75	24	7.5	1.75	47
TOTAL	242.75	435.75	159	25.5	863

Sincerely,

Dr.R.V.Singh,

Centre Seal

Indira IVF Hospital Pvt. Ltd.  
Varanasi-221010  
(Uttar Pradesh)

Authorized Signatory,

Doctor Seal

INDIRA IVF HOSPITAL PVT.LTD.



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd

Regd. Office : 44, Amar Niwas, Kumharo Ka Bhatta Opp. M.B. College Udaipur 313001 (India), Telephone No. 7665004570

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

www.indiraivf.com

info@indiraivf.in

CIN: U85110RJ2015PTC046846

**From -IV  
(See rule 13)  
Annual Report**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. RANVIJAY SINGH
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF HOSPITAL PVT. LTD
	(iii) Address for Correspondence	:	D63/7,C-10 Near Shubham lawn,Mahmoorganj Varanasi 221010
	(i) Address of Facility	:	D63/7,C-10 Near Shubham lawn,Mahmoorganj Varanasi 221010
	(ii) Tel. No. Fax. No.	:	7665278664
	(V) E-mail ID	:	centerhead.varanasi@indiraivf.in
	(i) URL of Website	:	<a href="https://www.indiraivf.com/">https://www.indiraivf.com/</a>
	(ii) GPS coordinates of HCF of CBMWTF	:	25.3045691, 82.9784272
	(iii) Ownership of HCF of CBMWTF	:	Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. 12142893 Valid up to 31/03/2023.
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31/03/2023
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds 10
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry.	:	Not Applicable
3.	Details if CBMWTF	:	Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	Not Known to us
	(iii) Installed treatment and disposal capacity of CBMWTF	:	_____ Kg per day Not Applicable
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	_____ Kg/day Not Applicable
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 435.75 Kg.( Approx)
			Red Category: 242.75 Kg.( Approx)
			White: 25.5 Kg.( Approx)
			Blue Category: 159 Kg.( Approx)
			General Solid waste : 600 KG (Approx)
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility		

(i) Details of the on-site storage facility :		Size : 30 Kg Buckets of Different Colours Capacity: 30 Kg Provision of on-site storage : (cold storage or any other provision)- <b>Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.</b>																																																
(ii) Disposal Facilities :		<table border="1"> <thead> <tr> <th data-bbox="863 241 1091 465">Type of Treatment</th> <th data-bbox="1091 241 1171 465">No. of Units</th> <th data-bbox="1171 241 1262 465">Capacity Kg/Day</th> <th data-bbox="1262 241 1394 465">Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr><td data-bbox="863 465 1091 517">Incinerators</td><td data-bbox="1091 465 1171 517"></td><td data-bbox="1171 465 1262 517"></td><td data-bbox="1262 465 1394 517"></td></tr> <tr><td data-bbox="863 517 1091 568">Plasma Paralysis</td><td data-bbox="1091 517 1171 568"></td><td data-bbox="1171 517 1262 568"></td><td data-bbox="1262 517 1394 568"></td></tr> <tr><td data-bbox="863 568 1091 620">Autoclaves</td><td data-bbox="1091 568 1171 620"></td><td data-bbox="1171 568 1262 620"></td><td data-bbox="1262 568 1394 620"></td></tr> <tr><td data-bbox="863 620 1091 672">Microwave</td><td data-bbox="1091 620 1171 672"></td><td data-bbox="1171 620 1262 672"></td><td data-bbox="1262 620 1394 672"></td></tr> <tr><td data-bbox="863 672 1091 723">Hydroclave</td><td data-bbox="1091 672 1171 723"></td><td data-bbox="1171 672 1262 723"></td><td data-bbox="1262 672 1394 723"></td></tr> <tr><td data-bbox="863 723 1091 775">Shredder</td><td data-bbox="1091 723 1171 775"></td><td data-bbox="1171 723 1262 775"></td><td data-bbox="1262 723 1394 775"></td></tr> <tr><td data-bbox="863 775 1091 826">Needle tip cutter or destroyer</td><td data-bbox="1091 775 1171 826"></td><td data-bbox="1171 775 1262 826"></td><td data-bbox="1262 775 1394 826"></td></tr> <tr><td data-bbox="863 826 1091 878">Sharps encapsulation or concrete pit</td><td data-bbox="1091 826 1171 878"></td><td data-bbox="1171 826 1262 878"></td><td data-bbox="1262 826 1394 878"></td></tr> <tr><td data-bbox="863 878 1091 929">Deep Burial pits:</td><td data-bbox="1091 878 1171 929"></td><td data-bbox="1171 878 1262 929"></td><td data-bbox="1262 878 1394 929"></td></tr> <tr><td data-bbox="863 929 1091 981">Chemical disinfection:</td><td data-bbox="1091 929 1171 981"></td><td data-bbox="1171 929 1262 981"></td><td data-bbox="1262 929 1394 981"></td></tr> <tr><td data-bbox="863 981 1091 1032">Any other treatment equipment:</td><td data-bbox="1091 981 1171 1032"></td><td data-bbox="1171 981 1262 1032"></td><td data-bbox="1262 981 1394 1032"></td></tr> </tbody> </table>	Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																															
Incinerators																																																		
Plasma Paralysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer																																																		
Sharps encapsulation or concrete pit																																																		
Deep Burial pits:																																																		
Chemical disinfection:																																																		
Any other treatment equipment:																																																		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.		CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.																																																
(iv) No of vehicles used for collection and transportation of biomedical waste.		CBMWTF vehicles are being used for collection & transportation of bio medical waste																																																
(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP sludge is not known to us.																																																
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		<b>CPC POWER INDIA PVT. LTD.</b>																																																
(vii) List of member HCF not handed over bio-medical waste.		Not Known to us																																																
6. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.		We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMWM&H. Moreover, he also																																																

			looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		Training is conducted on Quarterly Basis
	(ii) Number of personnel trained		48
	(iii) Number of personnel trained at the time of induction		48
	(iv) Number of personnel not undergone any training so far.		Not any because at the time of joining we give proper training to the staff regarding BMW&H
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12.	Any other relevant information		No

Certified that the above report is for the period from JAN 2022 to DEC 2022.

Date: 05/01/2023  
Place: VARANASI

  
Name and Signature of the Head of the Institution

Indira IVF Hospital Pvt. Ltd.  
Mahmoorganj, Varanasi-221010  
(Uttar Pradesh)



# CPC Power India Pvt. Ltd.

No. 3785

Regn. No. CPC-BMW/15600 

Madhuban Vihar Opposite Harsh Gas Lane N-11/99-L Plot No. 8, Shivraj Nagar Extn., Ranipur, Mahmoorganj, Varanasi  
PROMOTED BY : VARANASI NAGAR NIGAM & U.P. POLLUTION CONTROL BOARD, VARANASI

C  
P  
C

## TO WHOM IT MAY CONCERN

The certificate stand to recognize that Indira IVF Hospital Pvt. Ltd. Hosp./NH/  
Research Center/ Others Located at D 63/7 C-10 Mahmoorganj Varanasi is a proud  
member of 'COMMON BIO MEDICAL WASTE TREATMENT FACILITY' for collection,  
transportation, treatment and disposal of BIO MEDICAL WASTE as per Rules 2016.

This Certificate is for 10 (Ten) no. of beds strength and valid till 03/31/2023

Date : 04/01/2022

For : **CPC Power India Pvt. Ltd.**

  
(Authorised Signatory)

All Rights are reserved to cancel this certification any time in case of non-compliance

**SAVE WATER, ENERGY & ENVIRONMENT**



*Handle waste with care Avoid worry & despair...*



# UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone :2400852, 2400851, Fax:0651- 2400850

<http://www.uppcb.com/>

## FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 15435720 and Date:-04/03/2022
2. M/s INDIRA IVF HOSPITAL PVT LTD, RANVIJAY SINGH an occupier or operator of the facility located at D63/7, C10, Mahmoorganj, Varanasi, VARANASI, is hereby granted an authorisation for:

Generation, segregation



Collection



Storage



Transportation



Reception



Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s INDIRA IVF HOSPITAL PVT LTD is hereby authorized for handling of biomedical waste as per the capacity given below:
  - (i) Number of beds of HCF: 10
  - (ii) Number of health care facilities covered by CBMWTF: C P C Power India Pvt. Ltd. Mohansarai, Varanasi
  - (iii) Installed treatment and disposal capacity: NA
  - (iv) Area or distance covered by CBMWTF: NA
  - (v) Quantity of Biomedical waste handled, treated or disposed: 2.5 Kg/day
4. This authorisation shall be in force for a period of Years from the date of issue.
- 4.1 The authorization shall be valid for till 31/03/2023
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Date: 04/03/2022  
Place: Varanasi

KALIKA  
SINGH  
Kalika Singh  
Regional Officer

Digitally signed by  
KALIKA SINGH  
Date: 2022.03.04 15:13:59  
+05'30'

#### **Terms and Conditions of Authorisation**

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

### **Specific Conditions:**

1. The authorized H.C.F. shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without proper permission of the authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. Bio-Medical Waste of various categories as mentioned in Schedule-I, of Bio-Medical Waste Management Rules-2016 shall be handle as per treatment and disposal facilities mentioned in the said rules.
7. Bio-Medical Waste must be segregated as per Schedule-I of BMW Rules.
8. Schedule-IV (Rule-8(3) and (5) shall be fully complied.
9. Annual Report shall be submitted in form-IV regularly.
10. The authorized agency must ensure full compliance of prescribed standards for treatment and disposal as mentioned in Rules.
11. Complete details of disposal of Sharps/Medicines must be sent separately.
12. All other solid and liquid wastes which are not covered under BMW Rules, 2016 must also be properly handled and managed so that no adverse impact on the Environment takes place.
13. No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours after its generation. If, for any reason it becomes necessary to store beyond the prescribed period, permission as per provisions of the Bio-Medical Waste Rules must be obtained.
14. Treated waste shall be disposed-off as per provisions of the Bio-Medical Waste Rules only.
15. Bio-Medical Waste shall be segregated into containers/bags at the point of generation in accordance with schedule-I prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to schedule-IV.
16. If Bio-Medical Waste is transported anywhere from the premises where it was generated, the container shall, apart from the label prescribed in schedule-IV, also carry information prescribed in schedule-IV.
17. Notwithstanding anything contained in the Motor Vehicle Act, 1988, or the rules there under, untreated bio-medical waste shall be transported only in such Vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
18. Authorized HCF shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and / or any other form of handling of bio-medical waste in accordance with these rules and any guidelines issued. All records shall be subject to inspection and verification by the prescribed authority at any time.
19. Regular lifting of non infections bio-medical waste generated from authorized HCF shall be ensured.
20. Safe disposal of mercury waste generation/spillage shall be carried out as per BMW rules and compliance report in this regard shall be submitted to the Board every year.
21. Liquid waste generated from laboratory and washing, cleaning, housekeeping and disinfecting activities shall be disinfected by chemical treatment as per schedule-I. Authorized HCF shall properly treat the leachate generated during collection/storage of Bio Medical Waste.
22. The authorized HCF shall obtain consent from the Board also under Air Act, 1981 and Water Act, 1974.
23. This Authorization has been issued on the basis of directions received from office order of Member Secretary, U.P. Pollution Control Board, Lucknow vide letter no.- G 28277/C-2/SA-346/2018, dated 07.09.2018 regarding BMW Authorization fee. Any further order regarding authorization fee from competent

authority shall be applicable to authorized H.C.F.

24. Authorization issued to H.C.F. shall be deemed cancelled, if H.C.F. loses the membership of concerned C.B.W.T.F. from any reasons.

25. This authorization shall be deemed cancelled, if the C.B.W.T.F. concerned with authorized HCF has no valid authorization under BMW Rules and Consent under Air & Water Act.

26. You are hereby directed for submitting C.M.O. registration within 15 days from the date of issue of this order for calculation of balance authorization fee payable by your health care facility.

27. Copy of agreement deed with CBWTF shall be submitted by authorized H.C.F. within a week after the expiry date of old agreement deed.

28. The Board reserves the right to withdraw the authorization without notice, if any of the conditions mentioned in authorization is not complied with.

29. HCF shall construct BMW house for storage of accumulated BMW within premises.

30. Floor wise BMW segregation shall be done properly in color coded bins as per BMW rule-2016.

31. HCF Shall adopt bar code system for bio medical waste.

32. HCF shall comply the Provisions of water (Pollution Prevention and control of pollution) Act, 1974 (as amended) and Air (Pollution Prevention and control of pollution) Act, 1981(as amended).

33. HCF shall ensure to comply The Order passed by Hon'ble NGT in Original Application No. 72/2020 dated 21.04.2020 and the Revised-2 guide line issued by Central Pollution Control Board for Handling, Treatment and Disposal of Waste Generated during Treatment/Diagnosis/ Quarantine of COVID-19 Patients dated 18/04/2020.

34. HCF should ensure to submit approved map and land use from local competent authority for the use as Health care facility within one month failing which your authorization certificate treated as cancelled.

Memo No.: 15435720

Dated:04/03/2022

**Copy To:**

**CEO (C-6) U.P. Pollution Control Board, Lucknow.**

**KALIKA**  
**SINGH**  
**Kalika Singh**  
**Regional Officer**

Digitally signed by  
KALIKA SINGH  
Date: 2022.03.04  
15:14:10 +05:30'



U.P. Pollution Control Board

CONSENT ORDER

Ref No. -  
99237/UPPCB/Varanasi(UPPCBRO)/CTO/air/VARANASI/2020

Dated : 28/07/2020

To ,

Shri RANVIJAY SINGH  
M/s INDIRA IVF HOSPITAL PVT LTD  
D-63/7 C10, MEHMOORGANJ, VARANASI  
VARANASI

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. INDIRA IVF HOSPITAL PVT LTD

Reference Application No. 9090869

Dated : 28/07/2020

1. With reference to the application for consent for emission of air pollutants from the plant of M/s INDIRA IVF HOSPITAL PVT LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 28/07/2020 to 31/03/2023 .
3. Inspite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.  
This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

KALIKA SINGH Digitally signed by KALIKA SINGH  
Date: 2020.07.28 17:05:35 +05'30'  
REGIONAL OFFICER

Enclosed : As above  
(condition of consent):

Copy to: CEO-6 UTTAR PRADESH POLLUTION CONTROL BOARD, LUCKNOW.

KALIKA SINGH Digitally signed by KALIKA SINGH  
Date: 2020.07.28 17:05:50 +05'30'  
REGIONAL OFFICER

# U.P. Pollution Control Board

Dated : 28/07/2020

## CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Health Care Facility-10 Beds..
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.
- 3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	125 KVA	H.S.D.	01	Particulate Matter	3.5 Meter from the nearest roof top of the building.

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard
1	01	Particulate Matter	150 mg/Nm3

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

### Specific Conditions:

1. This CTO Air is being granted for Health Care Facility of 10 Beds.
2. HCF shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunal, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
3. The HCF shall comply the provisions of Environment (Protection) Act, 1986 and Biomedical Waste Management Rules, 2016 as amended.
4. The HCF shall installed stack with D.G. sets 125 KVA as per Board norms.
5. Acoustic enclosure should be installed by HCF with 125 KVA capacity of D.G. Sets to control of noise level.
6. Compliance report of the consent order must be sent to this office at the earliest.
7. The HCF shall ensure to develop adequate plantation and green belt within the premises.
8. HCF shall be operated in such a manner that it may not affect the ambient air quality/ambient noise level.

**Issued with the permission of competent authority .**

**For and on behalf of U.P. Pollution Control Board .**

**KALIKA SINGH** Digitally signed by KALIKA SINGH  
Date: 2020.07.28 17:06:14 +0530'  
**REGIONAL OFFICER**



**U.P. Pollution Control Board**

**CONSENT ORDER**

Ref No. -  
99235/UPPCB/Varanasi(UPPCBRO)/CTO/water/  
VARANASI/2020

Dated : 28/07/2020

To ,

Shri RANVIJAY SINGH  
M/s INDIRA IVF HOSPITAL PVT LTD  
D-63/7 C10, MEHMOORGANJ, VARANASI  
VARANASI

Sub : Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974  
(as amended) for discharge of effluent to M/s. INDIRA IVF HOSPITAL PVT LTD

Reference Application No :9090819

Dated :28/07/2020

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act ) M/s. INDIRA IVF HOSPITAL PVT LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tank/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 28/07/2020 to 31/03/2023 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Prevention and Control of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

**For and on behalf of U.P. Pollution Control Board**

KALIKA SINGH Digitally signed by KALIKA SINGH  
Date: 2020.07.28 17:03:17 +05'30'  
**REGIONAL OFFICER**

Enclosed : As above  
(condition of consent):

Copy to: CEO-6 UTTAR PRADESH POLLUTION CONTROL BOARD, LUCKNOW.

KALIKA SINGH Digitally signed by KALIKA SINGH  
Date: 2020.07.28 17:03:24 +05'30'  
**REGIONAL OFFICER**

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.INDIRA IVF HOSPITAL PVT LTD vide

Consent Order No. 9090819/ Water

Dated : 28/07/2020

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Health Care Facility-10 Beds..
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Industrial	1.8 KL/day	ETP
2	Domestic	2.5 KL/day	STP

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .

Specific Conditions:

1. This CTO water is being granted for Health Care Facility of 10 Beds.
2. HCF shall abide by directions given by Hon'ble Supreme Court, High Court, National Green Tribunal, Central Pollution Control Board and Uttar Pradesh Pollution Control Board for protection and safeguard of environment from time to time.
3. The HCF shall comply the provisions of Environment (Protection) Act, 1986 and Biomedical Waste Management Rules, 2016 as amended.
4. Compliance report of the consent order must be sent to this office at the earliest.
5. The HCF shall ensure the regular operation and maintenance of E.T.P. & S.T.P. so that it meet the stipulated norms of effluent discharge.
6. HCF shall obtain prior approval before making any modification in the beded capacity of the hospital.
7. The HCF shall maintain proper logbook regarding operation of E.T.P. & S.T.P., energy meter and chemical consumption etc.
8. The HCF shall install flow meter at the bore well, outlet of E.T.P. & S.T.P. & maintain logbook for the fresh water consumption & treated domestic sewage discharge.
9. The HCF shall keep good house keeping and proper handling, collection and safe disposal of municipal solid waste as per provisions of MSW Rules, 2016.
10. Raw sewage & treated sewage shall be get analysed by NABL accredited laboratory/U.P. Pollution Control Board at regular interval and submit the test report in this office.
11. The Board reserves its right to modify the above conditions or stipulate any additional conditions including revocation of this order in the interest of environment protection.
12. The HCF shall install roof top rain water harvesting system within two montsh.
13. The HCF shall obtain permission for ground water abstraction from CGWA.

**Issued with the permission of competent authority .**

**For and on behalf of U.P. Pollution Control Board .**

**KALIKA SINGH** Digitally signed by KALIKA SINGH  
Date: 2023.07.28 17:03:40 +05'30'  
**REGIONAL OFFICER**