

TO,

THE REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
PRAYAGRAJ

Sub - For Submission of Annual Report of BMW for the Year Jan 2023 -
Dec 2023

Respected Sir/Madam,

This is inform you that Indira IVF Hospital Pvt Ltd 41/2 Mohalla Civil
Station Elgin Road Civil Lines Prayagraj 211001 has submitted the
BMW annual report for the year Jan 2023- Dec 2023.Necessary
documents are attached for the annual report.

Enclosure-

- 1- Form 4
- 2- Pollution Authorization Certificate
- 3- CTO (Air & Water)
- 4- CBMWTF Membership Certificate
- 5- Nursing Home License
- 6- BMW Waste Disposal Quantity Certificate by Vendor

Thanking You

For Indira IVF Hospital Pvt Ltd, Prayagraj

Centre Seal

Doctor Seal

Authorized Signatory



SAVE INDIRA IVF HOSPITAL (P) LTD. Regulated by


बेटी बचाओ/बेटी पढ़ाओ अभियान में सहयोग करें।

41/2, Civil Station, Civil Lines
Elgin Road, (Near Hanuman Mandir)

Alahabad (U.P.) - 211001

Indira IVF Hospital Pvt. Ltd.
Registered Office : Alahabad (U.P.) - 211001
4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurla Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah.), India

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।



Website : www.indiraivf.com

Email : info@indiraivf.in

CIN: U85110MH2015PTC406059

**;From –IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

| SI.No | Particulars | | |
|-------|--|---|---|
| 1. | Particulars of the Occupier | : | |
| | (i) Name of the authorized person (occupier or operator of facility) | : | DR. ANJALI SHARMA |
| | (ii) Name of HCF or CBMWTF | : | INDIRA IVF HOSPITAL PVT. LTD |
| | (iii) Address for Correspondence | : | 41/2 Mohalla Civil Station Elgin Road Civil Lines Prayagraj 211001 |
| | (i) Address of Facility | | 41/2 Mohalla Civil Station Elgin Road Civil Lines Prayagraj 211001 |
| | (ii) Tel. No. Fax. No. | : | 7665278665 |
| | (V) E-mail ID | : | centerhead.allahabad@indiraivf.in |
| | (i) URL of Website | : | https://www.indiraivf.com/ |
| | (ii) GPS coordinates of HCF of CBMWTF | | 25.452956171122597, 81.83810972578101 |
| | (iii) Ownership of HCF of CBMWTF | | Pvt.Ltd. Company |
| | (iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules. | : | Authorization No. 18342866 Valid up to 28/10/2025. |
| | (v) Status of Consents under Water Act and Air Act. | : | Valid up to: 31/07/2025 |
| 2. | Type of Health Care Facility | : | |
| | (i) Bedded Hospital | : | No. of Bed-10 |
| | (ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) | : | Not Applicable |
| | (iii) License number and its date of expiry. | : | RMEE2227195 & 30-4-24 |
| 3. | Details if CBMWTF | : | Not Applicable |
| | (i) Number healthcare facilities covered by CBMWTF | : | Not Known to us |
| | (ii) No. of beds covered by CBMWTF | : | Not Known to us |
| | (iii) Installed treatment and disposal capacity of CBMWTF | : | _____ Kg per day Not Applicable |
| | (iv) Quantity of biomedical waste treated or disposal by CBMWTF | : | _____ Kg/day Not Applicable |
| 4. | Quantity of waste generated or disposed in Kg per annum (on monthly average basis) | : | Yellow category: 747.38Kg.(Approx) |

| | | | Blue Category: 347.06 Kg.(Approx) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|-----------------|--|-------------------|--------------|-----------------|--|--------------|--|--|--|------------------|--|--|--|------------|--|--|--|-----------|--|--|--|------------|--|--|--|----------|--|--|--|--------------------------------|--|--|--|--------------------------------------|--|--|--|-------------------|--|--|--|------------------------|--|--|--|--------------------------------|--|--|--|
| | | | General Solid waste : 1210 KG (Approx) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5. | Details of the Storage , treatment, transportation, processing and Disposal Facility | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (i) Details of the on-site storage facility : | | Size : 60 Kg Buckets of Different Colours Capacity: 60 Kg Provision of on-site storage : (cold storage or any other provision)- Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (ii) Disposal Facilities : | | <table border="1"> <thead> <tr> <th>Type of Treatment</th> <th>No. of Units</th> <th>Capacity Kg/Day</th> <th>Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr><td>Deep Burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table> | Type of Treatment | No. of Units | Capacity Kg/Day | Quantity Treated OR Disposed In Kg/Annum | Incinerators | | | | Plasma Paralysis | | | | Autoclaves | | | | Microwave | | | | Hydroclave | | | | Shredder | | | | Needle tip cutter or destroyer | | | | Sharps encapsulation or concrete pit | | | | Deep Burial pits: | | | | Chemical disinfection: | | | | Any other treatment equipment: | | | |
| Type of Treatment | No. of Units | Capacity Kg/Day | Quantity Treated OR Disposed In Kg/Annum | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incinerators | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plasma Paralysis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Autoclaves | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Microwave | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hydroclave | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Shredder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Needle tip cutter or destroyer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sharps encapsulation or concrete pit | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Deep Burial pits: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Chemical disinfection: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Any other treatment equipment: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. : | | CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (iv) No of vehicles used for collection and transportation of biomedical waste. : | | CBMWTF vehicles are being used for collection & transportation of bio medical waste | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | (v) Details of incineration ash and ETP sludge generated and disposal during the treatment of : | | CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | |
|-----|---|---|---|
| 6. | Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period. | : | We do not have Bio waste management committee. However our FC is given responsibility for training of staff regarding BMWM&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal |
| 7. | Detail trainings conducted on BMW | | |
| | (i) Number of training conducted on BMW Management. | | Training is conducted on Quarterly Basis |
| | (ii) Number of personnel trained | | 45 |
| | (iii) Number of personnel trained at the time of induction | | 45 |
| | (iv) Number of personnel not undergone any training so far. | | Not any because at the time of joining we give proper training to the staff regarding BMWM&H |
| | (v) Whether standard manual for training is available? | | Yes |
| | (vi) Any other information) | | No |
| 8. | Details of the accident occurred during the year | | |
| | (i) Number of Accidents occurred | | Not Any |
| | (ii) Number of the persons affected | | Nil |
| | (iii) Remedial Action taken (Please attach details if any) | | Nil |
| | (iv) Any Fatality occurred, details. | | Nil |
| 9. | Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards? | | Not Applicable |
| | Details of Continuous online emission monitoring systems installed | | Not Applicable |
| 10. | Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year. | | |
| 11. | It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? | | N/A |
| 12. | Any other relevant information | | No |

Certified that the above report is for the period from Jan 2023 to Dec 2023.


INDIRA IVF HOSPITAL (P) LTD.
 41/2, Civil Station, Civil Lines
 Elgin Road, (Near Hanuman Mandir)
 Allahabad (U.P.) - 211001

02/11/2024

Name and Signature of the Head of the Institution



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 18342866 and Date:-29/10/2022
2. M/s INDIRA IVF HOSPITAL PVT LTD, MITESH DILIPDAVE an occupier or operator of the facility located at 41/2, Elgin Road, Civil Lines, PRAYAGRAJ, 211001 is hereby granted an authorisation for:

Generation, segregation

Collection



Storage

Transportation



Reception

Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s INDIRA IVF HOSPITAL PVT LTD is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 10
 - (ii) Number of health care facilities covered by CBMWTF: M/s Sangam Mediserve Pvt. Ltd. 60E/2B, Thornhill Road, Prayagraj.
 - (iii) Installed treatment and disposal capacity: NA
 - (iv) Area or distance covered by CBMWTF: NA
 - (v) Quantity of Biomedical waste handled, treated or disposed: 02 KG/DAY
4. This authorisation shall be in force for a period of 03 Years from the date of issue.
- 4.1 The authorization shall be valid for till 28/10/2025
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

RAMESH
KUMAR
SINGH

Digitally signed by
RAMESH KUMAR
SINGH
Date: 2022.10.29
14:54:12 +05'30'

Terms and Conditions of Authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The Unit will file the renewal application at least 2 months prior to the expiry of this Order

Specific Conditions:

1. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. This authorization is issued on the basis of agreement made in between the unit and M/s Sangam Mediserve Pvt. Ltd. 60E/2B, Thornhill Road, Prayagraj. who is treating the Bio Medical Waste at Vill. Jaitapur, Handia, Prayagraj. In Case the agreement is breached/ cancelled, the authorization issued to you, will automatically be deemed cancelled as validity of your HCF with CBWTF.
6. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
7. You shall ensure that biomedical waste generated in your hospital is handled without any adverse effect to human health and the environment.
8. You will ensure that biomedical waste shall be treated and disposed off in accordance with scheduled-I & II.
9. Bio-Medical Waste shall not be mixed with other waste.
10. Bio-Medical waste shall be segregated into containers/bags at the point of generation in accordance with schedule-I of Rule (8).
11. The containers transported from the premises where biomedical waste is generated to common waste treatment facility outside the premises shall, apart from the label prescribed in schedule-III also carry information in schedule IV.
12. You shall also ensure that untreated biomedical waste shall be transported only in such vehicle as may be authorized for the purpose, by competent authority as specified by the government. No untreated biomedical waste shall be kept stored beyond a period of 48 hours, if it becomes necessary to store beyond 48 hours you must take permission from the prescribed authority and ensure that it does not adversely affect human health and the environment.
13. You shall submit an annual report to the prescribed authority in form IV by 31st January every year according biomedical waste rule 2016, and include the information about the categories and quantities of biomedical waste handled during the preceding year.
14. You shall maintain record related to the generation, collection, temporary storage and or any form of handling of biomedical waste in accordance with these rules and guidelines. All records shall be subject to inspection and verification by the prescribed authority at any time.
15. It is within the powers and functions of the U.P Pollution Control Board to modify/revoke the term and conditions of the authorization issued under Bio-Medical waste (Management and Handling) Rules, 2016.
16. Colour Coded and lid covered leveled containers must be used for segregation & collection of bio-medical waste.
17. It is the duty of the authorized person to timely submit the valid membership certificate of CBWTF every year, within authorization period, and assure that bio medical waste are disposed according BMW rule 2016, otherwise this authorization will be automatically deemed rejected.
18. Hospital is directed to comply Air, Act 1981 & Water Act, 1974 provisions.
19. You are directed to submit CTO (Air & Water) application within 07 day.
20. You are directed to submit six monthly compliance report of above mentioned conditions.
21. You are directed to submit valid registration certificate of C.M.O. Prayagraj within three month.

RAMESH
KUMAR
SINGH

Digitally signed by
RAMESH KUMAR SINGH
Date: 2022.10.29
14:54:21 +05'30'

Memo No.: 18342866

Dated:29/10/2022

Copy To:
CEO-2, UPPCB LUCKNOW.

RAMESH
KUMAR SINGH
Digitally signed by
RAMESH KUMAR SINGH
Date: 2022.10.29
14:54:33 +05'30'
R.K. SINGH
R.O., UPPCB PRAYAGRAJ.



Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

160200/UPPCB/Allahabad(UPPCBRO)/CTO/both/PRAYAGRAJ/2022 Date: 18/07/2022

To,

M/s

INDIRA IVF HOSPITAL PRIVATE LIMITED

41/2, ELGIN ROAD CIVIL LINES PRAYAGRAJ

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

Consent No-17058859 Date-18/07/2022

CCA is hereby granted to **INDIRA IVF HOSPITAL PRIVATE LIMITED** located at **41/2, ELGIN ROAD CIVIL LINES PRAYAGRAJ.** subject to the provisions of the **Water Act, Air Act** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **INDIRA IVF HOSPITAL PRIVATE LIMITED** granted for the period from **01/08/2022 to 31/07/2025** and valid for manufacturing of following products with **Capital Investment/Net Assets Values 10.00 Lakhs**

| S No | Product | Quantity | Unit |
|------|----------------------|----------|-------------------|
| 1 | HOSPITAL (NO OF BED) | 10 | Metric Tonnes/Day |

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

| Kind of Effulant | Quantity(KLD) | Treatment facility and discharge point |
|------------------|---------------|--|
| Domestic | 3.0 KLD | Septic Tank |

(ii) **Trade Effluent Treatment and Disposal** :-The applicant shall operate **Effluent Treatment Plant** consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

| S.No. | Parameter | Standard |
|-------|-----------|----------|
|-------|-----------|----------|

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards.

| S No. | Parameters | Standards |
|-------|------------|-----------|
|-------|------------|-----------|

3. Conditions under Air Act :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

Air Pollution Source Details

| S No. | Air Pollution Source | Type of fuel | Stack no | Control Device | Height of Stack |
|-------|----------------------|--------------|----------|--------------------|----------------------|
| 1 | DG SET 160 KVA | DIESEL | 01 | Particulate Matter | AS PER E(P) ACT 1986 |

Emission Quality Standards

| S No. | Stack no | Parameters | Standards |
|-------|----------|--------------------|----------------------|
| 1 | 01 | Particulate Matter | AS PER E(P) ACT 1986 |

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

(iii) The unit will not use any type of restricted fuel.

| Standards for Noise level in db(A) Leq | Industrial Area | | Commercial Area | | Residential Area | | Silence Zone | |
|--|-----------------|------------|-----------------|------------|------------------|------------|--------------|------------|
| | Day Time | Night Time | Day Time | Night Time | Day Time | Night Time | Day Time | Night Time |
| | 75 | 70 | 65 | 55 | 55 | 45 | 50 | 40 |

6. Compulsory documents to be submitted by the Industry/Unit :-

- (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
- (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

- (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.
10. In compliance to the G.O dated 1011/81-7-2021-09 (Writ)/2016 dt.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent shall be revoked by the Board.
11. The industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO shall be revoked.

R.O., UPPCB PRAYAGRAJ.

Copy to:

CEO-2, UPPCB LUCKNOW.

RAMESH
KUMAR SINGH
Digitally signed by
RAMESH KUMAR SINGH
Date: 2022.07.18
11:36:47 +05'30'
R.O., UPPCB PRAYAGRAJ.

Annexure

Specific Conditions

1. This consent is valid for the 10 Beds.
2. Hospital will disposed liquid infectious effluent through establish ETP-05 KLD.
3. Hospital will make provision of sample collection for discharge point.
4. Hospital is directed to ensure zero discharge outside premise.
5. Hospital is directed to comply the provision of Bio Medical Waste Rule 2016 strictly as defined in rule no. 4 for the occupier.
6. Hospital is directed to make a provision of rain water harvesting & ground water recharging within 03 month.
7. Hospital Home will not make any expansion without prior consent of the Board.
8. Hospital will comply the provision of Solid Waste Rule 2016.
9. Hospital is directed to maintain the canopy & stack fitted with 160 KVA D.G set in such a way that it does not create noise/Air Pollution in the adjacent environment.
10. Hospital is directed to develop Green Belt in all available possible space in the premise.
11. Hospital will not make any expansion without prior consent of the Board.
12. Hospital is directed to comply the provision of E (P) Act 1986. Hospital will ensure that no traffic congestion takes place outside the Hospital.
13. Hospital will ensure the compliance of Plastic Waste Notification dated 22-12-2015 by banning usages of Polythene Carry Bags & other Plastic items as mentioned in the notification.

General Conditions:-

The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

1. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
2. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
3. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
4. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
5. The industry shall provide uninterrupted entry to the STPs/ETPs inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
6. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
7. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
8. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
9. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
10. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point
11. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
12. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
13. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
14. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
15. The authorization is valid for temporary storage of Hazardous Waste within premises only.
16. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises
17. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
18. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
19. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
20. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
21. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.

22. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.

23. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.

24. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

RAMESH
KUMAR SINGH
R.O., UPPCB PRAYAGRAJ.

Digitally signed by
RAMESH KUMAR SINGH
Date: 2022.07.18
11:37:03 +05'30'

Sangam Mediserve Pvt. Ltd.

Specialist in Waste Management

Web : www.sangammediserve.com, Email : sangammediserve@gmail.com, Mobile : +91-9670555533, +91-9670222266



To Whom So Ever It May Concern

This is to certify that Following Quantity (in Kg.) Of BMW Received From

INDIRA IVF HOSPITAL PVT. LTD.

PRAYAGRAJ

And been treated & disposed by as per guidelines.

| MONTH | Yellow (In Kg.) | Blue (In Kg.) | Red(In Kg.) | White(In Kg.) | Total (In Kg.) |
|----------------|-----------------|---------------|-------------|---------------|----------------|
| 23-Jan | 80.6 | 37.2 | 89.7 | 5.4 | 212.9 |
| 23-Feb | 75.3 | 32 | 93.94 | 14.7 | 215.94 |
| 23-Mar | 89.05 | 32.3 | 97.22 | 9.5 | 228.07 |
| 23-Apr | 64.4 | 25.84 | 68.51 | 10.5 | 169.25 |
| 23-May | 59.64 | 28.1 | 85.7 | 10.76 | 184.2 |
| 23-Jun | 72.5 | 31.3 | 102.6 | 12.9 | 219.3 |
| 23-Jul | 65.6 | 33.1 | 85.75 | 16.4 | 200.85 |
| 23-Aug | 63 | 40.55 | 94.5 | 12.3 | 210.35 |
| 23-Sep | 43 | 19.22 | 62.99 | 10.52 | 135.73 |
| 23-Oct | 39.77 | 13.59 | 59.93 | 11.8 | 125.09 |
| 23-Nov | 41.11 | 21.85 | 72.23 | 14.88 | 150.07 |
| 23-Dec | 53.41 | 32.01 | 69.11 | 12.47 | 167 |
| Total (In Kg.) | 747.38 | 347.06 | 982.18 | 142.13 | 2218.75 |



Registration No:RMEE2227195

Application No:MEE0111113



Department of Medical Health & Family Welfare
Government of Uttar Pradesh

RENEWAL OF MEDICAL ESTABLISHMENT CERTIFICATE

OFFICE OF THE CHIEF MEDICAL OFFICER, Prayagraj

Certificate No: CMEE2367234

Issuance Date: 09/05/2023

This is to certify that the medical establishment having Name **INDIRA IVF HOSPITAL PVT LTD**, Type **HOSPITAL**, Address **41/2 MOHALLA CIVIL STATION, ELGIN ROAD, NEAR HANUMAN MANDIR CIVIL LINES PRAYAGRAJ UTTAR PRADESH, PRAYAGRAJ, UTTAR PRADESH - 211001** is operated by **PRIVATE LTD.(INDIRA IVF HOSPITAL PVT LTD)** for providing **InPatient(No. of bed-10)/Outpatient** medical facilities **OPD,IPD, IVF AND INFERTILITY SERVICES**. The medical establishment is registered with us for the period **09/05/2023 To 30/04/2024**. The Medical establishment will be operated by the in-charge of the medical establishment according to the terms/details mentioned below as given in the application form.

1. Owner/Partner Details:-

| S.No. | Name | Father Name | Mobile No. | Age | Address |
|-------|-------------------|------------------|------------|-----|---|
| 1 | MITESH DILIP DAVE | DILIP KUMAR DAVE | 7665278665 | 40 | J-11 SUVARNA APPARTMENT NEAR SWAMI NARYAN TEMPLE NIRNAYNAGAR AHMEDABAD CITY RANIP AHMEDABAD GUJRAT, AHMEDABAD, GUJARAT - 382480 |

2. Person Incharge Details:-

2.1 Name: DR ANJALI

2.2 Mobile No.: 9793116314

2.3 Qualification: MS

2.4 Registration No.: 74640

2.5 Address: 25 B EKANKI KUNJ RAJAPUR PRAYAGRAJ UTTAR PRADESH, PRAYAGRAJ, UTTAR PRADESH - 21

3. Doctor Details:-

| S.No. | Name | Qualification | Institution | Registration Type/No. | Job Type |
|-------|------------------|---------------|--|-----------------------|-----------|
| 1 | DR ANJALI | MS | VARDHMAN MAHAVIR MEDICAL COLLEGE SAFDARGANJ HOSPITAL NEW DELHI | SMF / 74640 | FULL TIME |
| 2 | DR SUEBA SALMANI | MS | VARDHMAN MAHAVIR MEDICAL COLLEGE SAFDARGANJ HOSPITAL NEW DELHI | SMF / 59342 | FULL TIME |

4. Paramedical staff Details:-

| S.No. | Name | Qualification | Institution | Registration Type/No. | Job Type |
|-------|--------------|---------------|---|-----------------------|-----------|
| 1 | DEEPA MOL | GNM | SAKET INSTITUTE OF RESEARCH AND PARAMEDICAL SCIENCE | SMF / 31368 | FULL TIME |
| 2 | SHIPI SHERMA | GNM | KARMA NURSING AND PARAMEDICAL COLLEGE | SMF / 50760 | FULL TIME |

[Signature]
D.H.E.I.O.
CMO OFFICE
Prayagraj

[Signature]
A.C.M.O.
Registration
O/o C.M.O., Prayagraj

[Signature]
Chief Medical Officer
Prayagraj

Sangam Mediserve Pvt. Ltd.



Web. : www.sangammediserve.com Email : sangammediserve@gmail.com info@sangammediserve.com
Mobile : +919670555533, +919670333388

CERTIFICATE

Certificate No.:NIN/22-23/2001639

Date:15-03-2023

This is to certify that M/s. : **INDIRA IVF HOSPITAL PVT.LTD. (41/2 ELGIN, ROAD CIVIL LINE, PRAYAGRAJ - 211001)Hospital & Nursing Home** is a member of Sangam Mediserve Pvt. Ltd. bearing Registration No. **PRG/SMSPL/0031**

Sangam Mediserve Pvt. Ltd. is providing bio-medical waste management service to the institute from:**01-04-2023** for a total bed strength of : **10(ten)** This certificate is valid upto :**31-03-2024**



DIRECTOR

Hari om Sharan Dwivedi.
Hari Om Sharan Dwivedi