

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorised person (occupier or operator of facility)	Dr. Dayanidhi Kumar.
	(ii) Name of HCF or CBMWTF	Jindira Zrf Hospital Pvt Ltd
	(iii) Address for Correspondence	Vinayaka Building 2nd floor
	(iv) Address of Facility	Patel Bahin Road Bhagalpur 812001
	(v) Tel. No. Fax. No	
	(vi) E-mail ID	
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
1.	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.: BMW/560/19/B.16.07..... valid up to 25/3/24
	(xi) Status of Consents under Water Act and Air Act	Valid up to:
2.	Type of Health Care Facility	
	(i) Bedded Hospital	No. of Beds:..... 07
	(ii) Non-bedded hospital	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	
	(iii) License number and its date of expiry	
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	
	(ii) No of beds covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on average basis)	Yellow Category : 1.8 Kg/m ³
		Red Category : 4.6 Kg/m ³
		White: 2.2 Kg/m ³
		Blue Category : 1.4 Kg/m ³
		General Solid waste:

बिहार राज्य पर्यावरण नियंत्रण प्राधिकरण
पाटलीपुत्र औद्योगिक क्षेत्र, पटना-10

23. MAY 2023

प्राप्त किया

5 Details of the Storage, treatment, transportation, processing and Disposal Facility

(i) Details of the on-site storage facility

Size :

Capacity :

Provision of on-site storage : (cold storage or any other provision):

disposal facilities

Type of treatment equipment	No. of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
-----------------------------	--------------	-----------------	--

Incinerators Plasma

Pyrolysis

Autoclaves

Microwave

Hydroclave

Shredder

Needle tip cutter or destroyer

Sharps

encapsulation or concrete pit

Deep burial pits:

Chemical

disinfection:

Any other treatment equipment:

(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.

Red Category (like plastic, glass etc.)

(iv) No of vehicles used for collection and transportation of biomedical waste

Own vehicles of IGMS

(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum

Quantity generated

Where disposed

Incineration
Ash
ETP Sludge

(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of

IGMS

(vii) List of member HCF not handed over bio-medical waste.

6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period

BMD Committee conducted two times of year

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.	-	2
	(ii) number of personnel trained		2
	(iii) number of personnel trained at the time of induction		1
	(iv) number of personnel not undergone any training so far		
	(v) whether standard manual for training is available?		
	(vi) any other information		
8	Details of the accident occurred during the year		NO
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		-
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		-
12	Any other relevant information		(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 1-1-22 to 31-12-22

.....

Dayanidhi Kumar
 Name and Signature of the Head of the Institution

Date: 19/5/23
 Place: Bhagalpur