

To,

Date :-05/01/2024

**The Regional Office
Delhi Pollution Control
Committee**(Govt of NCT of Delhi)
4th and 5th floor ISBT building
Kashmere Gate Delhi-110006

SUB :- For submission of annual report of BMW for the year-2023

Respected Sir/Ma'am,

This is to inform you that **INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVT LTD)** Plot no-A-15, 1st floor , Palam Extn., Sect-7, Ramphal Chowk ,New Delhi-110045 has submitted the BMW report for the year January 2023 to December 2023. Necessary documents are attached for the annual report.

ENCLOSURES :-

1. Form 4
2. BMW Report (Jan 2023 to Dec 2023)
3. BMW Vendor Data - 2023

Thanking You

INDIRA IVF CLINIC
Plot no-A-15, 1st floor ,
Palam Extn., Sect-7, Ramphal Chowk ,
New Delhi-110045

Centre Seal

Authorized Signatory
Dr. Rekha Brar



बेटी बचाओ/बेटी पढ़ाओ,
अभियान में सहयोग करें।



SAVE GIRL CHILD

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

Doctor Seal

www.indiraivf.com

indira_clinic@yahoo.co.in

CIN: U85110RJ2015PTC046846

**;From –IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. REKHA BRAR
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVT LTD)
	(iii) Address for Correspondence	:	PLOT NO-A-15,1ST FLOOR,PALAM EXTENSION,SECTOR-7,RAMPHAL CHOWK, DWARKA ,NEW DELHI-110045
	(i) Address of Facility	:	PLOT NO-A-15,1ST FLOOR,PALAM EXTENSION,SECTOR-7,RAMPHAL CHOWK,DWARKA,NEW DELHI-110045
	(ii) Tel. No. Fax. No.	:	7412031047
	(V) E-mail ID	:	centerhead.dwarka@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF	:	28.656645768059924, 77.32654827220915
	(iii) Ownership of HCF of CBMWTF	:	Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. DPCC/(11)(5)(01)/2019/BMW/NST/AUTH/ 1522441
	(v) Status of Consents under Water Act and Air Act.	:	Not Applicable
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	NA
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	CLINIC
	(iii) License number and its date of expiry.	:	DPCC/(11)(5)(01)/2019/BMW/NST/ AUTH/1522441 Application No. 548163 LIFETIME
3.	Details if CBMWTF	:	BIOTIC WASTE SOLUTION
	(i) Number healthcare facilities covered by CBMWTF	:	NOT KNOWN TO US
	(ii) No. of beds covered by CBMWTF	:	NOT KNOWN TO US
	(iii) Installed treatment and disposal capacity of CBMWTF	:	___NOT APPLICABLE___ Kg per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	___NOT APPLICABLE___ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category 6.889 Kg.(Approx)

			Red Category: 8 . 3 7 9 Kg.(Approx)																																																			
			White: 1.124 Kg.(Approx)																																																			
			Blue Category: 5 . 2 1 5 Kg.(Approx)																																																			
			General Solid waste : (Approx)																																																			
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																					
	(i) Details of the on-site storage facility	:	Size : 12 KG BUCKETS OF DIFFERENT COLOURS																																																			
			Capacity: 12 KG																																																			
			Provision of on-site storage : (cold storage or any other provision)- Waste are segregated in colour coded containers as referred in Management Rule,2016.																																																			
	(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of Treatment</th> <th>No. of Units</th> <th>Capacity Kg/Day</th> <th>Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr><td>Deep Burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>				Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																																			
Incinerators																																																						
Plasma Paralysis																																																						
Autoclaves																																																						
Microwave																																																						
Hydroclave																																																						
Shredder																																																						
Needle tip cutter or destroyer																																																						
Sharps encapsulation or concrete pit																																																						
Deep Burial pits:																																																						
Chemical disinfection:																																																						
Any other treatment equipment:																																																						
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorised recycler after treatment is not known to us.																																																			
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	CBMWTF vehicles are being used for collection & transportation of bio-medical waste.																																																			
	(v) Details of incineration ash and ETP	:	Not Applicable																																																			

	sludge generated and disposal during the treatment of wastes in Kg per annum)		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	SMS WATER GRACE BMW PVT LTD.
	(vii) List of member HCF not handed over bio-medical waste.	:	Not known to us
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	We do not have bio-medical waste management committee. However our housekeeping supervisor is given responsibility for training of staff regarding BMW M & H moreover, he looks after the proper storage of BMW in colour coded bags & its handover to CBMWTF for its disposal.
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		Training is conducted on Quarterly Basis
	(ii) Number of personnel trained		8
	(iii) Number of personnel trained at the time of induction		8
	(iv) Number of personnel not undergone any training so far.		Not any because at time of joining we give proper training to the staff regarding BMW M&H
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		Never
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information		No

Certified that the above report is for the period from Jan 2023 to Dec 2023

Date:
Place: DWARKA

Name and Signature of the Head of the Institution

DR REKHA BRAR



[illegible]