

To,

Date - 12/01/2023

THE REGIONAL OFFICE,
U. P POLLUTION CONTROL BOARD,
VARANASI.

Sub - For Submission of Annual Report of BMW for the Year 2023.

Respected Sir/Madam,

This is to inform you that Indira IVF Hospital Pvt Ltd located at D63/7,C-10 Near Shubham lawn, Mahmooorganj Main road, Varanasi 221010 is submitting the BMW annual report for the year Jan 2023- Dec 2023.

Necessary documents are attached for the annual report.


Enclosure-

- 1- Form 4
- 2- Annual BMW Report

Sincerely,
Dr. R. V. Singh

Authorized Signatory,
INDIRA IVF HOSPITAL PVT.LTD.

Centre Seal



Handwritten signature and date 12-1-24. Below it is a purple rectangular stamp with the text: क्षेत्रीय कार्यालय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, वाराणसी.

Doctor Seal



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd.

Registered Office :

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurla Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah.), India

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

Website : www.indiraivf.com

Email : info@indiraivf.in

CIN: U85110MH2015PTC406059

**From –IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. RANVIJAY SINGH
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF HOSPITAL PVT. LTD
	(iii) Address for Correspondence	:	D63/7,C-10 Near Shubham lawn,Mahmoorganj Varanasi 221010
	(i) Address of Facility		D63/7,C-10 Near Shubham lawn,Mahmoorganj Varanasi 221010
	(ii) Tel. No. Fax. No.	:	7665278664
	(V) E-mail ID	:	centerhead.varanasi@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF		25.3045691, 82.9784272
	(iii) Ownership of HCF of CBMWTF		Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Authorization No. 20359687 Valid up to 31/03/2026.
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31/03/2026
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds 10
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry.	:	Not Applicable
3.	Details if CBMWTF	:	Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	Not Known to us
	(iii) Installed treatment and disposal capacity of CBMWTF	:	_____ Kg per day Not Applicable
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	_____ Kg/day Not Applicable
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 33.089.(Approx)
			Red Category: 18.387.(Approx)
			White: 8.350 Kg.(Approx)
			Blue Category: 3.238 Kg.(Approx)
			General Solid waste : 600 KG (Approx)
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : 30 Kg Buckets of Different Colours Capacity: 30 Kg

Provision of on-site storage : (cold storage or any other provision)- **Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.**

(ii) Disposal Facilities

Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum
Incinerators			
Plasma Paralysis			
Autoclaves			
Microwave			
Hydroclave			
Shredder			
Needle tip cutter or destroyer			
Sharps encapsulation or concrete pit			
Deep Burial pits:			
Chemical disinfection:			
Any other treatment equipment:			

(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.

CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.

(iv) No of vehicles used for collection and transportation of biomedical waste.

CBMWTF vehicles are being used for collection & transportation of bio medical waste

(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)

CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP sludge is not known to us.

(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of

CPC POWER INDIA PVT. LTD.

(vii) List of member HCF not handed over bio-medical waste.

Not Known to us

6. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.


We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMWM&H. Moreover, he also

			coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		Training is conducted on Quarterly Basis
	(ii) Number of personnel trained		48
	(iii) Number of personnel trained at the time of induction		48
	(iv) Number of personnel not undergone any training so far.		Not any because at the time of joining we give proper training to the staff regarding BMWM&H
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12.	Any other relevant information		No

Certified that the above report is for the period from **JAN 2023 to DEC 2023.**

Date: 12/01/2023
Place: VARANASI

Name and Signature of the Head of the Institution





CPC POWER INDIA PVT. LTD

A Division of Hospital Waste Management

Office: Plot No. 38 Gandhi Nagar, Sigra, Varanasi -221010

Plant : 310 NH-2 MOHAN SARAI VARANASI

Date	Quantity of bags				Weight of bags (in kg)				Total Weight (in kg)
	Red	Yellow	White	Blue	Red	Yellow	White	Blue	
01/02/2023	1	1	1	1					
01/03/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/04/2023	1	1	1	1	0.5	1	0.5	0	2
01/05/2023	1	1	1	1	1	2	0.75	0.25	4
01/06/2023	1	1	1	1	1	1.5	0.25	0.25	3
01/07/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/09/2023	1	1	1	1	0.5	1	0.5	0	2
01/10/2023	1	1	1	1	1	2	0.75	0.25	4
01/11/2023	1	1	1	1	1	1.5	0.25	0.25	3
01/12/2023	1	1	1	1	2	2	0.75	0.25	5
01/13/2023	1	1	1	1	1	1.5	0.25	0.25	3
01/14/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/16/2023	1	1	1	1	0.5	1	0.5	0	2
01/17/2023	1	1	1	1	1	2	0.75	0.25	4
01/18/2023	1	1	1	1	1	1.5	0.25	0.25	3
01/19/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/20/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/21/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/23/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/24/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/25/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/26/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
01/27/2023	1	1	1	1	0.5	1	0.5	0	2
01/28/2023	1	1	1	1	1	2	0.75	0.25	4
01/30/2023	1	1	1	1	1	1.5	0.25	0.25	3
01/31/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/01/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/02/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/03/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/04/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/06/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/07/2023	1	1	1	1	0.5	1	0.5	0	2
02/08/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/09/2023	1	1	1	1	0.5	1	0.5	0	2
02/10/2023	1	1	1	1	1	2	0.75	0.25	4
02/11/2023	1	1	1	1	1	1.5	0.25	0.25	3
02/13/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/14/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/15/2023	1	1	1	1	0.5	1	0.5	0	2
02/16/2023	1	1	1	1	1	2	0.75	0.25	4
02/17/2023	1	1	1	1	1	1.5	0.25	0.25	3
02/18/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/20/2023	1	1	1	1	0.5	1	0.5	0	2
02/21/2023	1	1	1	1	1	2	0.75	0.25	4
02/22/2023	1	1	1	1	1	1.5	0.25	0.25	3
02/23/2023	1	1	1	1	2	2	0.75	0.25	5
02/24/2023	1	1	1	1	1	1.5	0.25	0.25	3
02/25/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
02/27/2023	1	1	1	1	0.5	1	0.5	0	2
02/28/2023	1	1	1	1	1	2	0.75	0.25	4
03/01/2023	1	1	1	1	1	1.5	0.25	0.25	3
03/02/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/03/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/04/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/06/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/07/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/09/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/10/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/11/2023	1	1	1	1	0.5	1	0.5	0	2
03/12/2023	1	1	1	1	1	2	0.75	0.25	4
03/13/2023	1	1	1	1	1	1.5	0.25	0.25	3
03/14/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/15/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/16/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/17/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/18/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/20/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/21/2023	1	1	1	1	0.5	1	0.5	0	2
03/22/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/23/2023	1	1	1	1	0.5	1	0.5	0	2
					1	2	0.75	0.25	4

03/24/2023	1	1	1	1	1	1.5	0.25	0.25	3
03/25/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/27/2023	1	1	1	1	1	1.5	0.25	0.25	3
03/28/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/29/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
03/30/2023	1	1	1	1	0.5	1	0.5	0	2
03/31/2023	1	1	1	1	1	2	0.75	0.25	4
04/01/2023	1	1	1	1	1	1.5	0.25	0.25	3
04/03/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/04/2023	1	1	1	1	0.5	1	0.5	0	2
04/05/2023	1	1	1	1	1	2	0.75	0.25	4
04/06/2023	1	1	1	1	1	1.5	0.25	0.25	3
04/07/2023	1	1	1	1	2	2	0.75	0.25	5
04/08/2023	1	1	1	1	1	1.5	0.25	0.25	3
04/10/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/11/2023	1	1	1	1	0.5	1	0.5	0	2
04/12/2023	1	1	1	1	1	2	0.75	0.25	4
04/13/2023	1	1	1	1	1	1.5	0.25	0.25	3
04/14/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/15/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/17/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/18/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/19/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/20/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/21/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/22/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/24/2023	1	1	1	1	0.5	1	0.5	0	2
04/25/2023	1	1	1	1	1	2	0.75	0.25	4
04/26/2023	1	1	1	1	1	1.5	0.25	0.25	3
04/27/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/28/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
04/29/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/02/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/03/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/04/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/05/2023	1	1	1	1	0.5	1	0.5	0	2
05/06/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/08/2023	1	1	1	1	0.5	1	0.5	0	2
05/09/2023	1	1	1	1	1	2	0.75	0.25	4
05/10/2023	1	1	1	1	1	1.5	0.25	0.25	3
05/11/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/12/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/13/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/15/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/16/2023	1	1	1	1	0.5	1	0.5	0	2
05/17/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/18/2023	1	1	1	1	0.5	1	0.5	0	2
05/19/2023	1	1	1	1	1	2	0.75	0.25	4
05/20/2023	1	1	1	1	1	1.5	0.25	0.25	3
05/22/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/23/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/24/2023	1	1	1	1	0.5	1	0.5	0	2
05/25/2023	1	1	1	1	1	2	0.75	0.25	4
05/26/2023	1	1	1	1	1	1.5	0.25	0.25	3
05/27/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
05/29/2023	1	1	1	1	0.5	1	0.5	0	2
05/30/2023	1	1	1	1	1	2	0.75	0.25	4
05/31/2023	1	1	1	1	1	1.5	0.25	0.25	3
06/01/2023	1	1	1	1	2	2	0.75	0.25	5
06/02/2023	1	1	1	1	1	1.5	0.25	0.25	3
06/03/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/05/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/06/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/07/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/08/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/09/2023	1	1	1	1	0.5	1	0.5	0	2
06/10/2023	1	1	1	1	1	2	0.75	0.25	4
06/12/2023	1	1	1	1	1	1.5	0.25	0.25	3
06/13/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/14/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/15/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/16/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/17/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/19/2023	1	1	1	1	0.75	1.25	0.5	0	2.5
06/20/2023	1	1	1	1	1	1.5	0.25	0.25	3
06/21/2023	1	1	1	1	0.75	1.25	0.5	0.25	2.75
06/22/2023	1	1	1	1	0.5	1	0.5	0	2
06/23/2023	1	1	1	1	0.95	1.28	0.25	0.11	2.59
					0.25	1.39	0.23	0.13	2

06/24/2023	1	1	1	1					
06/26/2023	1	1	1	1	0.85	1.39	0.25	0.15	2.64
06/27/2023	1	1	1	1	0.25	1.28	0.251	0.15	1.921
06/28/2023	1	1	1	1	0.83	1.75	0.25	0.14	2.98
06/29/2023	1	1	1	1	0.91	1.3	0.26	0.12	2.59
06/30/2023	1	1	1	1	0.65	1.35	0.75	0.15	2.9
07/01/23	1	1	1	1	1.8	1.98	0.75	0.17	4.7
07/02/23	1	1	1	1	0.4	1.39	0.15	0.3	2.24
07/03/23	1	1	1	1	0.5	1.08	0.12	0.8	2.5
07/04/23	1	1	1	1	0.45	1.15	0.15	0.7	2.45
07/05/23	1	1	1	1	0.95	1.05	0.15	0.25	2.4
07/06/23	1	1	1	1	0.25	1.28	0.15	0.25	1.93
07/07/23	1	1	1	1	0.81	1.16	0.15	0.25	2.37
07/08/23	1	1	1	1	0.22	1.39	0.12	0.25	1.98
07/09/23	1	1	1	1	0.83	1.18	0.15	0.25	2.41
07/10/23	1	1	1	1	0.93	1.1	0.11	0.25	2.39
07/11/23	1	1	1	1	0.61	0.9	0.15	0.75	2.41
07/12/23	1	1	1	1	0.95	1	0.25	0.15	2.35
07/13/23	1	1	1	1	0.65	0.97	0.1	0.35	2.07
07/14/23	1	1	1	1	0.43	1.2	0.1	0.29	2.02
07/15/23	1	1	1	1	0.75	1.05	0.15	0.15	2.1
07/16/23	1	1	1	1	0.75	1	0.15	0.15	2.05
07/17/23	1	1	1	1	0.75	0.97	0.15	0.18	2.05
07/18/23	1	1	1	1	0.8	1.05	0.15	0.21	2.21
07/19/23	1	1	1	1	0.75	1	0.15	0.23	2.13
07/20/23	1	1	1	1	0.65	1	0	0.15	1.8
07/21/23	1	1	1	1	0.25	1.19	0.15	0.35	1.94
07/22/23	1	1	1	1	0.85	1.19	0.15	0.27	2.46
07/23/23	1	1	1	1	0.25	1.08	0.15	0.23	1.71
07/24/23	1	1	1	1	0.3	1	0.15	0.15	1.6
07/25/23	1	1	1	1	0.51	1	0.15	0.35	2.01
07/27/23	1	1	1	1	0.5	1	0.1	0.2	1.8
07/28/23	1	1	1	1	0.491	0.971	0.141	0.091	1.694
07/29/23	1	1	1	1	0.434	0.864	0.124	0.084	1.506
07/30/23	1	1	1	1	0.464	0.924	0.134	0.084	1.606
07/31/23	1	1	1	1	0.453	0.913	0.133	0.083	1.582
08/01/23	1	1	1	1	0.451	0.891	0.131	0.081	1.554
08/02/23	1	1	1	1	0.452	0.892	0.132	0.082	1.558
08/03/23	1	1	1	1	0.429	0.849	0.129	0.089	1.496
08/04/23	1	1	1	1	0.445	0.885	0.135	0.085	1.55
08/05/23	1	1	1	1	0.53	0.993	0.143	0.093	1.759
08/06/23	1	1	1	1	0.473	0.943	0.143	0.093	1.652
08/07/23	1	1	1	1	0.486	0.956	0.146	0.096	1.684
08/08/23	1	1	1	1	0.449	0.879	0.139	0.089	1.556
08/09/23	1	1	1	1	0.45	0.795	0.115	0.075	1.435
08/10/23	1	1	1	1	0.425	0.845	0.125	0.085	1.48
08/11/23	1	1	1	1	0.441	0.871	0.131	0.081	1.524
08/12/23	1	1	1	1	0.49	0.799	0.119	0.079	1.487
08/13/23	1	1	1	1	0.432	0.862	0.122	0.082	1.498
08/14/23	1	1	1	1	0.47	0.87	0.127	0.077	1.544
08/15/23	1	1	1	1	0.451	0.891	0.131	0.081	1.554
08/16/23	1	1	1	1	0.443	0.883	0.133	0.083	1.542
08/17/23	1	1	1	1	0.451	0.891	0.131	0.081	1.554
08/18/23	1	1	1	1	0.43	0.813	0.123	0.073	1.439
08/19/23	1	1	1	1	0.435	0.855	0.125	0.085	1.5
08/20/23	1	1	1	1	0.458	0.918	0.138	0.088	1.602
08/21/23	1	1	1	1	0.421	0.841	0.121	0.081	1.464
08/22/23	1	1	1	1	0.458	0.898	0.138	0.088	1.582
08/23/23	1	1	1	1	0.463	0.933	0.133	0.093	1.622
08/24/23	1	1	1	1	0.524	1.044	0.154	0.14	1.862
08/25/23	1	1	1	1	0.443	0.873	0.133	0.083	1.532
08/26/23	1	1	1	1	0.517	1.037	0.157	0.097	1.808
08/27/23	1	1	1	1	0.495	0.995	0.145	0.095	1.73
08/28/23	1	1	1	1	0.524	1.044	0.14	0.154	1.862
08/29/23	1	1	1	1	0.488	0.958	0.148	0.098	1.692
08/30/23	1	1	1	1	0.51	1.011	0.141	0.091	1.733
08/31/23	1	1	1	1	0.511	1.031	0.151	0.091	1.784
09/01/23	1	1	1	1	0.497	0.977	0.147	0.097	1.718
09/02/23	1	1	1	1	0.549	1.089	0.169	0.19	1.997
09/03/23	1	1	1	1	0.531	1.061	0.151	0.11	1.853
09/04/23	1	1	1	1	0.559	1.099	0.169	0.19	2.017
09/05/23	1	1	1	1	0.548	1.098	0.168	0.18	1.994
09/06/23	1	1	1	1	0.597	1.177	0.177	0.117	2.068
09/07/23	1	1	1	1	0.519	1.029	0.159	0.099	1.806
09/08/23	1	1	1	1	0.513	1.023	0.153	0.093	1.782
09/09/23	1	1	1	1	0.558	1.118	0.168	0.18	2.024
09/10/23	1	1	1	1	0.548	1.078	0.158	0.18	1.964
09/11/23	1	1	1	1	0.545	1.085	0.165	0.15	1.945
09/12/23	1	1	1	1	0.492	0.982	0.142	0.092	1.708
09/13/23	1	1	1	1	0.523	1.033	0.153	0.13	1.839
					0.554	1.094	0.164	0.14	1.952

09/14/23	1	1	1	1					
09/15/23	1	1	1	1	0.523	1.043	0.153	0.13	1.849
09/16/23	1	1	1	1	0.526	1.046	0.156	0.16	1.888
09/17/23	1	1	1	1	0.531	1.051	0.151	0.11	1.843
09/18/23	1	1	1	1	0.56	1.016	0.146	0.096	1.818
09/19/23	1	1	1	1	0.535	1.025	0.155	0.095	1.79
09/20/23	1	1	1	1	0.523	1.043	0.153	0.13	1.849
09/21/23	1	1	1	1	0.534	1.064	0.154	0.14	1.892
09/22/23	1	1	1	1	0.561	1.121	0.161	0.11	1.953
09/23/23	1	1	1	1	0.546	1.086	0.166	0.16	1.958
09/24/23	1	1	1	1	0.542	1.072	0.152	0.12	1.886
09/25/23	1	1	1	1	0.552	1.112	0.162	0.12	1.946
09/26/23	1	1	1	1	0.521	1.041	0.151	0.11	1.823
09/27/23	1	1	1	1	0.512	1.022	0.152	0.092	1.778
09/28/23	1	1	1	1	0.533	1.063	0.153	0.13	1.879
09/29/23	1	1	1	1	0.543	1.093	0.163	0.13	1.929
10/01/23	1	1	1	1	0.542	1.072	0.152	0.12	1.886
10/02/23	1	1	1	1	0.554	1.14	0.164	0.14	1.998
10/03/23	1	1	1	1	0.522	1.042	0.152	0.12	1.836
10/04/23	1	1	1	1	0.529	1.049	0.159	0.19	1.927
10/05/23	1	1	1	1	0.539	1.069	0.159	0.19	1.957
10/06/23	1	1	1	1	0.531	1.061	0.151	0.11	1.853
10/07/23	1	1	1	1	0.544	1.074	0.154	0.14	1.912
10/08/23	1	1	1	1	0.545	1.085	0.165	0.15	1.945
10/09/23	1	1	1	1	0.557	1.117	0.167	0.17	2.011
10/10/23	1	1	1	1	0.557	1.117	0.167	0.17	2.011
10/11/23	1	1	1	1	0.536	1.066	0.156	0.16	1.918
10/12/23	1	1	1	1	0.536	1.076	0.156	0.16	1.928
10/13/23	1	1	1	1	0.543	1.083	0.163	0.13	1.919
10/14/23	1	1	1	1	0.547	1.097	0.167	0.17	1.981
10/15/23	1	1	1	1	0.537	1.057	0.157	0.17	1.921
10/16/23	1	1	1	1	0.538	1.058	0.158	0.18	1.934
10/17/23	1	1	1	1	0.495	0.985	0.145	0.095	1.72
10/18/23	1	1	1	1	0.525	1.035	0.155	0.15	1.865
10/19/23	1	1	1	1	0.511	1.011	0.151	0.091	1.764
10/20/23	1	1	1	1	0.555	1.15	0.165	0.15	2.02
10/21/23	1	1	1	1	0.581	1.161	0.171	0.111	2.024
10/22/23	1	1	1	1	0.592	1.172	0.172	0.112	2.048
10/23/23	1	1	1	1	0.589	1.179	0.179	0.119	2.066
10/24/23	1	1	1	1	0.586	1.166	0.176	0.116	2.044
10/25/23	1	1	1	1	0.575	1.145	0.165	0.115	2
10/26/23	1	1	1	1	0.522	1.032	0.152	0.12	1.826
10/27/23	1	1	1	1	0.531	1.051	0.151	0.11	1.843
10/28/23	1	1	1	1	0.552	1.112	0.162	0.12	1.946
10/29/23	1	1	1	1	0.493	0.993	0.143	0.093	1.722
10/30/23	1	1	1	1	0.493	0.983	0.143	0.093	1.712
10/31/23	1	1	1	1	0.521	1.041	0.151	0.11	1.823
11/01/23	1	1	1	1	0.515	1.015	0.155	0.095	1.78
11/02/23	1	1	1	1	0.526	1.036	0.156	0.16	1.878
11/03/23	1	1	1	1	0.514	1.024	0.154	0.094	1.786
11/04/23	1	1	1	1	0.516	1.026	0.156	0.096	1.794
11/05/23	1	1	1	1	0.532	1.062	0.152	0.12	1.866
11/06/23	1	1	1	1	0.535	1.065	0.155	0.15	1.905
11/07/23	1	1	1	1	0.544	1.074	0.154	0.14	1.912
11/08/23	1	1	1	1	0.552	1.092	0.162	0.12	1.926
11/09/23	1	1	1	1	0.564	1.114	0.164	0.14	1.982
11/10/23	1	1	1	1	0.492	0.982	0.142	0.092	1.708
11/11/23	1	1	1	1	0.496	0.996	0.146	0.096	1.734
11/12/23	1	1	1	1	0.498	0.983	0.143	0.093	1.717
11/13/23	1	1	1	1	0.527	1.047	0.157	0.17	1.901
11/14/23	1	1	1	1	0.516	1.036	0.156	0.096	1.804
11/15/23	1	1	1	1	0.531	1.071	0.151	0.11	1.863
11/16/23	1	1	1	1	0.542	1.092	0.162	0.12	1.916
11/17/23	1	1	1	1	0.557	1.17	0.167	0.17	2.064
11/18/23	1	1	1	1	0.535	1.065	0.155	0.15	1.905
11/19/23	1	1	1	1	0.547	1.087	0.167	0.17	1.971
11/20/23	1	1	1	1	0.515	1.025	0.155	0.095	1.79
11/21/23	1	1	1	1	0.57	1.017	0.147	0.097	1.831
11/22/23	1	1	1	1	0.553	1.13	0.163	0.13	1.976
11/23/23	1	1	1	1	0.461	0.921	0.131	0.091	1.604
11/24/23	1	1	1	1	0.524	1.034	0.154	0.14	1.852
11/25/23	1	1	1	1	0.481	0.961	0.141	0.091	1.674
11/26/23	1	1	1	1	0.492	0.982	0.142	0.092	1.708
11/27/23	1	1	1	1	0.524	1.044	0.154	0.14	1.862
11/28/23	1	1	1	1	0.496	0.986	0.146	0.096	1.724
11/29/23	1	1	1	1	0.487	0.967	0.147	0.097	1.698
12/01/23	1	1	1	1	0.51	0.991	0.141	0.091	1.733
12/02/23	1	1	1	1	0.489	0.969	0.149	0.099	1.706
12/03/23	1	1	1	1	0.475	0.945	0.145	0.095	1.66
12/04/23	1	1	1	1	0.56	1.016	0.146	0.096	1.818
					0.521	1.041	0.151	0.11	1.823

12/05/23	1	1	1	1					
12/06/23	1	1	1	1	0.527	1.047			
12/07/23	1	1	1	1	0.491	0.991	0.157	0.17	1.901
12/08/23	1	1	1	1	0.527	1.037	0.141	0.091	1.714
12/09/23	1	1	1	1	0.477	0.947	0.157	0.17	1.891
12/10/23	1	1	1	1	0.488	0.968	0.147	0.097	1.668
12/11/23	1	1	1	1	0.519	1.029	0.148	0.098	1.702
12/12/23	1	1	1	1	0.434	0.874	0.159	0.099	1.806
12/14/23	1	1	0	1	0.55	1.015	0.124	0.084	1.516
12/15/23	1	1	1	1	0.521	1.041	0.145	0.095	1.805
12/16/23	1	1	0	1	0.497	0.987	0	0.11	1.672
12/17/23	1	1	1	1	0.517	1.037	0.147	0.097	1.728
12/18/23	1	1	0	1	0.462	0.932	0	0.097	1.651
12/19/23	1	1	1	1	0.512	1.012	0.132	0.092	1.618
12/20/23	1	1	1	1	0.455	0.95	0	0.092	1.616
12/21/23	1	1	0	1	0.571	1.161	0.135	0.085	1.625
12/22/23	1	1	0	1	0.552	1.132	0.21	0.111	2.053
12/23/23	1	1	0	1	0.527	1.077	0	0.112	1.796
12/24/23	1	1	0	1	0.493	1.013	0	0.17	1.774
12/25/23	1	1	0	1	0.474	0.984	0	0.13	1.636
12/26/23	1	1	0	1	0.539	1.099	0	0.094	1.552
12/27/23	1	1	1	1	0.577	1.167	0	0.119	1.757
12/28/23	1	1	1	1	0.525	1.065	0	0.117	1.861
12/29/23	1	1	1	1	0.518	1.058	0.025	0.15	1.765
12/30/23	1	1	1	1	0.438	0.898	0	0.18	1.756
12/31/23	1	1	1	1	0.538	1.098	0.028	0.098	1.462
TOTAL	334	334	326	334	0.511	1.051	0	0.118	1.754
					220.637	397.074	0.021	0.11	1.693
							100.193	38.845	756.749