

Date : 09-04-2024

TO  
WEST BENGAL POLLUTION CONTROL BOARD  
SILIGURI REGIONAL OFFICE  
PARIBAHAN NAGAR, MATIGARA,  
P.O- MATIGARA, DIST- DARJEELING  
PIN- 734010.

RECEIVED  
09/04/24  
Contact's not Verified  
West Bengal Pollution Control Board  
SILIGURI REGIONAL OFFICE  
PARIBAHAN NAGAR  
P.O- MATIGARA - 734010  
DIST- DARJEELING

Subject: Submission of Annual Report of BMW for the year 2023.

Respected Sir/Madam,

This is to inform you that **INDIRA IVF HOSPITAL PVT.LTD.** Located at 4<sup>th</sup> floor, reliance trends building, 2<sup>nd</sup> mile, sevoke road, siliguri, near cosmos mall, po- bhaktinagar, dist- jalpaiguri,w.b. submitting annual report for the year 2023. Necessary documents are attached for the annual report.

Enclosures:-

1. Form-4

Thanking You

*Sanghamitra Thakur*

*Dr. Sanghamitra Thakur*  
Authorized Signature  
INDIRA IVF HOSPITAL PVT. LTD.

CENTER HEAD  
INDIRA IVF HOSPITAL PVT. LTD.  
4th Floor, Reliance Trends Building  
Near Cosmos Mall, 2nd Mile  
Sevoke Road, Siliguri-734001 (W.B.)

Centre Seal

Doctor Seal



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd.

Registered Office :

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurla Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah.), India

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

Website : [www.indiraivf.com](http://www.indiraivf.com)

Email : [info@indiraivf.in](mailto:info@indiraivf.in)

CIN: U85110MH2015PTC406059



**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

1	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Occupier:- Dr.Sanghamitra Thakur
	(ii) Name of HCF or CBMWTF	:	HCF:- Indira IVF Hospital Pvt Ltd
	(iii) Address for Correspondence	:	4 <sup>th</sup> Floor Reliance Trends Building Near Cosmos Mall 2 <sup>nd</sup> Mile, Sevoke Road, Siliguri, Jalpaiguri, WB - 734001
	(iv) Address of Facility	:	4 <sup>th</sup> Floor Reliance Trends Building Near Cosmos Mall 2 <sup>nd</sup> Mile, Sevoke Road, Siliguri, Jalpaiguri, WB - 734001
	(v) Tel. No, Fax. No	:	7230045906/7230045901
	(vi) E-mail ID	:	drsanghamitra.thakur@indiraivf.in//md.azad@indiraivf.in
	(vii) URL of Website	:	<a href="https://www.indiraivf.com/west-bengal/best-ivf-center-in-siliguri">https://www.indiraivf.com/west-bengal/best-ivf-center-in-siliguri</a>
	(viii) GPS coordinates of HCF or CBMWTF	:	HCF – At 26.737546, 88.434453
	(ix) Ownership of HCF or CBMWTF	:	(Private)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: WBPCB/4555023/2023 valid up to 28-02-2029
	(xi). Status of Consents under Water Act and Air Act	:	WBPCB/4554924/2023 Valid up to: - 28-02-2029
2	Type of Health Care Facility	:	HCF - IVF Hospital
	(i) Bedded Hospital :	:	No. of Beds :- 08
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	0917P14522111056 EXPIRY ON – 12-04-2025
3	Details of CBMWTF :	:	GREENZEN BIO PVT. LTD.-
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or	:	_____ Kg/day



	disposed by CBMWTF					
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 210.17 KG (Approx)) Red Category : 226.1 kg ( Approx) White: 14 kg (Approx) Blue Category : 26 (kg Approx) General Solid waste:			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size : 15 kg buckets of different colours for storage Capacity : 15 KG Per Day Provision of on-site storage : NA			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
			Incinerators			
			Plasma Pyrolysis			
			Autoclaves			
			Microwave			
			Hydroclave			
			Shredder			
			Needle tip cutter or destroyer			
			Sharps encapsulation or concrete pit			
			Deep burial pit:			
			Chemical disinfection			
			Any other treatment equipment			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	CBMWTF dose the work of treatment and disposal of our bio medical wastes so details of quantity or recyclable wastes sold to authorized recyclers after treatment will provide by CBMWTF			





	(iv) No of vehicles used for collection and transportation of biomedical waste	CBMWTF will provide the details.
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	: CBMWTF dose the work of treatment and disposal of our bio medical wastes so details of quantity or recyclable wastes solid to authorized recyclers after treatment will provided by CBMWTF.
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	: GREENZEN BIO PVT. LTD.
	(vii) List of member HCF not handed over bio-medical waste.	: CBMWTF will provide the details.
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	We have Biomedical Waste Management committee and our housekeeping incharge is given responsibility for training of staffs regarding BMW & Moreover he also looks after the proper storage of BMWTF for its disposal
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	
	(ii) number of personnel trained	
	(iii) number of personnel trained at the time of induction	22
	(iv) number of personnel not undergone any training so far	Not any, because at the time of joining we give proper training to the staff regarding BMW.
	(v) whether standard manual for training is available?	YES
	(vi) any other information	NO
8	Details of the accident occurred during the year	0
	(i) Number of Accidents occurred	0
	(ii) Number of the persons affected	0
	(iii) Remedial Action taken (Please attach details if any)	NA
	(iv) Any Fatality occurred, details.	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not me the standards?	NA (CBHWTF Responsibility)
	Details of Continuous online emission	NA (CBHWTF Responsibility)





	monitoring systems installed	NA (CBHWTF Responsibility)
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	NA (CBHWTF Responsibility)

Certified that the above report is for the period from January 2023 to December 2023.

Date: 9/4/24

Place: SILIGURI

Name and Signature of the Head of the Institution

*Sanghamitra Thakur*  
**Dr. Sanghamitra Thakur**  
**CENTER HEAD**  
**INDIRA IVF HOSPITAL PVT. LTD.**  
 4th Floor, Reliance Trends Building  
 Near Cosmos Mall, 2nd Mile  
 Sevoke Road, Siliguri-734001 (W.B.)

Handwritten text, mostly illegible due to fading.

208  
158  
174  
Handwritten text, mostly illegible due to fading.

**Indira IVF Hospital Pvt. Ltd.**

**Plant-Greenzen Bio Pvt. Limited    Period: 01-2023 : 12-2023**

Sl No.	Month	Yellow Bags		Red Bags		Blue Mark Box		Whites		Cytotoxic Bags		Covid Yellow Bags		Total	
		Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight
1	Jan-23	4	3.02	5	4.25	0	0.00	0	0.00	0	0.00	0	0.00	9	7.27
2	Feb 2023	2	1.00	6	1.30	0	0.00	0	0.00	0	0.00	0	0.00	8	2.30
3	Mar 2023	69	9.25	76	12.30	3	3.00	3	1.40	0	0.00	0	0.00	151	25.95
4	Apr 2023	54	4.90	55	6.35	1	0.30	0	0.00	0	0.00	0	0.00	110	11.55
5	May 2023	92	12.40	106	16.30	0	0.00	0	0.00	0	0.00	0	0.00	198	28.70
6	Jun 2023	77	10.70	96	13.70	6	5.00	1	0.70	0	0.00	0	0.00	180	30.10
7	Jul 2023	86	11.40	114	30.10	2	3.00	0	0.00	0	0.00	0	0.00	202	44.50
8	Aug 2023	107	11.00	136	16.30	2	3.00	2	0.70	0	0.00	0	0.00	247	31.00
9	Sep 2023	147	20.10	171	26.90	2	3.00	1	0.50	0	0.00	0	0.00	321	50.50
10	Oct 2023	112	13.60	141	20.90	0	0.00	0	0.00	0	0.00	0	0.00	253	34.50
11	Nov 2023	156	92.20	176	49.00	4	3.00	10	8.00	0	0.00	0	0.00	346	152.20
12	Dec 2023	140	20.60	147	28.70	7	6.00	5	3.20	0	0.00	0	0.00	299	58.50
<b>Total</b>		<b>1046</b>	<b>210.17</b>	<b>1229</b>	<b>226.1</b>	<b>27</b>	<b>26.3</b>	<b>22</b>	<b>14.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2324</b>	<b>477.07</b>

*Dr. Sanghamitra Thakur*  
**CENTER HEAD**  
**INDIRA IVF HOSPITAL PVT. LTD.**  
 4th Floor, Reliance Trends Building  
 Near Cosmos Mall, 2nd Mile  
 Sevoke Road, Siliguri-734001 (W.B.)







**WEST BENGAL POLLUTION CONTROL BOARD**  
**Paribesh Bhawan, 10A, Block LA, Sector III**  
**Salt Lake City, Bidhan Nagar, Kolkata – 700 106, INDIA**  
Website : [www.wbpcb.gov.in](http://www.wbpcb.gov.in), e-mail : [wbpcbnnet@wbpcb.gov.in](mailto:wbpcbnnet@wbpcb.gov.in)

Ref No. - WBPCB/4555023/2023

Dated:- 05/02/2024

**FORM-III**

**(Authorization for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical wastes as per the Bio-Medical Waste Management Rules, 2016 and as amended )**

1. M/s INDIRA IVF HOSPITAL PVT.LTD., Kshitiz Murdia an occupier or operator of the facility located at 2nd Mile, Sevoke Road, Reliance Trends Building, 4th Floor, Ward No. 41, P.S – Bhaktinagar, P.O.- Siliguri, Dist- Jalpaiguri, Pin-734001. is hereby granted an authorisation for: Generation, Segregation, Storage,.

2. M/s INDIRA IVF HOSPITAL PVT.LTD. is hereby authorized for handling of biomedical waste as per the capacity given below:

- HCF/CBMWTF type: HCF
- Health Care Facility Category : On bed capacities of health care establishments providing service to indoor patients
- Number of beds of HCF: 8
- No of HCFs covered by the CBMWTF:
- No of beds covered by the CBMWTF: 8
- Installed treatment and disposal capacity of CBMWTF: 1.6 Kg-per day
- Jurisdictional area and distance covered by the CBMWTF:
- Quantity of BMW treated or disposed : 1.6 Kg-per day

Type of Waste Category	Quantity permitted for Handling (kg per day on monthly average basis)
Yellow	0.5
Red	0.4
White	0.4
Blue	0.3
Total	1.6

3. This Authorization shall be in force for a period up to 28/02/2029 from 05/02/2024- 01/03/2024

4. This Authorization is subject to the conditions stated below and to such other conditions as maybe specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Asst. Environmental Engineer & Incharge  
West Bengal Pollution Control Board  
Siliguri Regional Office

**Terms and Conditions of Authorisation**

- The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
- The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
- The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
- Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.

5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.

**Additional Conditions:**

1. The occupier/operator must handle & manage bio-medical wastes as prescribed in the Bio-medical Waste Management Rules, 2016 and take all steps to ensure that such waste is handled without any adverse effect to human health & the environment.
2. The occupier shall handle mercury bearing waste as per guidelines issued by CPCB for the "Environmentally Sound Management of Mercury Waste Generated from Health Care Facilities."
3. Every authorized person shall maintain record related to generation, collection, temporary storage in accordance with rules.
4. No untreated waste shall be stored onsite for more than 48 hours.
5. The applicant shall submit an Annual Report in Form-IV to the Board by 30th June every year as required under the provisions (Rule-13) of the Bio-medical Waste Management Rules, 2016.
6. The West Bengal Pollution Control Board reserves its right to revoke, withdraw, make any reasonable variation of the conditions or change or alter this 'Authorization' by giving one month notice to the Applicant.
7. Application for renewal of authorization shall be filled at least 120 (one hundred & twenty) days before the date of expiry.

**Specific conditions:**

Process wastewater: To be discharged after treatment in ETP maintaining environmental discharge standard.



05/02/2024

**Assistant Environmental Engineer  
Siliguri Regional Office**

**Asst. Environmental Engineer & Incharge  
West Bengal Pollution Control Board  
Siliguri Regional Office**

West Bengal Pollution Control Board  
Siliguri Regional Office  
Paribahan Nagar  
P.O. Matigara-734010, Dist. Darjeeling





# ORANGE

**WEST BENGAL POLLUTION CONTROL BOARD**  
Paribesh Bhawan, 10A, Block LA, Sector III  
Salt Lake City, Bidhan Nagar, Kolkata – 700 106, INDIA  
Website : [www.wbpcb.gov.in](http://www.wbpcb.gov.in), e-mail : [wbpcbnet@wbpcb.gov.in](mailto:wbpcbnet@wbpcb.gov.in)

CTO No.: WBPCB/4554924/2023

Date : 05/02/2024

**Consent to Operate (CTO) for Health Care Establishment under Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended.**

**Reference: Application No.: 4554924**

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended, and Rules and Orders made thereunder hereby grants Consent to **INDIRA IVF HOSPITAL PVT.LTD.** (hereinafter referred to as Applicant) for its unit located at **2nd Mile, Sevoke Road, Reliance Trends Building, 4th Floor, Ward No. 41, P.S – Bhaktinagar, P.O.- Siliguri, Dist- Jalpaiguri, Pin-734001.** for the period from **01/03/2024 to 28/02/2029** to operate the Health Care Establishment and to discharge liquid effluent through 1 nos. of outlets / outfalls to **Municipal Drain** in accordance with the conditions as mentioned in the consent provided on any day at any instance the quality and quantity of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Environment (Protection) Act, 1986, as amended.

Breach of the conditions and / or failure to comply with the directions as mentioned below shall render the applicant liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the applicant.

#### Conditions :

- 1 The consent is granted to carry on  
Private Nursing Home: 8 Bed Capacity Others: IVF centre With USG Facility Day Care - Below 1000 Patients per month
- 2 The applicant shall take adequate measures to treat/store/dispose off **49.00** kgs. per month of Bio-medical wastes generated from the health care establishment as specified in the Rules
- 3 The applicant shall remain responsible for the quantity and quality of liquid effluent and gaseous emission.
- 4 To bring any change in the unit, stacks, place or point of discharge of effluent etc. the applicant shall obtain prior permission of the State Board.
- 5 The applicant shall take adequate measures to maintain the quality of the final effluent before discharging to the sewer shall conforms to the Standard as given below:

Parameters and standard			Frequency of sampling
Parameters	Standards	Unit	
pH	5.5 to 9.0		Yearly
TSS	100	mg/L	Yearly
BOD	30	mg/L	Yearly
COD	250	mg/L	Yearly
O & G	10	mg/L	Yearly
Bio-assay test	90% survival of fish after 96 hours in 100% effluent		Yearly



- 6 The applicant shall take adequate measures to maintain the quality of gaseous emissions as specified below:

Stack height from ground level (m)	Stack attached to emission sources	Capacity of emission source	Cons up-Unit	Fuel details		Control system (if any)	Concentrations of parameters not to exceed							Frequency of sampling	Remarks
				Fuel used	Quantity		PM (mg/N m3)	CO (%)	Acid Mist (mg/N m3)	Pb (mg/N m3)	SO2 (mg/N m3)	NOX (mg/N m3)	Others		
8.5	DG Set	125	KVA	Diesel	Liters		150	1						Yearly	

- 7 The applicant shall maintain the noise levels from its own sources within the premises within the limit given below:

Time	Limit in dB (A) Leq
Day time (06 a.m. to 10 p.m.)	50
Night time (10 p.m. to 06 a.m.)	40

- 8 Noise levels from the DG set should be controlled by providing an acoustic enclosure or by treating the room acoustically. Installation of DG Set must be strictly in compliance with the recommendations of the manufacturer; A proper routine and preventive maintenance procedure for the DG Set should be set and followed in consultation with the DG Set manufacturer to prevent noise levels from deterioration with use.
- 9 The applicant shall maintain good housekeeping, good working condition and take adequate measures to control pollution from all sources.
- 10 The applicant shall allow the officers of the Board to enter into applicant's premises at any reasonable time for inspecting the unit.
- 11 The applicant shall make an application to the State Board in the prescribed form for renewal of the consent at least 120 (one hundred & twenty) days before the date of expiry of this consent.
- 12 The establishment shall not make any alteration / expansion / modification in the existing process and equipment, pollution control system and shall not alter or bring in any new outlet/outfall or stack or change the place of discharge, without prior approval of the Board.
- 13 The State Board reserves the right to revoke this consent if at any time it is found that the health care establishment is not meeting the standards as mentioned by the Board or if the pollution control equipment are found to be inoperative.
- 14 The applicant shall obtain Authorization for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical wastes as per the Bio-Medical Waste Management Rules, 2016 and as amended thereafter from the Board.

#### Special Conditions:

Process wastewater: To be discharged after treatment in ETP maintaining environmental discharge standard.

**Any violation of the aforesaid conditions shall entail cancellation of this Consent for Operate.**

**For and on behalf of West Bengal Pollution Control Board**

West Bengal Pollution Control Board  
Siliguri Regional Office  
Paribahan Nagar  
P.O. Matigara-734010, Dist. Darjeeling



05/02/2024

**Assistant Environmental Engineer  
Siliguri Regional Office**

Asst. Environmental Engineer & Incharge  
West Bengal Pollution Control Board  
Siliguri Regional Office



NOC

# WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan  
10A, Block - LA, Sector III, Bidhannagar  
Kolkata - 700 106



Memo No. NK11/WPB/SRO/NOC/Jalp I-902-2019

Dated 27/02/2019

From :  
Member Secretary,  
West Bengal Pollution Control Board

To : M/s. Indira IVF Hospital Pvt.Ltd.  
C/o. Kshitiz Murdia, (Director).  
Reliance Trends Building, Sevoke Road, Ward No-41, Siliguri,  
P.O-Sevoke Road, P.S-Bhaktinagar, Dist-Jalpaiguri, Pin-734001.

Sub : Consent to Establish (NOC) from Environmental Point of View

Ref : Your letter No. N11 Dated 26.02.2019.

## WEST BENGAL

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed Unit of M/s Indira IVF Hospital Pvt.Ltd.

for manufacturing/storage/installation of 8 nos. bedded IVF Centre with USG Facility, Patients below 1000 nos/month.

Reliance Trends Building, Sevoke Road, P.O-Sevoke Road, Siliguri,  
at P.S-Bhaktinagar, Dist-Jalpaiguri, Pin-734001, Plot No-209(P)(RS), JL.No-02,  
Ward No-41, Khatian No-547/346, Mouza-Dabgram.

this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace flues chimney, central



You shall comply with

- (i) Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
- (ii) Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
- (iii) Environment (Protection) Act, 1986
- (iv) Environment (Protection) Rules, 1986
- (v) Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
- (vi) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
- (vii) Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
- (viii) The Public Liability Insurance Act, 1991 and Amended Act, 1992
- (ix) The Public Liability Insurance Rules, 1991 and Amended Rules 1993
- (x) Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
- (xi) Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
- (xii) Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable

8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

9. This NOC is valid for 07 (Seven) years from the date of issue of this CE

**SPECIAL CONDITION :**

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

West Bengal Pollution Control Board  
Siliguri Regional Office  
Paribahan Nagar  
P.O. Matigara-734010, Dist. Darjeeling

Yours faithfully,

  
Member Secretary,  
West Bengal Pollution Control Board

Memo No. \_\_\_\_\_

Dated \_\_\_\_\_

Copy forwarded for information to :

1. Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
2. Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
3. Guard file, West Bengal Pollution Control Board.
4. Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./Asansol/ Sub-R.O./WBPC Board

Himalaya Bhawan  
Delhi Road, Dankuni  
Dist. Hooghly

Vill, Panpur  
Kalyani Expressway  
P.O. Narayanpur  
Dist. 24 Pgs. (N)

Sahid Khudiram Sarani  
City Centre, Durgapur-16  
Dist. Burdwan

10, Carnac Street  
2nd Floor  
Kolkata-700 017

Paribesh Bhawan  
10A, LA-Block, Sector-III  
Salt Lake City,  
Kolkata - 700 098

Block-05 at 40  
Flats Complex  
Adjacent to Priyambada  
Housing Estate  
P.O. : Khanjanchak,  
P.S. Durgachak  
Haldia-721602  
Dist. : Purba Medinipur

Paribahan Nagar  
Matigara, Siliguri  
Dist.-Darjeeling

Satya Chowdhury

Asansol Sub-Regional Office  
400A Commercial Market (2nd Floor)