

To,
REGIONAL OFFICE,
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD

Date: 13/02/2025

[VYAPAR VIHAR, BILASPUR, CHHATTISGARH 495001]

Subject: *Submission of Annual Biomedical Waste report for the year 2024*

Respected Sir,

This is to inform you that Indira IVF Hospital (A Unit Of Indira IVF Hospital Limited) located at 2nd floor, Trade View Building, above Apollo City Center, near CMD Chowk, Link Road, Bilaspur Chhattisgarh 495001. registration under **BIO- MEDICAL WASTE MANAGEMENT RULES, 2016** have submitted the bio - medical wastage annual report for the period from January 2024 to December 2024.

Enclosure :

1. Covering Letter
2. Form 4

Thanking you,

For Indira IVF Clinic
2ND Floor Trade View Building,
Above Apollo City Center,
Link Road, CMD Chowk, Bilaspur,
Chhattisgarh 495001



Centre Seal

INDIRA IVF CLINIC
(A UNIT OF INDIRA IVF HOSPITAL PVT. LTD.)
TRADE VIEW BUILDING, 2ND FLOOR, CMD CHOWK
KHASRA NO. 674/3, WARD NO. 18, BLOCK NO. 302
LINK ROAD, BILASPUR (CHHATTISGARH)

Doctor Seal



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Indira IVF Hospital Limited

Registered Office :

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurla Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah.), India

Website : www.indiraivf.com

Email : info@indiraivf.in

CIN: U85110MH2015PLC406059

गर्भ/श्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।



CHHATISGARH ENVIRONMENT CONSERVATION BOARD

Form IV (See Rule 13)

ANNUAL REPORT


[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility (HCF), or common bio-medical waste treatment facility (CBWTF)]

Return No : 17955856

Period : 1.1.2024 to 31.12.2024

I. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	Mr. Kshitiz Murdia
(ii) Name of HCF or CBMWTF:	INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOS. P. L)
(iii) Address for Correspondence:	2ND FLOOR, TRADE VIEW BUILDING LINK ROAD, BILASPUR (C.G.)
(iv) Address of Facility:	2ND FLOOR, TRADE VIEW BUILDING LINK ROAD, BILASPUR (C.G.)
(v) Tel. No.:	9893229672
(vi) Fax. No.:	000000 - 000000
(vii) E-mail ID:	admin.indore@indiraivf.in
(viii) URL of Website:	
(ix) GPS coordinates of HCF of CBMWTF:	
(x) Ownership of HCF or CBMWTF:	Private
(xi) Status of Authorization under the BMW (Management and Handing) Rules:	Authorization No.: 917/HO/BMW/CECB/ATAL NAGAR, RAIPUR Valid Upto: 10/12/2075
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 18/01/2025
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF
(i) No. of Beds (for Bedded Hospital):	0
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	clinic
(iii) Licence Number:	BILA1099
(iv) Licence date of expiry:	08/12/2029
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 12 Red Category: 23 White Category: 10 Blue Category: 16 General Solid Waste: 26
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 120 Capacity: 100 Provision of on-site storage: : WELL SECURED WITH VENTILATION

(ii) Disposal Facility:	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)
	Autoclaves	1	10	3400
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0			
(iv) No of vehicles used for collection and transportation of BMW:	1			
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	Type of waste	Quantity Generated	Where disposal	
	List is Empty			
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:				
5. Do you have BMW management committee:	no			
6. Training Conducted on BMW Details				
(i) Number of training conducted on BMW Management:	6			
(ii) Number of personnel trained:	8			
(iii) Number of personnel trained at the time of induction:	8			
(iv) Number of personnel not undergone any training so far:	0			
(v) Whether standard manual for training is available:	yes			
(vi) Any other information:	NO			
7. Details of the accident occurred				
(i) No. of accident occurred:	0			
(ii) Number of the persons affected:	0			
(iii) Remedial Action taken:	0			
(iv) Any Fatality occurred, details:	NA			
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	YES			
Details of Continuous online emission monitoring systems installed:	NO			
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	0			
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	0			
11. Any other relevant information:	NO			


 Name and Signature of the Head of the Institution

Date :18/01/2025

Place : BILASPUR