

INDIRA IVF HOSPITAL LIMITED

Date: 16.01.2025

To,
The Environmental Engineer
Asansol Regional office
West Bengal Pollution Control Board
Kalyanpur Satellite Township Project (KSTP),
Dr. B.C. Roy Road, P.O.-Dakshin Dhadka, Asansol,
Dist-Paschim Bardhaman, PIN-713302.

RECEIVED

(Content Not Verified)

West Bengal Pollution Control Board

Asansol Regional Office

Asansol Regional Office

Kalyanpur Satellite Township Project

Dr. B. C. Roy Road, Asansol-713302

Subject: Submission of Annual Report Bio Medical waste from 01.01.2024 to 31.12.2024.

Respected Sir/Madam,

This is to inform you that We Indira IVF Hospital LTD, Located at 141,143,160 new, 3rd Floor Regal Plaza, G.T. Road, Murgasole, Asansol, Dist- Paschim Bardhaman, West Bengal; Pin-713303; registered under Biomedical Waste (management and Handling) Rule 2016 bearing BMW Authorization no- D0014471- Memo no. 33C- WPBA/Bio-Med/Auth/176/BWN/2018 and valid up to 31.01.2028, has submitted BMW annual report for the year 2024. Necessary documents attached for the BMW annual report – 2024

Yours Faithfully,

Authorised Signatory. Indira IVF Hospital Ltd.



INDIRA IVF HOSPITAL PVT. LTD.
3rd Floor Regal Plaza, G.T.Road, Murgasole
ASANSOL - 713303
Distt. West Burdwan (West Bengal)

Enclosures:

- 1. Duly filled "Form IV" for Biomedical Waste Report from 01.01.2024 to 31.12.2024.
- 2. Biomedical Waste annual consumption report from 01.01.2024 to 31.12.2024.

	disposed by CBMWTF						
4	Quantity of waste generated or disposed in Kg	:	Yellow Category: 683.85 KG (Approx))				
	annum		Red Categ	ory:	908.25 kg	(Approx)	
			White: 52.				
						g Approx)	
	•		General Sc				
			(Approx)	114 11	4510. 100	~ 6	
5	Details of the Storage, treatment, transportation, pr	roce		isnos	al Facility		
	,		oomg una D	тороз	ar r aonne,		
	(i) Details of the on-site storage		Size: 15 kg	bucl	cets of dif	ferent	
	facility		colors for s			1010111	
			Capacity:			ıth	
			Provision o				
			110 / 101011 0		one storag		
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of unit	Capacity Kg/ day	Quantity Treated or disposed	
				S		in kg per annum	
			Incinerators				
			Plasma Pyrolysis				
			Autoclaves				
			Hydroclave				
			Shredder				
			Needle tip				
	,		destroyer				
			Sharps encapsulation				
			or concrete pit				
			Deep burial pit:				
			Chemical disinfection				
			Any other treatment equipment			1	
	(iii) Quantity of recyclable wastes sold to	:	CBMWTF A	Ose th	e work of to	rootmont	
	authorized recyclers after treatment in kg per annum.		CBMWTF dose the work of treatment and disposal of our bio medical wastes so details of quantity or recyclable				
			wastes solid after treatm CBMWTF	a to au ient wi	itnorized re Il provide b	cyclers y	



(vii) List of member HCF not handed over bio-medical waste. CBMWTF will provide the details. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period Details trainings conducted on BMW (i) Number of trainings conducted on BMW (ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information Details of the accident occurred during the year (i) Number of Accidents occurred (iii) Number of Accidents occurred (iii) Number of personnel representative types of the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed Na (CBHWTF will provide the details. We have Biomedical Waste Managem committee and our housekeeping incharge is given responsibility to training is astaffs regarding BMW. & Moreover he also looks after the proper storage of BMWTF for its disposal 10 Number of personnel trained at the time of induction No tany, because at the time of joining we give proper training to the staff regarding BMW. YES NO NO Such incident happened during this year (i) Number of Accidents occurred 0 0 0 0 NA (CBHWTF Responsibility) NA (CBHWTF Responsibility) Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan NA 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NA		(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum (vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	CBMWTF dose the work of treatment and disposal of our bio medical wastes so details of quantity or recyclable wastes solid to authorized recyclers afte treatment will provided by CBMWTF. M/s Medicare Environmental Management Pvt. Ltd.
committee? If yes, attach minutes of the meetings held during the reporting period To Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management. (ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information No B Details of the accident occurred (ii) Number of Accidents occurred (iii) Number of Personnel not undergone any training so far (vi) mumber of personnel not undergone any training so far (vi) mumber of personnel not undergone any training so far (vi) mumber of personnel not undergone any training is available? (vi) any other information No No Such incident happened during this year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards? Details of Continuous online emission monitoring systems installed No (CBHWTF Responsibility) No (CBHWTF Responsibility) No (CBHWTF Responsibility) Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan No No An Hall the filter of the persons and treatment methods in place. How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information No			
(i) Number of trainings conducted on BMW Management. (ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information 8 Details of the accident occurred during the year (i) Number of Accidents occurred (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards in a year? 12 Any other relevant information 13	6	committee? If yes, attach minutes of the	committee and our housekeeping incharge is given responsibility for training of staffs regarding BMWM & Moreover he also looks after the proper storage of BMWTF for its disposal
Management. (ii) number of personnel trained (iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information No Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of Accidents occurred (iii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed Na (CBHWTF Responsibility)	7	Details trainings conducted on BMW	Training done every month
(iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information NO Such incident happened during this year (i) Number of Accidents occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information Not any, because at the time of joining we give proper training to the staff regarding BMW. Not any, because at the time of joining we give proper training to the staff regarding BMW. NO Such incident happened during this year NO Such incident happened during this year NA NA (CBHWTF Responsibility) NA (CBHWTF Responsibility) Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan NA NA NA NA NA NA NA NA NA N			12
(iii) number of personnel trained at the time of induction (iv) number of personnel not undergone any training so far (v) whether standard manual for training is available? (vi) any other information 8 Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information No such incident happened during this year on NO Such incident happened during this year available. No Such incident happened during this year. No Such incident happened year. No CBHWTF Responsibility. No (CBHWTF Responsibility) No (CBHWTF Responsibility) No (CBHWTF Responsibility)		(ii) number of personnel trained	40
training so far (v) whether standard manual for training is available? (vi) any other information 8 Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards? How many times you have not met the standards? How many times you have not met the standards? In a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NO NO NO NO NO NO NO NO NO N		(iii) number of personnel trained at the time of	
available? (vi) any other information NO Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed NA (CBHWTF Responsibility)			give proper training to the staff regarding
Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed NA (CBHWTF Responsibility)		available?	
during the year (i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards? How many times you have not met the log 4 standards? How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NA NA NA NA NA NA NA NA NA N			
(i) Number of Accidents occurred (ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NA NA NA NA NA Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan NA NA NA NA NA NA NA NA NA N	8		
(ii) Number of the persons affected (iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NA NA NA NA NA NA NA NA Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan NA NA NA NA NA NA NA NA NA N		(i) Number of Accidents occurred	0
(iii) Remedial Action taken (Please attach details if any) (iv) Any Fatality occurred, details. 9 Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission MA (CBHWTF Responsibility) NA (CBHWTF Responsibility) 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NA		(ii) Number of the persons affected	
(iv) Any Fatality occurred, details.NA9Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards?NA (CBHWTF Responsibility)Details of Continuous online emission monitoring systems installedNA (CBHWTF Responsibility)10Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan11Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?NA12Any other relevant informationNA	7	(iii) Remedial Action taken (Please	NA
Are you meeting the standards of air Pollution From the incinerator? How many times in last year could not me the standards? Details of Continuous online emission monitoring systems installed 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NA (CBHWTF Responsibility)		(iv) Any Fatality occurred, details.	NA
Details of Continuous online emission monitoring systems installed NA (CBHWTF Responsibility) NA (CBHWTF Responsibility) 10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan NA NA NA NA NA NA NA NA	9	Are you meeting the standards of air Pollution From the incinerator? How many times in last	NA (CBHWTF Responsibility)
10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? 11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information Persently the Effluent generated goes in soak pit but we are planning to have an Effluent Treatment plan NA	-		NA (CBHWTF Responsibility)
in place. How many times you have not met the standards in a year? Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? Any other relevant information soak pit but we are planning to have an Effluent Treatment plan NA			
11 Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year? 12 Any other relevant information NA	10	in place. How many times you have not met the	soak pit but we are planning to have an
12 Any other relevant information NA	11	Is the disinfection method or sterilization meeting the log 4 standards? How many times	NA
	12	Any other relevant information	NA NA NE HOSPITAL PVT. LTD.

INDIRA IVF HOSPITAL PVT. LTD.

376 Floor Regal Plaza, G.T.Road, Murgasole
ASANSOL -713303
Distt. West Burdwan (West Bengal)

Certified that the above report is for the period from January 2024 to December 2024

INDIRA IVE HOSPITAL PVT. LTD.
3rd Floor Regal Plaza, G.T. Road, Murgasole
ASANSOL - 713303

Dist. West Burdens (Meet Barge and Signature of the Head of the Institution

Date: 16/0 | 2025
Place ASANSOL

MBBS (HONS)
MS, DNB
& IVF Specialist
WBMC, Reg.
No. 67170

	Indira IVF Hospital Pvt. Ltd.														
	Plant-Medicare Environmental Management Pvt, Ltd. (Durgapur Facility) Period: 01-2024 : 12-2024														
		Yellow		Red Ba			ark Box	Whites		Cytotoxic Bags					Weight
SI No.	Month			Count	Weight	Count	Weight	Count	Weight		*****			-	
	Jan 2024	41	32.80	56	64.70	2	20.00	3				-			
	Feb 2024	49	58.10	49	68.60	1	6.80		2.40			-			
	Mar 2024	48	59.50	68	101.10	4	44.80	2							
_	Apr 2024	51	38.40		83.30	2	17.30	3	7.00	0				_	
		49	47.70		79.00	1	6.80	2	4.00	0	0.00	0			
	May 2024		64.40		75.20	1	20.00	1	5.00	0	0.00	0	0.00	_	
6	Jun 2024	62					20.00		4.00	0	0.00	0	0.00	136	122.90
7	Jul 2024	58	41.50					_	1.00		0.00	0	0.00	119	150.80
8	Aug 2024	54	60.20	63	81.60	1	8.00			<u> </u>		-		125	183.45
	Sep 2024	52	65.35	67	90.90	3	21.20	3	6.00					68	81.10
	Oct 2024	34	40.90	33	39.20	0	0.00	1	1.00	0	0.00		0.00		
		_					8.00	1	2.00	0	0.00	0	0.00		183.55
	Nov 2024	36	-				-		7.80	0	0.00	0	0.00	109	176.50
12	Dec 2024	45	_	_	101.70			-			0.00	0	0.00	1344	1817.20
Total		579	683.85	719	908.25	23	172.90	23	32.20		0.00				

INDIRA IVF HOSPITAL PVT. LTD.

April Floor Regal Plaza, G.T.Road, Murgasole
ASANSOL -713303
Distt. West Burdwan (West Bengal)

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan 10A, Block – LA, Sector III, Bidhannagar Kolkata - 700 106



D0014471

3.

4.

	V Authorisation No.:	
Memo	o No. 33e - WPrm Mio-med/Auth/176/Burl 2018 FORM-III	Date
	AUTHORIZATION	
((Authorization for operating a facility for generation, Collection, reception, treatment, storage, of biomedical wastes as per the Bio-Medical Waste Management Rules, 201	10)
1.	M/s Indira IVF Hospital Pvt. Ltd.	an occupier or
	operator of the facility located at 1.41, 143, 160 New 3rd floor, legal	Plaza GT Road
	Murgacole Asancol Parchim Boothama, 11339 hereby grant	ed an Authorization for:
	Activity (Please Tick)	
	Generation, segregation Treatment or processing or conversion	
	□ Collection □ Recyling	
	☐ Storage ☐ Disposal or Destruction	
	□ Packaging □ Use	
	☐ Reception ☐ Offering for Sale / Transfer	
	☐ Transportation ☐ Any other form of Handling	
2.	M/sis hereb	y authorized for handling
	of biomedical waste as per the capacity given below:	
	(i) Number of beds of HCF :	
	(ii) Number of healthcare facilities covered by CBMWTF :	
	(iii) Installed treatment and disposal capacity	Kg per day
	(iv) Area or distance covered by CBMWTF	
	(v) Quantity of Biomedical waste handled, treated or disposed :	Kg per day
	Type of Waste Category Quantity permitted for Ha	andling
	Yellow	
	Red	
	White (Translucent)	
	Blue	
	그 그 그는 그들은 속하는 선수의 역사를 가까 바로를 받았다. 그들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람	

This authorization shall be in force for a period up to 3.1/01/2028...... from the date of issue.

This authorization is subject to the conditions stated overleaf and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act., 1986.

Authorised Signatory of the State Board

Terms and conditions of authorization:

- 1. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
- 2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
- 3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
- 4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- 5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions as may be stipulated by the prescribed authority.

Additional Conditions: it agrees december to generation. Collection, reception, trainment decagn it: smooth minimum.

- The occupier/operator must handle & manage bio-medical wastes as prescribed in the Bio-Medical Waste Management, Rules, 2016 and take all steps to ensure that such waste is handled without any adverse effect to human health & the environment.
- 2. The occupier shall handle mercury bearing waste as per guidelines issued by CPCB for the "Environmentally Sound Management of Mercury Waste Generated from the Health Care Facilities".
- 3. Every authorized person shall maintain record related to generation, collection, temporary storage of bio-medical wastes in accordance with rules and appropriate to the state of the st
- 4. No untreated waste shall be stored onsite for more than 48 hours.

Quantity permitted for Han

- 5. The applicant shall submit an Annual Report in Form-IV to the Board by 30th June every year for the period from January to December of the preceding year as required under the provisions (Rule-13) of the Bio-Medical Waste Management Rules, 2016.
- 6. The West Bengal Pollution Control Board reserves its right to revoke, withdraw, make any reasonable variation of the conditions of change or alter this 'Authorization'.
- 7. Application for renewal of Authorization shall be filed at least 60 (sixty) days before the date of expiry of this Authorisation.

(ii) Number of incolhecter factories converge CRMWTF
(iii) Installed treatment and disposal capacity
(iv) Area or distance concred by CBMWTF
(v) Quartity of Biomedical waste handled, treated or disposed

When Wate Caranty

Type of Wasie Category

Number of hedgoff 18 F

Vellow

(Authorized Signatory of the State Board)

This authorization shall be in force for a period up to

This authorization is subject to the conditions stated overleaf and to such other conditions as may be sperales for the func being a flore under the Environment (Protection) Act, 1936.

Authorised Signatory of the State Board

Regional Office

WEST BENGAL POLLUTION CONTROL BOARD 'Paribesh Bhawan', 10A, Block - LA, Sector III Bidhannagar, Kolkata - 700 106

Didnamagar, Kolkata - 100 100
00121483
Memo No: 32e - WFASTH HEW BUN Cent 230 18 Date 11 01 2023
Consent to Operate for Health Care Establishments under Section 25 & 26 of the Water (Prevention and
Control of Pollution) Act, 1974, and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981.
The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended and Rules and Orders made thereunder hereby
grants its Consent to M/S- Indira IVF Hospital Prt. Ltd.
for its unit located at
141, 143, 160 New, 300 Floor, Seger Plaza & T Road, Murgasole, Asansol Paschim Bardhaman, 313303
for a period from 01.02.2023 to 31.01.2028 to operate the Health Care
Establishment and to discharge liquid effluent through 01 (Que) nos. of outlets/outfalls
to mumicipal drain (place of discharge) and to emit the gaseous emissions through stack(s)
in accordance with the conditions as mentioned in the consent provided on any day at any instance the quality and quantity of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in the Environment (Protection) Act. 1986
Breach of the conditions and/or failure to comply with the directions as set out here render the applicant liable for prosecution under the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & control of Pollution) Act, 1981.
The State Board reserves the right to revoke, withdraw or make any resonable variation / change / alter the conditions of this consent by giving one month's notice to the applicant. Private Hospital (Bed Capacity - 10 NOS)
Conditions:
O1. The consent is granted to carry on
nos, of patients per month.

02. Bio-medical wastes generated from the health care establishment as specified in the Rules The applicant shall remain responsible for the quantity and quality of liquid effluent and gaseous emission 03 To bring any change in the unit, stacks, place or point of discharge of effluent etc. the applicant shall obtain prior permission of the State Board

Parameters	Permissible standards		Frequency of Sampling
pH range	6.5 to 9.0		Yearly
TSS	Conc not exceed 100	mg/1	(5.8)
BOD	Conc. not exceed 3.0	mg/1	
COD	Conc. not exceed 2.50	mg/1	
Oil & Grease	Conc. not exceed	rng/1	
Bio-assay test	90% survival of fish after 96 hours in		

06. The applicant shall take adequate measures to maintain the quality of gaseous emissions as specified below:

Stack attached	Stack height in	Conce	entrations	s (in mg/		arameters not to exceed	Frequency
to	metre from G.L.	SPM	SO,	NO,	HCL	Conditions	Sampling
						at 12% CO, correction/CO1%v/v [strike out whichever is not applicable]	
			/			at 12% CO, correction/CO1%v/v [sinke out whichever is not applicable]	
					_	at 12% CO, correction/CO1%v/v [strike out whichever is not applicable]	

07. The applicant shall maintain the noise levels from its own sources within the premises within the limit given below:


Time 10	Limit in dB (A) Leq
Day Time (06 a.m. to 95 p.m.)	65
Night Time (00 p.m. to 06 a.m.)	55
10	

- 08. Noise levels from the DG set should be controlled by providing an acoustic enclosure or by treating the room acoustically. Installation of DG Set must be strictly in compliance with the recommendations of the manufacturer, A proper routine and preventive maintenance procedure for the DG Set should be set and followed in consulation with the DG Set manufacturer to prevent noise levels from deterioration with use.
- 09. The applicant shall maintain good house keeping, good working condition and take adequate measures to control pollution from all sources.
- 10. The applicant shall allow the officers of the Board to enter into applicant's premises at any reasonable time for inspecting the unit.
- 11. The applicant shall make an application to the State Board in the prescribed form for renewal of the consent at least 60 (sixty) days before the date of expiry of this consent.
- 12. The establishment shall not undertake any expansion, modification or alteration in the existing process or equipment without the prior permission of the W.B.Pollution Control Board.
- 13. The State Board reserves the right to revoke this consent if at any time it is found that the health care establishment is not meeting the standards as mentioned byW.B.P.C.B. or if the pollution control equipment are found to be inoperative.
- 13. The applicant shall obtain Authorisation for the generation, collection, reception, storage, transportation, treatment and disposal or any other form of handling of Bio-medical waste under the provisions of Bio-Medical Waste (Management & Handling) Rules, 1998 and its amendments thereafter from the Board.

Admin Court

For and an behall of the State Board

(Member Secretary/Chief Engr./Sr. Env. Engr./Env.Engr./Asst. Env.Engr.)



পশ্চিমবংগ पश्चिम बंगाल WEST BENGAL

87AB 105716

AGREEMENT

This Service Agreement ('Agreement') is made at Raniganj on this 01st Day of Oct, 2023, between M/s INDIRA IVF HOSPITAL PVT.LTD.— 10 sanctioned beds (Renewal) having its address at HOLDING NO 141, 143, 140 NEW, 3RD FLOOR REGAL PLAZA, G.T. ROAD, MURGASOLE, ASANSOL, PIN-713303, Represented by its Owner (hereinafter referred to as "the Generator" which expression unless repugnant to the subject or context thereof, shall include its administrators, successors and permitted assigns) as Party No.1

AND M/s. Medicare Environmental Management Pvt. Ltd., Company registered under the Companies Act, 1956 and having its registered office at Level 11, Aurobindo Galaxy, Hyderabad Knowledge City, Hitech City Road, Hyderabad, Telangana- 500081, and having Common Bio-Medical Waste Treatment, Storage & Disposal Facility at J.L No. 22, Mouza – Mangalpur, Raniganj, Paschim Bardhaman - 713347 (hereinafter referred to as "the Operator" which expression unless repugnant to the subject or context thereof, shall include its administrators, successors and permitted assigns) as Party No.2

The Generator and Operator hereinafter individually referred to as 'Party' and collectively as 'Parties'.

- Operator agrees to provide the services of collection, transportation, treatment and disposal of bio-medical wastes generated by Generator subject to the terms and conditions specified hereinafter.
- b) The Generator, undertakes to properly segregate its bio-medical wastes in prescribed color-coded non Chlorinated HDPE bags and put sharp items in Puncture Proof Container (PPC) as specified in the Biomedical Waste (Management & Handling) Rules 2016 and as amended. For any amputated body parts, the Generator will give the Operator a declaration duly signed by its authorized representative, stating the patient's name, age and reason for amputation as required under the Pollution Control Board's (PCB) regulations.

Mygan

- c) Generator will establish a proper and convenient single collection point at its premises to facilitate the collection of its bio-medical waste by Operator.
- d) In consideration of the services to be provided by Operator to Generator under this agreement, Generator agrees to pay Operator ₹8.00 (Rupees eight only) w.e.f 01.10.2023 to 31.12.2023 and ₹8.32 (Rupees eight and paisa thirty two only) per day per sanctioned bed w.e.f 01.01.2024 to 30.09.2026 with a security deposit of ₹5130.00 (Interest-free, non-adjustable but refundable on termination of contract, if any), besides regular payment from first month against bill raised. Medicare would only refund security deposit to the Customer after deducting outstanding payments due from them, if any on the basis of sanctioned beds. The above rates are valid upto 300 grams of BMW per day per functional/sanctioned beds. Over & above 300 grams per day per functional/sanctioned bed, an additional charge @₹27.00 (Rupees twenty seven only) per kg will functional/sanctioned bed, an additional charge @₹27.00 (Rupees twenty seven only) per kg will be claimed on monthly basis based on mutually accepted data available on Collection Automation System. Any taxes, surcharges announced by State or Central Govt. / departments regarding provision of Bio-Medical Waste management will be applicable thereafter as extra.
- e) The charges are subject to annual revision on the basis of Govt, of India wholesale price index and including but not limited to every event of escalation of fuel costs, power tariff, change in disposal technologies and/or method, wage hike and others.
- f) This service agreement shall be valid for a period till 30 September 2026, herein refer to as the Term. The Generator will not enter into any agreement with any other party for the provision of biomedical waste management services during the Term In the event, for whatsoever reason, the Generator is unable to utilize the facility services for a particular month/period, the Operator shall forfeit the amount that is unutilized in that agreement period/financial year.
- g) Operator shall send the monthly user charges invoice to the Generator on or before 5th of every succeeding month. The Generator undertakes that payment shall be made through Demand Draft or through NEFT/RTGS/ other electronic mode or through UPI in favor of M/s. Medicare Environmental Management Pvt. Ltd. on or before 15th of every month.
- h) Any dispute in the invoice of user charges shall be intimated to the Operator within seven days of receipt of the invoice, failing to which it shall be treated as final.
- i) In case of delayed payments the Generator shall be liable to pay interest at the rate of 2% per month on the outstanding amount during the default period. In the event of any bill amount along with interest is due for more than three (3) months, **Operator** reserves the right to refuse to extend its services to the Generator and even to terminate this Agreement with immediate effect.
- j) Operator will collect the bio-medical waste from Generator's premises (designated Common Collection Point) at such time and for such frequency as mutually agreed by both parties. Operator will not collect any bio-medical waste that is not properly segregated and packed in accordance with Bio-Medical Waste (Management & Handling) Rules 2016 and as amended.
- k) Operator will issue an acknowledgement of the collection of the bio-medical waste (System Generated Manifest) to the Generator on the day of collection. This manifest will assist Generator to fulfil it's compliance requirements under the provision of Bio-Medical Waste Management Rules (2016) and as amended. The manifest will be deemed as final and conclusive proof of collection in the event of billing and payment dispute.
- Operator may supply to the Generator upon request of Generator color-coded non-chlorinated plastic bags, puncture proof containers and other consumables at a rate mutually agreed by and between Operator and the Generator. The Generator will issue official purchase order to Operator for the supply of bags and any other items relating to the management and handling of biomedical waste.
- m) In the event **Operator** is unable to fulfill its obligation under this agreement due to circumstances beyond its control, including but not limited to natural calamity, pandemic situation, Nationwide and State level strike, **Operator** will not be held responsible for such failure to perform under the Term.
- n) This Agreement shall be subject to the laws in force in India from time to time.
- o) The parties agree to settle any dispute arising out of this Agreement amicably.

For M/S Medicare Emiliatinental Management Pvt. Ltd.

FOR M/s INDIRA IVF HOSPITAL PVT.LTD.

Authorised Signatory

INDIRA IVF HOSPITAL PVT, LTD. 3rd Floor Regal Plaza, G.T. Road Murgasol, ASANSOLI-713303 Dist. - West Bardhaman (W.B.)



MEMPL: Medicare-Durgapur Mouza - Mangalpur, Touzi No 19, Mannheim, Dag No 457 (P) 458 (P) JL No 22, West Bengal-713347



SERVICE CERTIFICATE

This is to certify that

M/S. Indira IVF Hospital Pvt. Ltd.

located at Holding No 141,143,160 New 3rd Floor Regal Plaza G.T Road, Murgasole West Bengal is registered with MEDICARE ENVIRONMENTAL MANAGEMENT PRIVATE LIMITED with Membership No. 1077795 for collection, transportation, processing and scientific disposal of Bio Medical Waste as per Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

Number of Registered Beds: 10

This Certificate is valid upto: 30.09.2026

